

# CLEARANCE SALE



**Item: 1/2" DRIVE IMPACT SOCKET 24 MM - 6 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J7424M

**Special Price:** **497.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 647.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 24

NUT END OUTSIDE DIAMETER [IN]: 1-23/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-23/64

NUT DEPTH [IN]: 43/64

BOLT CLEARANCE DEPTH [IN]: 31/32

OVERALL LENGTH [IN]: 1-5/8

WEIGHT [LBS]: 0.43

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012



**Buy Online**

<https://www.qtec-technology.com/product/2401656/-1-2-quot-drive-impact-socket-24-m>

**Item: 1" , Combination Wrench, SAE, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1232ASD

**Special Price:** **1,619.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,105.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [IN]: 1

OUTSIDE HEAD WIDTH 1 [IN]: 2-1/64

HEAD THICKNESS 1 [IN]: 19/32

OUTSIDE HEAD WIDTH 2 [IN]: 1-13/32

HEAD THICKNESS 2 [IN]: 37/64

OVERALL LENGTH [IN]: 14

WEIGHT [LBS]: 0.95

THROAT DEPTH 1 [IN]: 1-13/64

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401612/1-quot-combination-wrench-sae-s>

## Item: 1/2" DRIVE EXTENSION 10"

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5463

**Special Price:** **997.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,297.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



### Description

- Made from alloy steel.
- Heat-treated for strength and durability.
- Rigid extensions.

DRIVE SIZE [IN]: 1/2  
OVERALL LENGTH [IN]: 10  
WEIGHT [LBS]: 0.89  
FINISH: Full Polish  
SPECIFICATION ASME: ASME B107.110-2012  
SPECIFICATION AS: SAE AS4283C



Buy Online

<https://www.qtec-technology.com/product/2401640/1-2-quot-drive-extension-10-quot->

## Item: 1/2" DRIVE EXTENSION 5"

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5461

**Special Price:** **724.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 942.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



### Description

- Made from alloy steel.
- Heat-treated for strength and durability.
- Rigid extensions.

DRIVE SIZE [IN]: 1/2  
OVERALL LENGTH [IN]: 5  
WEIGHT [LBS]: 0.44  
FINISH: Full Polish  
SPECIFICATION ASME: ASME B107.110-2012  
SPECIFICATION AS: SAE AS4283C



Buy Online

<https://www.qtec-technology.com/product/2401641/1-2-quot-drive-extension-5-quot->

**Item: 1/2" DRIVE HINGE HANDLE 15-3/4"**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5467

**Special Price:** **2,728.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 3,547.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Head Flexes 90° from horizontal.
- Made of heat-treated alloy steel.
- Chrome plated finish.

DRIVE SIZE [IN]: 1/2

OVERALL LENGTH [IN]: 15-3/8

WEIGHT [LBS]: 1.52

FINISH: Full Polish

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4283C



**Buy Online**

<https://www.qtec-technology.com/product/2401642/1-2-quot-drive-hinge-handle-15-3-4>

**Item: 1/2" DRIVE IMPACT SOCKET 10 MM - 6 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J7410M

**Special Price:** **293.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 381.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 10

NUT END OUTSIDE DIAMETER [IN]: 43/64

DRIVE END OUTSIDE DIAMETER [IN]: 15/16

NUT DEPTH [IN]: 3/8

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.18

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012



**Buy Online**

<https://www.qtec-technology.com/product/2401643/1-2-quot-drive-impact-socket-10-mm>

**Item: 1/2" DRIVE IMPACT SOCKET 11 MM - 6 POINT****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J7411M**Special Price:** **320.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 416.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 11

NUT END OUTSIDE DIAMETER [IN]: 23/32

DRIVE END OUTSIDE DIAMETER [IN]: 15/16

NUT DEPTH [IN]: 3/8

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.18

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012

**Buy Online**<https://www.qtec-technology.com/product/2401644/1-2-quot-drive-impact-socket-11-mm>

**Item: 1/2" DRIVE IMPACT SOCKET 12 MM - 6 POINT****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J7412M**Special Price:** **279.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 363.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 12

NUT END OUTSIDE DIAMETER [IN]: 51/64

DRIVE END OUTSIDE DIAMETER [IN]: 15/16

NUT DEPTH [IN]: 13/32

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.17

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012

**Buy Online**<https://www.qtec-technology.com/product/2401645/1-2-quot-drive-impact-socket-12-mm>



**Item: 1/2" DRIVE IMPACT SOCKET 13 MM - 6 POINT****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J7413M**Special Price:** 292.00 Baht / EA

(Ex. Vat) Delivery Fee Not Included.

**Price:** 380.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 13

NUT END OUTSIDE DIAMETER [IN]: 51/64

DRIVE END OUTSIDE DIAMETER [IN]: 15/16

NUT DEPTH [IN]: 7/16

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.16

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012

**Buy Online**<https://www.qtec-technology.com/product/2401646/1-2-quot-drive-impact-socket-13-mm>

**Item: 1/2" DRIVE IMPACT SOCKET 14 MM - 6 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J7414M

**Special Price:** **259.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 337.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 14

NUT END OUTSIDE DIAMETER [IN]: 7/8

DRIVE END OUTSIDE DIAMETER [IN]: 15/16

NUT DEPTH [IN]: 15/32

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.18

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012



**Buy Online**

<https://www.qtec-technology.com/product/2401647/1-2-quot-drive-impact-socket-14-mm>

**Item: 1/2" DRIVE IMPACT SOCKET 16 MM - 6 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J7416M

**Special Price:** **298.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 388.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 16

NUT END OUTSIDE DIAMETER [IN]: 1

DRIVE END OUTSIDE DIAMETER [IN]: 1

NUT DEPTH [IN]: 17/32

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.20

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012



**Buy Online**

<https://www.qtec-technology.com/product/2401648/1-2-quot-drive-impact-socket-16-mm>

**Item: 1/2" DRIVE IMPACT SOCKET 17 MM - 6 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J7417M

**Special Price:** **329.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 428.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 17

NUT END OUTSIDE DIAMETER [IN]: 1-1/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-1/32

NUT DEPTH [IN]: 9/16

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.22

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012



**Buy Online**

<https://www.qtec-technology.com/product/2401649/1-2-quot-drive-impact-socket-17-mm>

**Item: 1/2" DRIVE IMPACT SOCKET 18 MM - 6 POINT****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J7418M**Special Price:** **380.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 494.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 18

NUT END OUTSIDE DIAMETER [IN]: 1-1/8

DRIVE END OUTSIDE DIAMETER [IN]: 1-1/8

NUT DEPTH [IN]: 51/64

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.27

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012

**Buy Online**<https://www.qtec-technology.com/product/2401650/1-2-quot-drive-impact-socket-18-mm>

**Item: 1/2" DRIVE IMPACT SOCKET 19 MM - 6 POINT****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J7419M**Special Price:** **367.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 478.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 19

NUT END OUTSIDE DIAMETER [IN]: 1-7/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-7/64

NUT DEPTH [IN]: 47/64

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.25

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012

**Buy Online**<https://www.qtec-technology.com/product/2401651/1-2-quot-drive-impact-socket-19-mm>

**Item: 1/2" DRIVE IMPACT SOCKET 20 MM - 6 POINT****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J7420M**Special Price:** **379.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 493.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 20

NUT END OUTSIDE DIAMETER [IN]: 1-5/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-5/32

NUT DEPTH [IN]: 11/16

BOLT CLEARANCE DEPTH [IN]: 31/32

OVERALL LENGTH [IN]: 1-5/8

WEIGHT [LBS]: 0.30

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012

**Buy Online**<https://www.qtec-technology.com/product/2401652/1-2-quot-drive-impact-socket-20-mm>

**Item: 1/2" DRIVE IMPACT SOCKET 21 MM - 6 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J7421M

**Special Price:** **396.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 515.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 21

NUT END OUTSIDE DIAMETER [IN]: 1-13/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-13/64

NUT DEPTH [IN]: 43/64

BOLT CLEARANCE DEPTH [IN]: 31/32

OVERALL LENGTH [IN]: 1-5/8

WEIGHT [LBS]: 0.30

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012



**Buy Online**

<https://www.qtec-technology.com/product/2401653/1-2-quot-drive-impact-socket-21-mm>



**Item: 1/2" DRIVE IMPACT SOCKET 22 MM - 6 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J7422M

**Special Price:** **483.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 628.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 22

NUT END OUTSIDE DIAMETER [IN]: 1-9/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-9/32

NUT DEPTH [IN]: 43/64

BOLT CLEARANCE DEPTH [IN]: 31/32

OVERALL LENGTH [IN]: 1-5/8

WEIGHT [LBS]: 0.36

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME ASME B107.110-2012



**Buy Online**

<https://www.qtec-technology.com/product/2401654/1-2-quot-drive-impact-socket-22-mm>

**Item: 1/2" DRIVE IMPACT SOCKET 23 MM - 6 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J7423M

**Special Price:** **477.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 621.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto 6 Point Impact Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 23

NUT END OUTSIDE DIAMETER [IN]: 1-3/8

DRIVE END OUTSIDE DIAMETER [IN]: 1-3/8

NUT DEPTH [IN]: 43/64

BOLT CLEARANCE DEPTH [IN]: 31/32

OVERALL LENGTH [IN]: 1-5/8

WEIGHT [LBS]: 0.39

DRIVE SIZE [IN]: 1/2

POINT SIZE: 6

FINISH: Black Oxide

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION AS: SAE AS4984A

SPECIFICATION ASME: ASME B107.110-2012



**Buy Online**

<https://www.qtec-technology.com/product/2401655/1-2-quot-drive-impact-socket-23-mm>

**Item: 1/2" DRIVE SOCKET 17 MM - 12 POINT****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5417M**Special Price:** **466.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 606.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 17

NUT END OUTSIDE DIAMETER [IN]: 61/64

DRIVE END OUTSIDE DIAMETER [IN]: 61/64

NUT DEPTH [IN]: 37/64

BOLT CLEARANCE DEPTH [IN]: 7/8

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.14

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401625/1-2-quot-drive-socket-17-mm-12-p>

**Item: 1/2" DRIVE SOCKET 19 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5419M

**Special Price:** **474.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 617.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 19

NUT END OUTSIDE DIAMETER [IN]: 1-1/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-1/32

NUT DEPTH [IN]: 11/16

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.19

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401626/1-2-quot-drive-socket-19-mm-12-p>

**Item: 1/2" DRIVE SOCKET 21 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5421M

**Special Price:** **536.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 697.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 21

NUT END OUTSIDE DIAMETER [IN]: 1-3/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-3/32

NUT DEPTH [IN]: 11/16

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.24

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401627/1-2-quot-drive-socket-21-mm-12-p>

**Item: 1/2" DRIVE SOCKET 22 MM - 12 POINT****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5422M**Special Price:** **559.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 727.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 22

NUT END OUTSIDE DIAMETER [IN]: 1-11/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-11/64

NUT DEPTH [IN]: 11/16

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-17/32

WEIGHT [LBS]: 0.26

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401628/1-2-quot-drive-socket-22-mm-12-p>

**Item: 1/2" DRIVE SOCKET 23 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5423M

**Special Price:** **593.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 771.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 23

NUT END OUTSIDE DIAMETER [IN]: 1-13/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-13/64

NUT DEPTH [IN]: 25/32

BOLT CLEARANCE DEPTH [IN]: 59/64

OVERALL LENGTH [IN]: 1-17/32

WEIGHT [LBS]: 0.27

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401629/1-2-quot-drive-socket-23-mm-12-p>

**Item: 1/2" DRIVE SOCKET 24 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5424M

**Special Price:** **591.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 769.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 24

NUT END OUTSIDE DIAMETER [IN]: 1-1/4

DRIVE END OUTSIDE DIAMETER [IN]: 1-1/4

NUT DEPTH [IN]: 53/64

BOLT CLEARANCE DEPTH [IN]: 59/64

OVERALL LENGTH [IN]: 1-17/32

WEIGHT [LBS]: 0.28

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401630/1-2-quot-drive-socket-24-mm-12-p>



**Item: 1/2" DRIVE SOCKET 25 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5425M

**Special Price:** **673.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 875.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 25

NUT END OUTSIDE DIAMETER [IN]: 1-9/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-9/32

NUT DEPTH [IN]: 53/64

BOLT CLEARANCE DEPTH [IN]: 59/64

OVERALL LENGTH [IN]: 1-17/32

WEIGHT [LBS]: 0.30

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401631/1-2-quot-drive-socket-25-mm-12-p>

**Item: 1/2" DRIVE SOCKET 26 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5426M

**Special Price:** **710.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 923.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 26

NUT END OUTSIDE DIAMETER [IN]: 1-21/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-21/64

NUT DEPTH [IN]: 55/64

BOLT CLEARANCE DEPTH [IN]: 63/64

OVERALL LENGTH [IN]: 1-39/64

WEIGHT [LBS]: 0.33

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401632/1-2-quot-drive-socket-26-mm-12-p>

**Item: 1/2" DRIVE SOCKET 27 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5427M

**Special Price:** **735.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 956.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 27

NUT END OUTSIDE DIAMETER [IN]: 1-13/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-13/32

NUT DEPTH [IN]: 15/16

BOLT CLEARANCE DEPTH [IN]: 1-3/64

OVERALL LENGTH [IN]: 1-43/64

WEIGHT [LBS]: 0.39

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401633/1-2-quot-drive-socket-27-mm-12-p>

**Item: 1/2" DRIVE SOCKET 28 MM - 12 POINT****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5428M**Special Price:** **785.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 1,021.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 28

NUT END OUTSIDE DIAMETER [IN]: 1-31/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-31/64

NUT DEPTH [IN]: 63/64

BOLT CLEARANCE DEPTH [IN]: 1-5/32

OVERALL LENGTH [IN]: 1-25/32

WEIGHT [LBS]: 0.48

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401634/1-2-quot-drive-socket-28-mm-12-p>

**Item: 1/2" DRIVE SOCKET 29 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5429M

**Special Price:** **876.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,139.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 29

NUT END OUTSIDE DIAMETER [IN]: 1-31/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-31/64

NUT DEPTH [IN]: 63/64

BOLT CLEARANCE DEPTH [IN]: 1-5/32

OVERALL LENGTH [IN]: 1-25/32

WEIGHT [LBS]: 0.62

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401635/1-2-quot-drive-socket-29-mm-12-p>

**Item: 1/2" DRIVE SOCKET 30 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5430M

**Special Price:** **600.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 780.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 30

NUT END OUTSIDE DIAMETER [IN]: 1-9/16

DRIVE END OUTSIDE DIAMETER [IN]: 1-17/32

NUT DEPTH [IN]: 63/64

BOLT CLEARANCE DEPTH [IN]: 1-5/32

OVERALL LENGTH [IN]: 1-25/32

WEIGHT [LBS]: 0.63

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401636/1-2-quot-drive-socket-30-mm-12-p>

**Item: 1/2" DRIVE SOCKET 32 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5432M

**Special Price:** **1,010.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,313.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 32

NUT END OUTSIDE DIAMETER [IN]: 1-39/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-39/64

NUT DEPTH [IN]: 1-1/8

BOLT CLEARANCE DEPTH [IN]: 1-7/32

OVERALL LENGTH [IN]: 1-27/32

WEIGHT [LBS]: 0.63

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401637/1-2-quot-drive-socket-32-mm-12-p>

**Item: 1/2" DRIVE SOCKET 36 MM - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5436M

**Special Price:** **1,441.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,874.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 36

NUT END OUTSIDE DIAMETER [IN]: 1-31/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-31/32

NUT DEPTH [IN]: 1-3/8

BOLT CLEARANCE DEPTH [IN]: 1-39/64

OVERALL LENGTH [IN]: 2-15/64

WEIGHT [LBS]: 1.04

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401638/1-2-quot-drive-socket-36-mm-12-p>



**Item: 1/2" DRIVE SPEED HANDLE 18"**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5480G

**Special Price:** **1,200.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,560.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Made from alloy steel.
- Heat-treated for strength and durability.

DRIVE SIZE [IN]: 1/2

OVERALL LENGTH [IN]: 18-5/16

WEIGHT [LBS]: 1.55

FINISH: Full Polish

SPECIFICATION ASME: ASME B107.10M



**Buy Online**

<https://www.qtec-technology.com/product/2401582/1-2-quot-drive-speed-handle-18-quot->

**Item: 1/2" DRIVE UNIVERSAL JOINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5470A

**Special Price:** **1,148.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,493.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Non slip surface.
- Black oxide finish.

DRIVE SIZE [IN]: 1/2

OVERALL LENGTH [IN]: 2-3/4

WEIGHT [LBS]: 0.30

FINISH: Full Polish

LENGTH TYPE: Universal Joint

SPECIFICATION ASME: ASME B107.10M

SPECIFICATION AS: SAE AS4283C



**Buy Online**

<https://www.qtec-technology.com/product/2401639/1-2-quot-drive-universal-joint>

**Item: 1/2" Drive Metric Chrome Socket Wrench Set, Number of Pieces: 22**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J54210

**Special Price:** **11,150.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 14,495.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

WEIGHT [LBS]: 15.21

PIECE COUNT: 22



**Buy Online**

<https://www.qtec-technology.com/product/2387203/1-2-quot-drive-metric-chrome-socket>

**Item: 1/4" DRIVE DEEP SOCKET 3/16" - 6 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4706L

**Special Price:** **488.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 635.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 6 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded or rusted fasteners.

SIZE [IN]: 3/16

NUT END OUTSIDE DIAMETER [IN]: 5/16

DRIVE END OUTSIDE DIAMETER [IN]: 15/32

NUT DEPTH [IN]: 9/32

BOLT CLEARANCE DEPTH [IN]: 1-21/32

OVERALL LENGTH [IN]: 2

WEIGHT [LBS]: 0.05

DRIVE SIZE [IN]: 1/4

POINT SIZE :6

FINISH: Full Polish

LENGTH TYPE: Deep

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401541/1-4-quot-drive-deep-socket-3-16-quot->

**Item: 1:18.5 Torque Multiplier, Female Input: 1/2", Male Output: 1"**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J6232

**Special Price:** **83,312.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 108,306.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Maximum rated input: 173 ft-lbs (235 Nm).
- Maximum rated output: 3200 ft-lbs (4338 Nm).
- Standard torque accuracy is +/- 5% of reading.
- Reaction system: tubular reaction bar.
- Gear system: two stage planetary.
- Angle of turn protractor: 5° increments.
- Anti-backlash device: self-contained, 3 position.

HEAD DEPTH [IN]: 6-1/2

INPUT DRIVE [IN]: 1/2

OUTPUT DRIVE [IN]: 1

TORQUE RATIO: 1:18.5

HANDLE LENGTH [IN]: 14-1/8

OVERALL LENGTH [IN]: 19-19/32

WEIGHT [LBS]: 18.30

REPAIR KIT PART NUMBER: J6232RD

FINISH: Full Polish



Buy Online

<https://www.qtec-technology.com/product/2401465/1-18-5-torque-multiplier-fema>

**Item: 10 PIECE Screw Extractor Set**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J9500B

**Special Price:** **8,308.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 10,801.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

For Bolt Size: 1 in ; 1-1/2 in ; 1-1/4 in ; 1-1/8 in ; 1/2 in ; 1-3/8 in ; 1/4 in ; 1/8 in to 1 Pipe ; 3/4 in ; 3/8 in ; 5/16 in ; 5/8 in ; 7/16 in ; 7/8 in ; 9/16 in  
Drive Size: 1/2 in



Buy Online

<https://www.qtec-technology.com/product/2401570/10-piece-screw-extractor-set>

**Item: 10" Adjustable Wrench, Plain Handle, 1-5/16" Jaw Capacity, Steel**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J710

**Special Price:** **1,140.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,482.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- Extra wide jaw capacity.
- Square jaw opening provides strength and tight fit.
- Rugged I-beam style handle and reinforced stress areas; radius corner design.

FINISH: Satin

OVERALL LENGTH [IN]: 10

WEIGHT [LBS]: 0.90

MAXIMUM OPENING [IN]: 1-5/16

SPECIFICATION ASME: ASME B107.8



**Buy Online**

<https://www.qtec-technology.com/market/search?q=3343358>

**Item: 10-3/16" Groove Joint Straight Jaw Tongue and Groove Plier**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J260SG

**Special Price:** **1,350.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,755.00 Baht / EA

**Location:** BKK

**Stock QTY:** 4



**Description**

- Precision milled undercut groove joint provides interlocking feature for powerful non-slip performance.
- Special fastener ensures permanent assembly, yet allows for easy adjustment.
- Angled teeth provide superior gripping power over standard right angled teeth.
- Plastisol grips for added comfort.
- Natural finish.

JAW LENGTH [IN]: 1-15/16

JAW WIDTH [IN]: 2-3/4

JAW THICKNESS [IN]: 13/32

MAXIMUM OPENING [IN]: 2-1/8

HANDLE COLOR: Red

OVERALL LENGTH [IN]: 10-3/16

WEIGHT [LBS]: 1.00

FINISH: Natural

SPECIFICATION ASME: ASME B107.23



**Buy Online**

<https://www.qtec-technology.com/product/2401585/10-3-16-quot-groove-joint-straight>

**Item: 10mm Steel Socket with 1/2" Drive Size and Polished Finish****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5410M**Special Price:** **230.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 299.00 Baht / EA**Location:** BKK**Stock QTY:** 3**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 10

NUT END OUTSIDE DIAMETER [IN]: 39/64

DRIVE END OUTSIDE DIAMETER [IN]: 55/64

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 55/64

OVERALL LENGTH [IN]: 1-31/64

WEIGHT [LBS]: 0.11

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401500/10mm-steel-socket-with-1-2-quot-dr>

**Item: 10mm Steel Socket with 3/8" Drive Size and Polished Finish**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5210M

**Special Price:** **179.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 233.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 10  
NUT END OUTSIDE DIAMETER [IN]: 19/32  
DRIVE END OUTSIDE DIAMETER [IN]: 43/64  
NUT DEPTH [IN]: 5/16  
BOLT CLEARANCE DEPTH [IN]: 45/64  
OVERALL LENGTH [IN]: 1-3/32  
WEIGHT [LBS]: 0.06  
DRIVE SIZE [IN]: 3/8  
POINT SIZE: 12  
FINISH: Full Polish  
LENGTH TYPE: Standard  
UNIT OF MEASURE: Metric  
SPECIFICATION ASME: ASME B107.110-2012  
SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401488/10mm-steel-socket-with-3-8-quot-dr>



**Item: 10mm, 11mm, Box End Wrench, Metric, Chrome Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1053M

**Special Price:** **557.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 725.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [MM]: 10 x 11

OUTSIDE HEAD WIDTH 1 [IN]: 21/32

HEAD THICKNESS 1 [IN]: 19/64

HEAD THICKNESS 2 [IN]: 5/16

OVERALL LENGTH [IN]: 7-31/32

WEIGHT [LBS]: 0.19

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387212/10mm-11mm-box-end-wrench-me>

**Item: 1-1/16", Combination Wrench, SAE, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1234ASD

**Special Price:** **2,257.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,935.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [IN]: 1-1/16

OUTSIDE HEAD WIDTH 1 [IN]: 2-9/64

HEAD THICKNESS 1 [IN]: 21/32

OUTSIDE HEAD WIDTH 2 [IN]: 1-31/64

HEAD THICKNESS 2 [IN]: 39/64

OVERALL LENGTH [IN]: 14-7/8

WEIGHT [LBS]: 1.13

THROAT DEPTH 1 [IN]: 1-9/32

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401614/1-1-16-quot-combination-wrench-s>

**Item: 1-1/2" Steel Socket with 3/4" Drive Size and Satin Finish**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5548

**Special Price:** **895.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,164.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.
- Made of heat-treated alloy steel.
- Side locking hole.

SIZE [IN]: 1-1/2

NUT END OUTSIDE DIAMETER [IN]: 2-3/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-5/8

NUT DEPTH [IN]: 1

BOLT CLEARANCE DEPTH [IN]: 1-1/4

OVERALL LENGTH [IN]: 2-13/32

WEIGHT [LBS]: 0.94

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401508/1-1-2-quot-steel-socket-with-3-4-quot->

**Item: 1-1/4", Combination Wrench, SAE, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1240ASD

**Special Price:** **3,863.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 5,022.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [IN]: 1-1/4

OUTSIDE HEAD WIDTH 1 [IN]: 2-33/64

HEAD THICKNESS 1 [IN]: 3/4

OUTSIDE HEAD WIDTH 2 [IN]: 1-3/4

HEAD THICKNESS 2 [IN]: 45/64

OVERALL LENGTH [IN]: 16-7/8

WEIGHT [LBS]: 1.89

THROAT DEPTH 1 [IN]: 1-1/2

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401577/1-1-4-quot-combination-wrench-sa>

**Item: 1-1/8" Alloy Steel Socket with 1" Drive Size and Satin Finish**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5736

**Special Price:** **1,510.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,963.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 1-1/8

NUT END OUTSIDE DIAMETER [IN]: 1-41/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-29/32

NUT DEPTH [IN]: 3/4

BOLT CLEARANCE DEPTH [IN]: 1

OVERALL LENGTH [IN]: 2-7/16

WEIGHT [LBS]: 0.91

DRIVE SIZE [IN]: 1

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012



**Buy Online**

<https://www.qtec-technology.com/product/2401618/1-1-8-quot-alloy-steel-socket-with>

**Item: 1-1/8", Combination Wrench, SAE, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1236ASD

**Special Price:** **2,780.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 3,614.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus system.

FINISH: Satin

SIZE [IN]: 1-1/8

OUTSIDE HEAD WIDTH 1 [IN]: 2-17/64

HEAD THICKNESS 1 [IN]: 47/64

OUTSIDE HEAD WIDTH 2 [IN]: 1-21/32

HEAD THICKNESS 2 [IN]: 41/64

OVERALL LENGTH [IN]: 15-7/8

WEIGHT [LBS]: 1.38

THROAT DEPTH 1 [IN]: 1-23/64

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401617/1-1-8-quot-combination-wrench-sa>

**Item: 11mm, Combination Wrench, Metric, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1211MASD

**Special Price:** **456.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 593.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 11

OUTSIDE HEAD WIDTH 1 [IN]: 59/64

HEAD THICKNESS 1 [IN]: 11/32

OUTSIDE HEAD WIDTH 2 [IN]: 11/16

HEAD THICKNESS 2 [IN] :21/64

OVERALL LENGTH [IN]: 6-29/32

WEIGHT [LBS]: 0.15

THROAT DEPTH 1 [IN] :33/64

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387195/combination-wrench-11mm-6in-o>

**Item: 12mm, 13mm, Box End Wrench, Metric, Chrome Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1057M

**Special Price:** **561.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 730.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [MM]; 12 x 13

OUTSIDE HEAD WIDTH 1 [IN]: 3/4

HEAD THICKNESS 1 [IN]: 21/64

HEAD THICKNESS 2 [IN]: 11/32

OVERALL LENGTH [IN]: 8-55/64

WEIGHT [LBS]: 0.28

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387213/12mm-13mm-box-end-wrench-me>



**Item: 13/16" Alloy Steel Socket with 3/8" Drive Size and Chrome Finish**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5226

**Special Price:** **204.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 266.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 13/16

NUT END OUTSIDE DIAMETER [IN]: 1-3/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-3/32

NUT DEPTH [IN]: 39/64

BOLT CLEARANCE DEPTH [IN]: 3/4

OVERALL LENGTH [IN]: 1-3/16

WEIGHT [LBS]: 0.17

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2387202/13-16-quot-alloy-steel-socket-with>

**Item: 13/16" Steel Socket with 1/2" Drive Size and Polished Finish****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5426**Special Price:** **309.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 402.00 Baht / EA**Location:** BKK**Stock QTY:** 2**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 13/16

NUT END OUTSIDE DIAMETER [IN]: 1-3/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-5/64

NUT DEPTH [IN]: 11/16

BOLT CLEARANCE DEPTH [IN]: 21/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.23

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2387204/13-16-quot-steel-socket-with-1-2-quot->

**Item: 1-3/8" Alloy Steel Socket with 1" Drive Size and Satin Finish**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5744

**Special Price:** **1,670.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,171.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 1-3/8

NUT END OUTSIDE DIAMETER [IN]: 2-1/32

DRIVE END OUTSIDE DIAMETER [IN]: 2-1/32

NUT DEPTH [IN]: 1

BOLT CLEARANCE DEPTH [IN]: 1-1/4

OVERALL LENGTH [IN]: 2-21/32

WEIGHT [LBS]: 0.90

DRIVE SIZE [IN]: 1

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012



**Buy Online**

<https://www.qtec-technology.com/product/2401619/1-3-8-quot-alloy-steel-socket-with>

**Item: 1-5/16" Steel Socket with 3/4" Drive Size and Satin Finish****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5542**Special Price:** **703.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 914.00 Baht / EA**Location:** BKK**Stock QTY:** 2**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.
- Made of heat-treated alloy steel.
- Side locking hole.

SIZE [IN]: 1-5/16

NUT END OUTSIDE DIAMETER [IN]: 1-7/8

DRIVE END OUTSIDE DIAMETER [IN]: 1-19/32

NUT DEPTH [IN]: 27/32

BOLT CLEARANCE DEPTH [IN]: 1-5/32

OVERALL LENGTH [IN]: 2-9/32

WEIGHT [LBS]: 0.89

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2387206/1-5-16-quot-steel-socket-with-3-4-quot->

**Item: 15/16", Combination Wrench, SAE, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1230ASD

**Special Price:** **1,354.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,761.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [IN]: 15/16

OUTSIDE HEAD WIDTH 1 [IN]: 1-29/32

HEAD THICKNESS 1 [IN]: 37/64

OUTSIDE HEAD WIDTH 2 [IN]: 1-27/64

HEAD THICKNESS 2 [IN]: 37/64

OVERALL LENGTH [IN]: 12-7/8

WEIGHT [LBS]: 0.74

THROAT DEPTH 1 [IN]: 1-1/8

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401613/15-16-quot-combination-wrench-sa>

**Item: 1-5/8", Combination Wrench, SAE, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1252

**Special Price:** **4,556.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 5,923.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [IN]: 1-5/8

OUTSIDE HEAD WIDTH 1 [IN]: 3-25/64

HEAD THICKNESS 1 [IN]: 21/32

OUTSIDE HEAD WIDTH 2 [IN]: 2-13/32

HEAD THICKNESS 2 [IN]: 29/32

OVERALL LENGTH [IN]: 23

WEIGHT [LBS]: 4.64

THROAT DEPTH 1 [IN]: 1-63/64

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401606/1-5-8-quot-combination-wrench-sa>

**Item: 16mm, Combination Wrench, Metric, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1216MASD

**Special Price:** 600.00 Baht / EA

(Ex. Vat) Delivery Fee Not Included.

**Price:** 780.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 16

OUTSIDE HEAD WIDTH 1 [IN]: 61/64

HEAD THICKNESS 1 [IN]: 5/16

OUTSIDE HEAD WIDTH 2 [IN]: 15/16

HEAD THICKNESS 2 [IN]: 13/32

OVERALL LENGTH [IN]: 9-13/32

WEIGHT [LBS]: 0.26

THROAT DEPTH 1 [IN]: 3/4

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387197/proto-j1216masd-combination-wr>

**Item: 17mm, 19mm, Box End Wrench, Metric, Chrome Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1065M

**Special Price:** **747.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 972.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [MM]: 17 x 19

OUTSIDE HEAD WIDTH 1 [IN]: 1-5/64

HEAD THICKNESS 1 [IN]: 29/64

HEAD THICKNESS 2 [IN]: 31/64

OVERALL LENGTH [IN]: 11-23/64

WEIGHT [LBS]: 0.59

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387214/17mm-19mm-box-end-wrench-me>



**Item: 17mm, Combination Wrench, Metric, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1217MASD

**Special Price:** **1,060.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,378.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 17

OUTSIDE HEAD WIDTH 1 [IN]: 1-1/64

HEAD THICKNESS 1 [IN]: 21/64

OUTSIDE HEAD WIDTH 2 [IN]: 1-1/32

HEAD THICKNESS 2 [IN]: 7/16

OVERALL LENGTH [IN]: 10-1/8

WEIGHT [LBS]: 0.38

THROAT DEPTH 1 [IN]: 53/64

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401615/17mm-combination-wrench-metr>

**Item: 19/32" Alloy Steel Socket with 3/8" Drive Size and Chrome Finish**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5219

**Special Price:** **155.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 202.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 19/32

NUT END OUTSIDE DIAMETER [IN]: 33/64

DRIVE END OUTSIDE DIAMETER [IN]: 27/32

NUT DEPTH [IN]: 1/2

BOLT CLEARANCE DEPTH [IN]: 11/16

OVERALL LENGTH [IN]: 1-1/8

WEIGHT [LBS]: 0.09

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2387347/19-32-quot-alloy-steel-socket-with>

**Item: 19mm, Combination Wrench, Metric, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1219MASD

**Special Price:** **1,092.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,420.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 19

OUTSIDE HEAD WIDTH 1 [IN]: 1-37/64

HEAD THICKNESS 1 [IN]: 11/32

OUTSIDE HEAD WIDTH 2 [IN]: 1-7/64

HEAD THICKNESS 2 [IN]: 15/32

OVERALL LENGTH [IN]: 11-1/32

WEIGHT [LBS]: 0.46

THROAT DEPTH 1 [IN]: 29/32

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401616/19mm-combination-wrench-metr>

**Item: 2" , Combination Wrench, SAE, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1264

**Special Price:** **8,523.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 11,080.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [IN]: 2

OUTSIDE HEAD WIDTH 1 [IN]: 4-1/64

HEAD THICKNESS 1 [IN]: 49/64

OUTSIDE HEAD WIDTH 2 [IN]: 2-57/64

HEAD THICKNESS 2 [IN]: 11/16

OVERALL LENGTH [IN]: 28

WEIGHT [LBS]: 7.35

THROAT DEPTH 1 [IN]: 2-25/64

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401574/2-quot-combination-wrench-sae-s>

**Item: 20" Steel Hand Ratchet with 3/4" Drive Size and Satin Finish**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5649

**Special Price:** **3,811.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 4,955.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Robust 24-tooth gear/floating pawl design provides 15° ratcheting angle while maximizing ultimate torque.
- Thin head design for access into tight work areas.
- Reversing level designed for quick, one-hand operation.

DRIVE SIZE [IN]: 3/4

REPAIR KIT PART NUMBER: J5649RK

OVERALL LENGTH [IN]: 20

WEIGHT [LBS]: 6.00

FINISH: Satin

STYLE: Pear Head

SPECIFICATION ASME: ASME B107.10M

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2387205/20-quot-steel-hand-ratchet-with-3->

**Item: 2-1/2" Socket Extension with 1/2" Drive Size and Chrome Finish**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5460

**Special Price:** **715.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 930.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Made from alloy steel.
- Heat-treated for strength and durability.
- Rigid extensions.

DRIVE SIZE [IN]: 1/2

OVERALL LENGTH [IN]: 2-1/2

WEIGHT [LBS]: 0.24

FINISH: Full Polish

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4283C



**Buy Online**

<https://www.qtec-technology.com/product/2401589/2-1-2-quot-socket-extension-with-1>

**Item: 21mm, Combination Wrench, Metric, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1221MASD

**Special Price:** **1,333.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,733.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 21

OUTSIDE HEAD WIDTH 1 [IN]: 1-11/16

HEAD THICKNESS 1 [IN]: 1/2

OUTSIDE HEAD WIDTH 2 [IN]: 1-3/16

HEAD THICKNESS 2 [IN]: 31/64

OVERALL LENGTH [IN]: 11-13/16

WEIGHT [LBS]: 0.54

THROAT DEPTH 1 [IN]: 63/64

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401611/21mm-combination-wrench-metr>

**Item: 24mm, Combination Wrench, Metric, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1224MASD

**Special Price:** **1,432.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,862.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 24

OUTSIDE HEAD WIDTH 1 [IN]: 1-57/64

HEAD THICKNESS 1 [IN]: 37/64

OUTSIDE HEAD WIDTH 2 [IN]: 1-11/32

HEAD THICKNESS 2 [IN]: 35/64

OVERALL LENGTH [IN]: 12-7/8

WEIGHT [LBS]: 0.77

THROAT DEPTH 1 [IN]: 1-1/8

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401609/24mm-combination-wrench-metr>



**Item: 28mm, Combination Wrench, Metric, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1228MASD

**Special Price:** **3,329.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 4,328.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 28

OUTSIDE HEAD WIDTH 1 [IN]: 2-17/64

HEAD THICKNESS 1 [IN]: 21/32

OUTSIDE HEAD WIDTH 2 [IN]: 1-21/32

HEAD THICKNESS 2 [IN]: 41/64

OVERALL LENGTH [IN]: 14-7/8

WEIGHT [LBS]: 1.37

THROAT DEPTH 1 [IN]: 1-23/64

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401576/28mm-combination-wrench-metr>

**Item: 3/4" Fixed Micrometer Torque Wrench, 41-9/16"L, 160 to 800nm**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J6020NM

**Special Price:** **26,916.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 34,991.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Calibrated to +/- 4% clockwise direction and +/- 6% counter clockwise direction at 20% to 100% of full scale.
- Calibration is accomplished by manual loading the torque wrenches.
- Manufactured to meet standard industrial torque applications, general industry, heavy equipment, and maintenance.

DRIVE SIZE [IN]: 3/4

TORQUE RANGE [NM]: 160-800

INCREMENTS [NM]: 4

HEAD WIDTH 1 [IN]: 2-5/8

HEAD DEPTH [IN]: 2-1/16

MAXIMUM TORQUE [NM]: 800

MINIMUM TORQUE [NM]: 160

OVERALL LENGTH [IN]: 41-17/32

WEIGHT [LBS]: 15.50

REPAIR KIT PART NUMBER: J6018RK

STORAGE CASE PART NUMBER: J6007PB

STYLE: Micrometer

FINISH: Full Polish

SPECIFICATION ASME: ASME B107.300-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401518/3-4-quot-fixed-micrometer-torque-w>

**Item: 3/8" & 1/2" DRIVE 10 PIECE METRIC HEX BIT SET**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4900MA

**Special Price:** **3,700.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 4,810.00 Baht / SET

**Location:** BKK

**Stock QTY:** 2



**Description**

- Set includes blow molded box.
- Proto<sup>®</sup> bits are offered in a broad range to accommodate production assembly applications.
- Made of alloy steel. Polished chrome finish.

DRIVE SIZE [IN]: 3/8 & 1/2

FINISH: Full Polish

UNIT OF MEASURE: Metric

WEIGHT [LBS]: 3.11

PIECE COUNT: 10

INCLUDED ITEMS: HEX BIT 3/8" 10 MM:J4990-10M / SOCKET, HEX BIT 3/8" 4 MM:J4990-4M / SOCKET, HEX BIT 3/8" 5 MM:J4990-5M / HEX BIT 3/8" 6 MM:J4990-6M / HEX BIT 3/8" 7 MM:J4990-7M / HEX BIT 3/8" 8 MM:J4990-8M / HEX BIT 3/8" DR 9 MM:J4990-9M / HEX BIT 1/2" DR 12 MM:J5441-12M / HEX BIT 1/2" DR 14 MM:J5441-14M / HEX BIT 1/2" DR 17 MM:J5441-17M



**Buy Online**

<https://www.qtec-technology.com/product/2401578/3-8-quot-amp-1-2-quot-drive-10-piece-met>

**Item: 30mm Alloy Steel Socket with 3/4" Drive Size and Satin Finish**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5530M

**Special Price:** **731.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 951.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.

SIZE [MM]: 30

NUT END OUTSIDE DIAMETER [IN]: 1-19/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-31/64

NUT DEPTH [IN]: 49/64

BOLT CLEARANCE DEPTH [IN]: 1-5/16

OVERALL LENGTH [IN]: 2-7/32

WEIGHT [LBS]: 0.63

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS955



**Buy Online**

<https://www.qtec-technology.com/product/2401514/30mm-alloy-steel-socket-with-3>

**Item: 32mm Slugging Wrench, Metric, Offset Handle, Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** JHD032M

**Special Price:** **1,812.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,356.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Non-reflective black oxide finish for use where non-plated products are required.
- 12 point box end allows for fine indexing, helping improve speed and access.
- Fits most 4, 6 and 12 point fasteners.
- Designed for heavy use in close quarters where hammer or sledge is required to loosen frozen nuts or set large fasteners.
- High strength rectangular design withstands heavy sledging.
- Box opening designed to remain in place on fastener when wrench is struck.
- Heavy box walls provide greater transmission of torque to fastener.
- Straighter handle design than striking wrenches resists springing, nut turns easier.

FINISH: Black Oxide

SIZE [MM]: 32

OUTSIDE HEAD WIDTH 1 [IN]: 2-23/64

HEAD THICKNESS 1 [IN]: 55/64

OVERALL LENGTH [IN]: 8-25/64

WEIGHT [LBS]: 1.27

POINT SIZE: 12

UNIT OF MEASURE: Metric



**Buy Online**

<https://www.qtec-technology.com/product/2387216/32mm-slugging-wrench-metric->

**Item: 5/8", Combination Wrench, SAE, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1220-T500

**Special Price:** **1,439.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,871.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6, and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [IN]: 5/8

OUTSIDE HEAD WIDTH 1 [IN]: 61/64

HEAD THICKNESS 1 [IN]: 19/64

OUTSIDE HEAD WIDTH 2 [IN]: 15/16

HEAD THICKNESS 2 [IN]: 13/32

OVERALL LENGTH [IN]: 9-13/32

WEIGHT [LBS]: 0.35

THROAT DEPTH 1 [IN]: 3/4

POINT SIZE: 12 Point

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401108/5-8-quot-combination-wrench-sae->

**Item: 5-1/8 to 8" S2 Hardened Tool Steel Cold Chisel Set; Number of Pieces: 7**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J86BS2

**Special Price:** **3,859.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 5,017.00 Baht / SET

**Location:** BKK

**Stock QTY:** 1



**Description**

- Made from S2 steel and specially heat-treated for greater strength and durability.
- Modified parabolic striking end to help reduce mushrooming and chipping.
- Hand-ground cutting edge to the exact angle for cutting through tough metals.
- Black oxide finish to help prevent rust corrosion; extending tool life and performance.
- A polished identification panel on one of the flats is marked with the tool number and size in a black inlay.
- Set offers a wide range of sizes to handle a variety of jobs.
- Includes a pouch for convenient storage solution.

WEIGHT [LBS] 2.75

INCLUDED ITEMS: TOOL ROLL, 7 POCKETS:J25TR23C / CHISEL, COLD 5/8":J86A1/2S2 / CHISEL, COLD 5/16":J86A1/4S2 / CHISEL, COLD 7/8":J86A3/4X8S2 / CHISEL, COLD 7/16":J86A3/8S2 / CHISEL, COLD 3/8":J86A5/16S2 / CHISEL, COLD 3/4":J86A5/8S2 / CHISEL, COLD 1/2":J86A7/16S2



**Buy Online**

<https://www.qtec-technology.com/product/2401607/5-1-8-to-8-quot-s2-hardened-tool-s>

## Item: 6 PIECE SATIN METRIC OPEN-END WRENCH SET

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J30000R

**Special Price:** **3,635.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 4,726.00 Baht / SET

**Location:** BKK

**Stock QTY:** 1



### Description

- Satin finish provides corrosion resistance and a slip-resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open-end configuration.

FINISH: Satin

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100

WEIGHT [LBS]: 1.63

PIECE COUNT: 6

INCLUDED ITEMS: TOOL ROLL, 6 POCKETS:J25TR25C / WRENCH, SATIN 8 MM X 9 MM:J30809 / WRENCH, SATIN 10 MM X 11 MM:J31011 / WRENCH, SATIN 12 MM X 13 MM:J31213 / WRENCH, SATIN 14 MM X 15 MM:J31415 / WRENCH, SATIN 16 MM X 17 MM:J31617 / WRENCH, SATIN 18 MM X 19 MM:J31819



Buy Online

<https://www.qtec-technology.com/product/2401604/6-piece-satin-metric-open-end->



**Item: 60mm, Combination Wrench, Metric, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1260M

**Special Price:** **14,505.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 18,857.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- For use on extra large fasteners.
- Used in Mining, Oil & Gas, Industrial Construction.
- Forged heads with machined openings.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point.
- Box end is countersunk for easy application to the fastener.

FINISH: Satin

SIZE [MM]: 60

OUTSIDE HEAD WIDTH 1 [IN]: 4-1/2

OUTSIDE HEAD WIDTH 2 [IN]: 3-5/8

HEAD THICKNESS 2 [IN]: 1-9/16

OVERALL LENGTH [IN]: 29-3/4

WEIGHT [LBS]: 13

POINT SIZE: 12

UNIT OF MEASURE: Metric



**Buy Online**

<https://www.qtec-technology.com/product/2401572/60mm-combination-wrench-metr>

**Item: 7/8" Steel Socket with 3/4" Drive Size and Satin Finish**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5528

**Special Price:** **616.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 801.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.
- Made of heat-treated alloy steel.
- Side locking hole.

SIZE [IN]: 7/8

NUT END OUTSIDE DIAMETER [IN]: 1-5/16

DRIVE END OUTSIDE DIAMETER [IN]: 1-5/16

NUT DEPTH [IN]: 45/64

BOLT CLEARANCE DEPTH [IN]: 1-1/16

OVERALL LENGTH [IN]: 2

WEIGHT [LBS]: 0.46

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401464/7-8-quot-steel-socket-with-3-4-quot-dr>

**Item: 7/8", Combination Wrench, SAE, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1228ASD

**Special Price:** **1,244.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,618.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [IN]: 7/8

OUTSIDE HEAD WIDTH 1 [IN]: 1-13/16

HEAD THICKNESS 1 [IN]: 17/32

OUTSIDE HEAD WIDTH 2 [IN]: 1-1/4

HEAD THICKNESS 2 [IN]: 33/64

OVERALL LENGTH [IN]: 12-1/2

WEIGHT [LBS]: 0.65

THROAT DEPTH 1 [IN]: 1-1/16

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401610/7-8-quot-combination-wrench-sae->

**Item: 8mm, 9mm, Box End Wrench, Metric, Chrome Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1051M

**Special Price:** **546.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 710.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH Full Polish

SIZE [MM]: 8 x 9

OUTSIDE HEAD WIDTH 1 [IN]: 35/64

HEAD THICKNESS 1 [IN]: 1/4

HEAD THICKNESS 2 [IN]: 9/32

OVERALL LENGTH [IN]: 6-49/64

WEIGHT [LBS]: 0.11

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387211/8mm-9mm-box-end-wrench-metr>

**Item: 9mm, Combination Wrench, Metric, Satin Finish, Number of Points: 12**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1209MA

**Special Price:** **432.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 562.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 9

OUTSIDE HEAD WIDTH 1 [IN]: 3/4

HEAD THICKNESS 1 [IN]: 9/32

OUTSIDE HEAD WIDTH 2 [IN]: 35/64

HEAD THICKNESS 2 [IN]: 17/64

OVERALL LENGTH [IN]: 5-21/32

WEIGHT [LBS]: 0.08

THROAT DEPTH 1 [IN]: 13/32

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387209/9mm-combination-wrench-metri>

**Item: Adjustable Wrench: Alloy Steel, Satin, 10 in Overall Lg, 1 5/16 in Jaw Capacity**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J710G

**Special Price:** **1,935.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,516.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Soft cushion grip for additional comfort.
- Extra wide jaw capacity.
- Square jaw opening provides strength and tight fit.

FINISH: Satin

OVERALL LENGTH [IN]: 10

WEIGHT [LBS]: 0.80

MAXIMUM OPENING [IN]: 1-5/16

SPECIFICATION ASME: ASME B107.8



Buy Online

<https://www.qtec-technology.com/product/2401568/adjustable-wrench-alloy-steel>

**Item: Alignment Pry Bar, 18" L X 5/8" W, Forged High Carbon Steel**

**Category:** Hand Tools

**Manufacturer:** Proto


**PartNo:** J2120

**Special Price:** **1,596.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,075.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Application: for prying, positioning, and aligning applications.
- Black oxide finish to help prevent rust corrosion; extending tool life and performance.

TIP WIDTH [IN]: 5/8

SHANK WIDTH [IN]: 5/8

OVERALL LENGTH [IN]: 18

WEIGHT [LBS]: 1.23



Buy Online

<https://www.qtec-technology.com/product/2401593/alignment-pry-bar-18-quot-l-x-5-8>

### Item: Ball Pein Hammer 16 Oz Fiberglass

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1316PGD

**Special Price:** **1,109.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,442.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



#### Description

- Well-balanced professional hammer with hardened drop-forged head bonded to strong, lightweight fiberglass handle.
- Molded jacket over the fiberglass handle provides maximum overstrike protection.

HEAD WEIGHT: 16 oz.

OVERALL LENGTH [IN]: 13

WEIGHT [LBS]: 1.54

SPECIFICATION ASME: ASME B107.53M



Buy Online

<https://www.qtec-technology.com/product/2387220/ball-pein-hammer-16-oz-fiberglass>

### Item: Ball Pein Hammer 32 Oz 15 1/4.Fiberglass

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1332PGD

**Special Price:** **1,367.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,778.00 Baht / EA

**Location:** BKK

**Stock QTY:** 10



#### Description

- Well-balanced professional hammer with hardened drop-forged head bonded to strong, lightweight fiberglass handle.
- Molded jacket over the fiberglass handle provides maximum overstrike protection.

HEAD WEIGHT: 32 oz.

OVERALL LENGTH [IN]: 15-1/4

WEIGHT [LBS]: 2.62

SPECIFICATION ASME: ASME B107.53M



Buy Online

<https://www.qtec-technology.com/product/2401533/ball-pein-hammer-32-oz-15-1-4-fiberglass>

**Item: Ball Pein Hammer 4 Oz, Wood handle**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** 1304PD

**Special Price:** **1,294.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,683.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Tough drop-forged head with hardened face and pein.
- Face, chamfer, cheeks and pein are polished and have a protective coating of clear lacquer.
- Hardwood handles have contoured shape with red lacquer grip.

HEAD WEIGHT: 4 oz.

OVERALL LENGTH [IN]: 11

WEIGHT [LBS]: 0.45

SPECIFICATION ASME: ASME B107.53M



**Buy Online**

<https://www.qtec-technology.com/product/2163076/ball-pein-hammer-4-oz-wood-handle>



**Item: Box End Wrench 22 x 24mm 13-3/4 in. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1073M

**Special Price:** **959.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,247.00 Baht / EA

**Location:** BKK

**Stock QTY:** 4



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [MM]: 22 x 24

OUTSIDE HEAD WIDTH 1 [IN]: 1-11/32

HEAD THICKNESS 1 [IN]: 35/64

HEAD THICKNESS 2 [IN]: 37/64

OVERALL LENGTH [IN]: 13-45/64

WEIGHT [LBS]: 0.94

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387215/box-end-wrench-22-x-24mm-13-3-4-in-l>

**Item: Box End Wrench, 1/2 x 9/16 in., 8-7/8 L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1016-500

**Special Price: 563.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 732.00 Baht / EA

**Location:** BKK

**Stock QTY:** 4



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [IN]: 1/2 x 9/16

OUTSIDE HEAD WIDTH 1 [IN]: 53/64

HEAD THICKNESS 1 [IN]: 23/64

OUTSIDE HEAD WIDTH 2 [IN]: 3/4

HEAD THICKNESS 2 [IN]: 11/32

OVERALL LENGTH [IN]: 8-7/8

WEIGHT [LBS]: 0.20

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387210/box-end-wrench-1-2-x-9-16-in->

**Item: Cabinet Screwdriver 1/4 x 10 In**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88210

**Special Price:** **281.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 366.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

SIZE [IN]: 1/4

TIPS: Cabinet Slotted

SHANK LENGTH [IN]: 10

BLADE LENGTH [IN]: 10

SHANK WIDTH [IN]: 1/4

TIP WIDTH [IN]: 1/4

LENGTH [IN]: 14-3/8

OVERALL LENGTH [IN]: 14-3/8

WEIGHT [LBS]: 0.28

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.15

SPECIFICATION ANSI: B107.15

FINISH: Full Polish

SHANK TYPE: Round



**Buy Online**

<https://www.qtec-technology.com/product/2401099/cabinet-screwdriver-1-4-x-10-i>

## Item: Cabinet Screwdriver 1/8 x 8 In

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88208

**Special Price:** **220.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 286.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



### Description

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.
- Thin blade and tip for ease of use.

SIZE [IN]: 1/8

TIPS: Cabinet Slotted

SHANK LENGTH [IN]: 8

BLADE LENGTH [IN]: 8

SHANK WIDTH [IN]: 1/8

TIP WIDTH [IN]: 1/8

LENGTH [IN]: 12

OVERALL LENGTH [IN]: 12

WEIGHT [LBS]: 0.05

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.15

SPECIFICATION ANSI: B107.15

FINISH: Full Polish

SHANK TYPE: Round



Buy Online

<https://www.qtec-technology.com/product/2401098/cabinet-screwdriver-1-8-x-8-in>

## Item: Cabinet Screwdriver 3/16 x 8 In

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88218

**Special Price:** **252.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 328.00 Baht / EA

**Location:** BKK

**Stock QTY:** 4



### Description

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.
- Thin blade and tip for ease of use.

SIZE [IN]: 3/16

TIPS: Cabinet Slotted

SHANK LENGTH [IN]: 8

BLADE LENGTH [IN]: 8

SHANK WIDTH [IN]: 3/16

TIP WIDTH [IN]: 3/16

LENGTH [IN]: 12

OVERALL LENGTH [IN]: 12

WEIGHT [LBS]: 0.17

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.15

SPECIFICATION ANSI: B107.15

FINISH: Full Polish

SHANK TYPE: Round



Buy Online

<https://www.qtec-technology.com/product/2387208/cabinet-screwdriver-3-16-x-8-i>

**Item: Combination Wrench 1-3/4In. 23In. OAL**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1256

**Special Price:** **6,769.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 8,800.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [IN]: 1-3/4

OUTSIDE HEAD WIDTH 1 [IN]: 3-41/64

HEAD THICKNESS 1 [IN]: 45/64

OUTSIDE HEAD WIDTH 2 [IN]: 2-39/64

HEAD THICKNESS 2 [IN]: 31/32

OVERALL LENGTH [IN]: 25

WEIGHT [LBS]: 5.64

THROAT DEPTH 1 [IN]: 2-11/64

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401575/combination-wrench-1-3-4in-23>

**Item: Combination Wrench 15mm 9In. OAL**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1215MASD

**Special Price:** **570.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 741.00 Baht / EA

**Location:** BKK

**Stock QTY:** 4



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 15

OUTSIDE HEAD WIDTH 1 [IN]: 1-1/4

HEAD THICKNESS 1 [IN]: 3/8

OUTSIDE HEAD WIDTH 2 [IN]: 7/8

HEAD THICKNESS 2 [IN]: 23/64

OVERALL LENGTH [IN]: 9-5/32

WEIGHT [LBS]: 0.25

THROAT DEPTH 1 [IN]: 3/4

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387196/proto-j1215masd-combination-wr>

**Item: Combination Wrench 1-7/8In. 28In. OAL**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1260

**Special Price:** **7,400.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 9,620.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [IN]: 1-7/8

OUTSIDE HEAD WIDTH 1 [IN]: 4-1/64

HEAD THICKNESS 1 [IN]: 49/64

OUTSIDE HEAD WIDTH 2 [IN]: 2-57/64

HEAD THICKNESS 2 [IN]: 1-1/16

OVERALL LENGTH [IN]: 28

WEIGHT [LBS]: 7.46

THROAT DEPTH 1 [IN]: 2-25/64

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401573/combination-wrench-1-7-8in-28>



**Item: Combination Wrench 18mm 10In. OAL**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1218MASD

**Special Price:** **691.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 899.00 Baht / EA

**Location:** BKK

**Stock QTY:** 4



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 18

OUTSIDE HEAD WIDTH 1 [IN]: 1-33/64

HEAD THICKNESS 1 [IN]: 15/32

OUTSIDE HEAD WIDTH 2 [IN]: 1-1/16

HEAD THICKNESS 2 [IN]: 29/64

OVERALL LENGTH [IN]: 10-1/2

WEIGHT [LBS] :0.41

THROAT DEPTH 1 [IN]: 55/64

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2387198/proto-j1218masd-combination-wr>

**Item: Combination Wrench 20mm 11In. OAL**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1220MASD

**Special Price:** **788.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,025.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 20

OUTSIDE HEAD WIDTH 1 [IN]: 1-11/16

HEAD THICKNESS 1 [IN]: 1/2

OUTSIDE HEAD WIDTH 2 [IN] :1-3/16

HEAD THICKNESS 2 [IN]: 31/64

OVERALL LENGTH [IN]: 11-27/64

WEIGHT [LBS]: 0.55

THROAT DEPTH 1 [IN]: 63/64

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME :ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401468/combination-wrench-20mm-11in->

**Item: Combination Wrench 50mm 27In. OAL**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1250M

**Special Price:** **5,231.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 6,801.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Metric sizes 9mm and smaller and sizes 36mm and larger do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Satin

SIZE [MM]: 50

OUTSIDE HEAD WIDTH 1 [IN]: 4-1/64

HEAD THICKNESS 1 [IN]: 47/64

OUTSIDE HEAD WIDTH 2 [IN]: 2-57/64

HEAD THICKNESS 2 [IN]: 1-1/16

OVERALL LENGTH [IN]: 28

WEIGHT [LBS]: 6.97

THROAT DEPTH 1 [IN]: 2-25/64

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401519/combination-wrench-50mm-27in->

## Item: Combination Wrench Set

**Category:** Hand Tools

**Manufacturer:** Proto


**PartNo:** J1200P-MASD

**Special Price:** **14,761.00 Baht / ST**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 19,190.00 Baht / ST

**Location:** BKK

**Stock QTY:** 1



### Description

- Satin finish provides corrosion resistance and a slip-resistant grip.
- 12-point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) Open End. Metric sizes 9mm and smaller do not have ASD feature.
- Box ends incorporate the TorquePlus™ system.

POINT SIZE: 12

FINISH: Satin

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100

WEIGHT [LBS]: 4.25

PIECE COUNT: 15



Buy Online

<https://www.qtec-technology.com/product/2401536/combination-wrench-set>

## Item: Combination Wrench Set, SAE, Number of Pieces: 14, Number of Points: 12

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1200FBASD

**Special Price:** **10,768.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 13,999.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



### Description

- Non-reflective black oxide finish for use where non-plated products are required.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Anti-Slip Design (ASD) open end.

POINT SIZE: 12

FINISH: Black Oxide

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100-2010

WEIGHT [LBS]: 9.70

PIECE COUNT: 14



Buy Online

<https://www.qtec-technology.com/product/2401520/combination-wrench-set-sae-n>

## Item: Combination Wrench, SAE

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1232-T500

**Special Price:** **2,388.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 3,105.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



### Description

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6, and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [IN]: 1

OUTSIDE HEAD WIDTH 1 [IN]: 2-1/64

HEAD THICKNESS 1 [IN]: 37/64

OUTSIDE HEAD WIDTH 2 [IN]: 1-13/32

HEAD THICKNESS 2 [IN]: 37/64

OVERALL LENGTH [IN]: 14

WEIGHT [LBS]; 0.95

THROAT DEPTH 1 [IN]: 1-13/64

POINT SIZE: 12 Point

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100-2010



Buy Online

<https://www.qtec-technology.com/product/2401583/combination-wrench-sae>

## Item: Crosspein Hammer 4 Lb

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1441G

**Special Price:** **1,886.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,452.00 Baht / EA

**Location:** BKK

**Stock QTY:** 4



### Description

- For use with unhardened metals.
- Pein is designed for shaping and bending metals.
- Strong fiberglass handle with slip-resistant cushion grip.

HEAD WEIGHT: 4 lbs.  
FACE DIAMETER: 1-15/16"  
HEAD LENGTH [IN]: 5-35/64  
HANDLE LENGTH [IN]: 14  
OVERALL LENGTH [IN]: 15-15/16  
WEIGHT [LBS]: 4.45  
SPECIFICATION ASME: ASME B107.54M



Buy Online

<https://www.qtec-technology.com/product/2387223/crosspein-hammer-4-lb>

## Item: Double Face Sledge Hammer, 10 lb, 34-1/2 in L

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1438G

**Special Price:** **3,082.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 4,007.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



### Description

- Designed for striking metal, concrete, and stone.
- Strong fiberglass handle with smooth, slip-resistant cushion grip.

HEAD WEIGHT: 10 lbs.  
FACE DIAMETER: 2-1/2"  
HEAD LENGTH [IN]: 7-1/2  
HANDLE LENGTH [IN]: 32  
OVERALL LENGTH [IN]: 34-1/2  
WEIGHT [LBS]: 12.36  
SPECIFICATION ASME: ASME B107.54



Buy Online

<https://www.qtec-technology.com/product/2387190/sledge-hammer-10-lb-34-1-2-i>

**Item: Drift Punch: 1/8 in Tip Size, Hexagon, 5/16 in Shank Wd, 10 in Overall Lg**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J965/16S2

**Special Price:** **648.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 843.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Application: to align holes in two or more pieces of metal through which a bolt or screw is to be inserted.
- Application: for installing and removing pins and shafts.
- One-piece design for strength and durability.
- Reverse taper to help prevent binding.
- Made from S2 steel and specially heat-treated for greater strength and durability.
- Modified parabolic striking end to help reduce mushrooming and chipping.
- Black oxide finish to help prevent rust corrosion; extending tool life and performance.
- A polished identification panel on one of the flats is marked with the tool number and size in a black inlay.

TIP WIDTH [IN]: 1/8

SHANK WIDTH [IN]: 5/16

OVERALL LENGTH [IN]: 10

WEIGHT [LBS]: 0.19

SPECIFICATION ASME: ASME B107.48



**Buy Online**

<https://www.qtec-technology.com/product/2401540/drift-punch-1-8-in-tip-size->

**Item: DURATEK™ 8 PIECE COMBINATION SCREWDRIVER SET**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1208SC

**Special Price:** **4,000.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 5,200.00 Baht / EA

**Location:** BKK

**Stock QTY:** 7



**Description**

- Made of high-alloy steel (same as shank).
- Precision machined for precise fastener fit.
- Finished in black oxide to help prevent cam out and slipping.

INCLUDED ITEMS: SLOTTED CABINET ROUND 3/16" X 3":JC31603R / SLOTTED CABINET ROUND 3/16" X 4":JC31604R / SLOTTED CABINET ROUND 3/16" X 5":JC31605R / SLOTTED KEYSTONE ROUND 1/4" X 4":JK1404R / SLOTTED KEYSTONE ROUND 5/16" X 6":JK51606R / PHILLIPS ROUND # 1 X 3":JP0103R / PHILLIPS ROUND # 2 X 4":JP0204R / PHILLIPS ROUND # 3 X 6":JP0306R



**Buy Online**

<https://www.qtec-technology.com/product/2401569/duratek-trade-8-piece-combination>

**Item: End Cutting Nippers,8-1/4" Overall Length,5/16" Jaw Length,1-3/4" Jaw Width**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J272G

**Special Price:** **1,495.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,944.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Semi-flush cutting in areas inaccessible to side-cutting pliers.
- High leverage for easy cutting of most wires and nails.
- Plastisol grips for added comfort.

SPECIFICATION ASME: ASME B107.20

JAW LENGTH [IN]: 5/16

JAW THICKNESS [IN]: 1-3/16

JAW WIDTH [IN]: 1-3/4

OVERALL LENGTH [IN]: 8-1/4

WEIGHT [LBS]: 0.90



**Buy Online**

<https://www.qtec-technology.com/product/2401597/end-cutting-nippers-8-1-4-quot-ove>



**Item: FULL POLISH COMBINATION WRENCH 1/2" - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1216-T500

**Special Price:** **803.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,044.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6, and 12 point fasteners.
- Anti-Slip Design (ASD) open end.
- Fractional sizes 11/32" and smaller do not have the ASD feature.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [IN]: 1/2

OUTSIDE HEAD WIDTH 1 [IN]: 1-5/64

HEAD THICKNESS 1 [IN]: 1/4

OUTSIDE HEAD WIDTH 2 [IN]: 49/64

HEAD THICKNESS 2 [IN]: 11/32

OVERALL LENGTH [IN]: 8

WEIGHT [LBS]: 0.20

THROAT DEPTH 1 [IN]: 39/64

POINT SIZE: 12 Point

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401571/full-polish-combination-wrench>

## Item: Gasket Scraper

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J2336

**Special Price:** **700.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 910.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



### Description

- Angled blade for access into tight areas.
- Ideal for removing gaskets and carbon.
- Comfortable, four sided handle.

BLADE WIDTH [IN]: 1-1/2

OVERALL LENGTH [IN]: 12

WEIGHT [LBS]: 0.30



Buy Online

<https://www.qtec-technology.com/product/2401592/gasket-scraper>

## Item: Hammer: Wood, Steel, 16 oz Head Wt, 1 1/4 in Face Dia, 15 in Overall Lg, Plain Grip

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1316PD

**Special Price:** **2,054.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,671.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



### Description

- Tough drop-forged head with hardened face and pein.
- Face, chamfer, cheeks and pein are polished and have a protective coating of clear lacquer.
- Hardwood handles have contoured shape with red lacquer grip.

HEAD WEIGHT: 16 oz.

OVERALL LENGTH [IN]: 14-1/2

WEIGHT [LBS]: 1.45

SPECIFICATION ASME: ASME B107.53M



Buy Online

<https://www.qtec-technology.com/product/2401580/hammer-wood-steel-16-oz-hea>

## Item: Hand Ratchet

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5449XL

**Special Price:** **2,112.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,746.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



### Description

- Small pear head design for access in tight, hard-to-reach work areas.
  - 45-tooth gear provides balance between 8° articulation angle and high torque carrying capacity.
  - Low profile reversing lever design for quick, one-hand operation.
- Contoured, ergonomically designed handle for comfort. Knurled bands allow for increased grip and slip resistance.  
Full polish finish offers double nickel chrome plating for enhanced corrosion protection.  
Field repairable.

DRIVE SIZE [IN]: 1/2

REPAIR KIT PART NUMBER: J5449XLRK

OVERALL LENGTH [IN]: 10-1/2

FINISH: Full Polish

STYLE: Pear Head

SPECIFICATION ASME: ASME B107.10M

SPECIFICATION AS: SAE AS4283C



Buy Online

<https://www.qtec-technology.com/product/2401499/hand-ratchet>

## Item: HD Diag. Cutting Plier

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J209G

**Special Price:** **692.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 900.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



### Description

- Induction hardened cutting edge.
- Powerful leverage cuts heavy wire with ease.
- Plastisol grips for added comfort.

JAW LENGTH [IN]: 2-5/32

JAW WIDTH [IN]: 7/8

JAW THICKNESS [IN]: 1/2

HANDLE COLOR : Red

OVERALL LENGTH [IN]: 7-5/16

WEIGHT [LBS]: 0.58

SPECIFICATION ASME: ASME B107.11



Buy Online

<https://www.qtec-technology.com/product/2387194/hd-diag-cutting-plier>

## Item: Hex Key Set 1.5 - 10mm L-Shaped Short

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4984

**Special Price:** **695.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 904.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



### Description

- Molded plastic holder included.
- Overall length for hex keys ranges from 44 mm to 109 mm.
- Hex size ranges from 33/64" to 1-17/32".

UNIT OF MEASURE: Metric

SPECIFICATION ANSI: ANSI B18.3.2M

FINISH: Black Oxide

STYLE: Standard Arm

PIECE COUNT: 9

TIPS: Hex

WEIGHT [LBS]: 0.54



Buy Online

<https://www.qtec-technology.com/product/2401603/hex-key-set-1-5-10mm-l-shape>

## Item: Hex Key Set 1.5 - 6mm L-Shaped Short

**Category:** Hand Tools

**Manufacturer:** Proto


**PartNo:** J4985

**Special Price:** **185.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 241.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



### Description

- Molded plastic holder.
- Overall length for hex keys ranges from 44 mm to 88 mm.
- Hex size ranges from 1.5 mm to 6 mm.

UNIT OF MEASURE: Metric

SPECIFICATION ANSI: ANSI B18.3.2M

FINISH: Black Oxide

STYLE: Standard Arm

PIECE COUNT: 7

TIPS: Hex

WEIGHT [LBS]: 0.16



Buy Online

<https://www.qtec-technology.com/product/2401516/hex-key-set-1-5-6mm-l-shaped>

## Item: Hex Key Set 5/64" - 1/4" In L-Shaped Short

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4982

**Special Price:** **177.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 231.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



### Description

UNIT OF MEASURE: Fractional

FINISH: Black Oxide

STYLE: Standard Arm

PIECE COUNT: 7

TIPS: Hex

WEIGHT [LBS]: 1.2



Buy Online

<https://www.qtec-technology.com/product/2401515/hex-key-set-5-64-quot-1-4-quot-in-l>

**Item: KLEIN TOOLS 5102-24 Tool Bag, Size, 24 In x 15 In x 6 In, 1 Pocket**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** 5102-20

**Special Price:** **3,594.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 4,673.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

Item: Tool Bag

Basic Material: Canvas

Number of Inside Pockets: 1

Number of Pieces: 1

Number of Pockets: 1

Overall Depth: 6"

Overall Height: 15"

Overall Width: 24"

Typical Bag or Tote Application General Purpose

Width: 24"



**Buy Online**

<https://www.qtec-technology.com/product/2401581/klein-tools-5102-24-tool-bag->

**Item: L Shape Ball End Hex Key with 0.050" Tip Size**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** 18203

**Special Price:** **362.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 471.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

MFG: EKLIND

<https://www.grainger.com/product/EKLIND-Hex-Key-1-Ball-Ends-4CR61>



**Buy Online**

<https://www.qtec-technology.com/product/2401109/l-shape-ball-end-hex-key-with->

**Item: L Shape Hex Key with 3/16" Tip Size**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J46212

**Special Price:** **52.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 68.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- This Long Hex Key has a 3/16" hex bit size.
- 4-1/2" long arm.
- 15/16" short arm.
- Heat-treated for durability.
- Rust resistant black oxide finish.

SIZE [IN]: 3/16

TIPS: Hex

HEX SIZE [IN]: 3/16

LONG ARM LENGTH [IN]: 4-1/2

SHORT ARM LENGTH [IN]: 15/16

LENGTH [IN]: 4-1/2

OVERALL LENGTH [IN]: 4-1/2

WEIGHT [LBS]: 0.05

STYLE: Long Arm

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B18.3

FINISH: Black Oxide



**Buy Online**

<https://www.qtec-technology.com/product/2387431/long-hex-keys-3-16-in>



**Item: Linemans Pliers, 8-5/8 In, Dipped Handle**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J268G

**Special Price:** **2,255.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,932.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- For utility linemen, wiring and electrical equipment installation, and maintenance.
- Induction hardened cutting edges and diamond serrated jaws.
- Built-in insulation crusher.
- Plastisol grips for added comfort.

SPECIFICATION ASME: ASME B107.20

JAW LENGTH [IN]: 1-1/2

JAW THICKNESS [IN]: 5/8

JAW WIDTH [IN]: 1-3/16

OVERALL LENGTH [IN]: 8-5/8

WEIGHT [LBS]: 0.98



**Buy Online**

<https://www.qtec-technology.com/product/2401600/linemans-pliers-8-5-8-in-dip>

**Item: Locking Pliers Set, 3, Drop Forged Jaw**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J299NC

**Special Price:** **2,596.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 3,375.00 Baht / EA

**Location:** BKK

**Stock QTY:** 10



**Description**

- Locking mechanism helps leave both hands free when clamping, helping to eliminate squeezing action and general hand fatigue when manipulating.
- Tip of release lever projects at end of handle for a quick, no-pinch, powerful release especially when tools are firmly locked.
- Spring loaded release lever is out of the way when handling.
- Drop forged jaws and rugged tooth profile for durability and toughness.
- Holes in mobile jaw are drilled and not press punched to ensure they are cylindrical to ensure maximum bearing with rivets. (Punched holes tend give poor bearing.)
- Large diameter of rivets to help permit secure joints adding to the durability and robustness of the tools.
- Piano wire spring for smooth and efficient jaw opening.

FINISH: Chrome

J292NC Proto Curved Jaw Pliers – 9-1/2"

J291NC Proto Straight Jaw Pliers – 7-15/32"

J286NC Proto Long Nose Pliers – 6-15/16"

In pouch J25TR22C



**Buy Online**

<https://www.qtec-technology.com/product/2401106/locking-pliers-set-3-drop-fo>

**Item: Locking Pliers,Curved Jaw,9-1/4 In. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J292NC

**Special Price:** **1,373.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,785.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- High tensile strength microalloy steel.
- Long slim jaw design.
- Curved section.
- Pliers can reach deep into recessed areas.
- Can hold rounded objects.
- Great for holding, placing and extracting pieces in awkward areas, engines, etc.

JAW LENGTH [IN]: 1-1/2

JAW WIDTH [IN]: 1/2

JAW THICKNESS [IN]: 25/64

OVERALL LENGTH [IN]: 9-13/32

WEIGHT [LBS]: 1.42

FINISH: Chrome



**Buy Online**

<https://www.qtec-technology.com/product/2401588/locking-pliers-curved-jaw-9-1->

**Item: Long Nose, Lever, 2 43/64 in Max Jaw Opening, 9 1/8 in Overall Lg, 2 1/2 in Jaw Lg**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J289LNXL

**Special Price:** **1,471.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,913.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Long slim jaw design.
- Curved section.
- Pliers can reach deep into recessed areas.
- Can hold rounded objects.
- Great for holding, placing and extracting pieces in awkward areas, engines, etc.

JAW THICKNESS [IN]: 25/64

JAW CAPACITY [IN]: 2-43/64

THROAT DEPTH 1 [IN]: 2-9/16

OVERALL LENGTH [IN]: 9-1/8

WEIGHT [LBS]: 0.93



**Buy Online**

<https://www.qtec-technology.com/product/2401622/long-nose-lever-2-43-64-in-m>

**Item: L-Wrench, Hexagon Key, Metric, 12 mm**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** 46324

**Special Price:** **388.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 505.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- This Metric Hex Key has a 12 mm hex bit size.
- 122 mm long arm.
- 44 mm short arm.
- Heat-treated for durability.
- Rust resistant black oxide finish.

SIZE [MM]: 12

TIPS: Hex

SHANK LENGTH [IN]: 1-47/64

HEX SIZE [MM]: 12

LONG ARM LENGTH [IN]: 4-51/64

LONG ARM LENGTH [MM]: 122

SHORT ARM LENGTH [IN]: 1-47/64

SHORT ARM LENGTH [MM]: 44

WEIGHT [LBS]: 0.36

STYLE: Standard Arm

UNIT OF MEASURE: Metric

SPECIFICATION ANSI: ANSI B18.3.2M

FINISH: Black Oxide



**Buy Online**

<https://www.qtec-technology.com/product/2387312/l-wrench-hexagon-key-metric->

**Item: L-Wrench, Hexagon Key, Metric, 14 mm**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** 46326

**Special Price:** **453.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 589.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- This Metric Hex Key has a 14 mm hex bit size.
- 136 mm long arm.
- 55 mm short arm.
- Heat-treated for durability.
- Rust resistant black oxide finish.

SIZE [MM]: 14

TIPS: Hex

SHANK LENGTH [IN]: 2-11/64

HEX SIZE [MM]: 14

LONG ARM LENGTH [IN]: 5-23/64

LONG ARM LENGTH [MM]: 136

SHORT ARM LENGTH [IN]: 2-11/64

SHORT ARM LENGTH [MM]: 55

WEIGHT [LBS]: 0.57

STYLE: Standard Arm

UNIT OF MEASURE: Metric

SPECIFICATION ANSI: ANSI B18.3.2M

FINISH: Black Oxide



**Buy Online**

<https://www.qtec-technology.com/product/2387313/l-wrench-hexagon-key-metric->

**Item: OPEN END WRENCHES 1/2" X 7/16"**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J3025

**Special Price:** 406.00 Baht / EA

(Ex. Vat) Delivery Fee Not Included.

**Price:** 528.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [IN]: 7/16 x 1/2

OUTSIDE HEAD WIDTH 1 [IN]: 1-1/32

HEAD THICKNESS 1 [IN]: 1/4

OUTSIDE HEAD WIDTH 2 [IN]: 29/32

HEAD THICKNESS 2 [IN]: 1/4

OVERALL LENGTH [IN]: 6-3/8

WEIGHT [LBS]: 0.19

THROAT DEPTH 1 [IN]: 19/32

THROAT DEPTH 2 [IN]: 29/32

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2387255/open-end-wrenches-1-2-quot-x-7-16-quot->

**Item: Philips, Round Screwdriver # 3 x 6"****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J88336**Special Price:** **363.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 472.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

TIP SIZE #3

TIPS: Phillips

SHANK LENGTH [IN]: 6

BLADE LENGTH [IN]: 6

SHANK WIDTH [IN]: 5/16

LENGTH [IN]: 10-5/16

OVERALL LENGTH [IN]: 10-5/16

WEIGHT [LBS]: 0.36

SPECIFICATION ASME: ASME B107.30

FINISH: Full Polish

SHANK TYPE: Round

**Buy Online**<https://www.qtec-technology.com/product/2387192/philips-round-screwdriver-3>**Item: Portable Set Box****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5496-NA**Special Price:** **1,557.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,025.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

Steel Tool Box

Size: 23 in Overall Width, 8 in Overall Depth, 2 3/16 in Overall Height

**Buy Online**<https://www.qtec-technology.com/product/2401105/portable-set-box>



**Item: PROTO Socket: 1 in Drive Size, 55 mm Socket Size, 12-Point, Std, Satin**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5755MT

**Special Price:** **4,021.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 5,228.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 55

NUT END OUTSIDE DIAMETER [IN]: 3

DRIVE END OUTSIDE DIAMETER [IN]: 2-5/16

NUT DEPTH [IN]: 1-13/16

BOLT CLEARANCE DEPTH [IN]: 2-1/8

OVERALL LENGTH [IN]: 3-1/4

WEIGHT [LBS]: 2.79

DRIVE SIZE [IN]: 1

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric



**Buy Online**

<https://www.qtec-technology.com/product/2401623/proto-socket-1-in-drive-size->

**Item: PROTO Socket: 3/4 in Drive Size, 2 1/16 in Socket Size, 12-Point, Std, Satin**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5566

**Special Price:** **3,093.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 4,021.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.
- Made of heat-treated alloy steel.
- Side locking hole.

SIZE [IN]: 2-1/16

NUT END OUTSIDE DIAMETER [IN]: 2-49/64

DRIVE END OUTSIDE DIAMETER [IN]: 2-1/32

NUT DEPTH [IN]: 1-3/4

BOLT CLEARANCE DEPTH [IN]: 1-3/4

OVERALL LENGTH [IN]: 3-5/32

WEIGHT [LBS]: 1.60

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401542/proto-socket-3-4-in-drive-siz>

**Item: PROTO,J1012-500,Box End Wrench, 3/8 x 7/16 in., 7-3/4 L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1012-500

**Special Price:** **550.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 715.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [IN]: 3/8 x 7/16

OUTSIDE HEAD WIDTH 1 [IN]: 21/32

HEAD THICKNESS 1 [IN]: 5/16

OUTSIDE HEAD WIDTH 2 [IN]: 37/64

HEAD THICKNESS 2 [IN]: 19/64

OVERALL LENGTH [IN]: 7-3/4

WEIGHT [LBS]: 0.11

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401529/proto-j1012-500-box-end-wrench>

**Item: PROTO,J1018-500,Box End Wrench, 9/16 x 5/8 in., 9-1/2 L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1018-500

**Special Price: 568.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 739.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [IN]: 9/16 x 5/8

OUTSIDE HEAD WIDTH 1 [IN]: 59/64

HEAD THICKNESS 1 [IN]: 3/8

OUTSIDE HEAD WIDTH 2 [IN]: 53/64

HEAD THICKNESS 2 [IN]: 23/64

OVERALL LENGTH [IN]: 9-1/2

WEIGHT [LBS]: 0.27

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401101/proto-j1018-500-box-end-wrench>

**Item: PROTO,J1022-500,Box End Wrench, 11/16x3/4 in., 11-3/16L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1022-500

**Special Price:** **710.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 923.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [IN]: 11/16 x 3/4

OUTSIDE HEAD WIDTH 1 [IN]: 1-3/32

HEAD THICKNESS 1 [IN]: 15/32

OUTSIDE HEAD WIDTH 2 [IN]: 1-1/64

HEAD THICKNESS 2 [IN]: 29/64

OVERALL LENGTH [IN]: 11-3/16

WEIGHT [LBS]: 0.40

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401102/proto-j1022-500-box-end-wrench>

**Item: PROTO,J1026-500,Box End Wrench, 13/16x7/8 in., 11-3/4 L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1026-500

**Special Price:** **762.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 991.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [IN]: 13/16 x 7/8

OUTSIDE HEAD WIDTH 1 [IN]: 1-1/4

HEAD THICKNESS 1 [IN]: 1/2

OUTSIDE HEAD WIDTH 2 [IN]: 1-11/64

HEAD THICKNESS 2 [IN]: 31/64

OVERALL LENGTH [IN]: 12-11/16

WEIGHT [LBS]: 0.67

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401103/proto-j1026-500-box-end-wrench>

**Item: PROTO,J1030-500,Box End Wrench, 15/16 x 1 in., 14-3/8 L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1030-500

**Special Price:** **915.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,190.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [IN]: 15/16 x 1

OUTSIDE HEAD WIDTH 1 [IN]: 1-13/32

HEAD THICKNESS 1 [IN]: 9/16

OUTSIDE HEAD WIDTH 2 [IN]: 1-21/64

HEAD THICKNESS 2 [IN]: 35/64

OVERALL LENGTH [IN]: 14-3/8

WEIGHT [LBS]: 0.88

POINT SIZE: 12

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401104/proto-j1030-500-box-end-wrench>

**Item: PROTO,J1058M,Box End Wrench 12 x 14mm 9 in. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1058M

**Special Price: 581.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 756.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [MM]: 12 x 14

OUTSIDE HEAD WIDTH 1 [IN]: 13/16

HEAD THICKNESS 1 [IN]: 21/64

HEAD THICKNESS 2 [IN]: 23/64

OVERALL LENGTH [IN]: 9-1/16

WEIGHT [LBS]: 0.42

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401530/proto-j1058m-box-end-wrench-12>



**Item: PROTO,J1064M,Box End Wrench 16 x 18mm 10-11/16 in. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1064M

**Special Price:** **678.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 882.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [MM]: 16 x 18

OUTSIDE HEAD WIDTH 1 [IN]: 1-1/32

HEAD THICKNESS 1 [IN]: 13/32

HEAD THICKNESS 2 [IN]: 29/64

OVERALL LENGTH [IN]: 10-11/16

WEIGHT [LBS]: 0.45

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100



**Buy Online**

<https://www.qtec-technology.com/product/2401531/proto-j1064m-box-end-wrench-16>

**Item: PROTO,J1068M,Box End Wrench 19 x 21mm 12-1/2 in. L****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J1068M**Special Price:** **760.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 988.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.

FINISH: Full Polish

SIZE [MM]: 19 x 21

OUTSIDE HEAD WIDTH 1 [IN]: 1-3/16

HEAD THICKNESS 1 [IN]: 31/64

HEAD THICKNESS 2 [IN]: 35/64

OVERALL LENGTH [IN]: 12-15/32

WEIGHT [LBS]: 0.70

POINT SIZE: 12

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100

**Buy Online**<https://www.qtec-technology.com/product/2401532/proto-j1068m-box-end-wrench-19>**Item: PROTO,J2376A,Magnetic Pick-Up Tool****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J2376A**Special Price:** **420.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 546.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Includes versatile telescoping handle and all-angle ball joint.
- Aluminum head contains a neodymium magnet that can lift up to 1-1/2 lbs.

OVERALL LENGTH [IN]: 8

WEIGHT [LBS]: 0.08

**Buy Online**<https://www.qtec-technology.com/product/2387346/proto-j2376a-magnetic-pick-up->

**Item: PROTO,J30607,Open End Wrench 6 x 7mm 15 Deg 4-1/2 L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J30607

**Special Price:** **474.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 617.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [MM]: 6 x 7

OUTSIDE HEAD WIDTH 1 [IN]: 41/64

HEAD THICKNESS 1 [IN]: 3/16

OUTSIDE HEAD WIDTH 2 [IN]: 1/2

HEAD THICKNESS 2 [IN]: 11/64

OVERALL LENGTH [IN]: 4-1/2

WEIGHT [LBS]: 0.06

THROAT DEPTH 1 [IN]: 3/8

THROAT DEPTH 2 [IN]: 19/64

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401522/proto-j30607-open-end-wrench-6>

**Item: PROTO,J3070,Open End Wrench 1-1/2x1-5/8 15 Deg 17 L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J3070

**Special Price:** **2,742.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 3,565.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [IN]: 1-1/2 x 1-5/8

OUTSIDE HEAD WIDTH 1 [IN]: 3-17/64

HEAD THICKNESS 1 [IN]: 5/8

OUTSIDE HEAD WIDTH 2 [IN]: 2-61/64

HEAD THICKNESS 2 [IN]: 39/64

OVERALL LENGTH [IN]: 17

WEIGHT [LBS]: 3.31

THROAT DEPTH 1 [IN]: 1-15/16

THROAT DEPTH 2 [IN]: 1-25/32

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401521/proto-j3070-open-end-wrench-1->

**Item: PROTO,J30809,Open End Wrench 8 x 9mm 15 Deg 5 in. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J30809

**Special Price:** 488.00 Baht / EA

(Ex. Vat) Delivery Fee Not Included.

**Price:** 635.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [MM]: 8 x 9

OUTSIDE HEAD WIDTH 1 [IN]: 25/32

HEAD THICKNESS 1 [IN]: 3/16

OUTSIDE HEAD WIDTH 2 [IN]: 21/32

HEAD THICKNESS 2 [IN]: 3/16

OVERALL LENGTH [IN]: 5-1/8

WEIGHT [LBS]: 0.09

THROAT DEPTH 1 [IN]: 7/16

THROAT DEPTH 2 [IN]: 3/8

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2387883/satin-open-end-wrench-8-mm-x>

**Item: PROTO,J31011,Open End Wrench 10 x 11mm 15 Deg 5 in. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J31011

**Special Price:** **537.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 699.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [MM]: 10 x 11

OUTSIDE HEAD WIDTH 1 [IN]: 29/32

HEAD THICKNESS 1 [IN]: 7/32

OUTSIDE HEAD WIDTH 2 [IN]: 25/32

HEAD THICKNESS 2 [IN]: 7/32

OVERALL LENGTH [IN]: 5-3/4

WEIGHT [LBS]: 0.13

THROAT DEPTH 1 [IN]: 17/32

THROAT DEPTH 2 [IN]: 29/64

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401523/proto-j31011-open-end-wrench-1>

**Item: PROTO,J31213,Open End Wrench 12 x 13mm 15 Deg 6 in. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J31213

**Special Price:** **585.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 761.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [MM]: 12 x 13

OUTSIDE HEAD WIDTH 1 [IN]: 1-1/32

HEAD THICKNESS 1 [IN]: 1/4

OUTSIDE HEAD WIDTH 2 [IN]: 29/32

HEAD THICKNESS 2 [IN]: 1/4

OVERALL LENGTH [IN]: 6-3/8

WEIGHT [LBS]: 0.17

THROAT DEPTH 1 [IN]: 19/32

THROAT DEPTH 2 [IN]: 17/32

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401524/proto-j31213-open-end-wrench-1>

**Item: PROTO,J31415,Open End Wrench 14 x 15mm 15 Deg 7 in. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J31415

**Special Price:** **606.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 788.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [MM]: 14 x 15

OUTSIDE HEAD WIDTH 1 [IN]: 1-9/32

HEAD THICKNESS 1 [IN]: 9/32

OUTSIDE HEAD WIDTH 2 [IN]: 1-9/64

HEAD THICKNESS 2 [IN]: 9/32

OVERALL LENGTH [IN]: 7-19/32

WEIGHT [LBS]: 0.3

THROAT DEPTH 1 [IN]: 3/4

THROAT DEPTH 2 [IN]: 11/16

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401525/proto-j31415-open-end-wrench-1>



**Item: PROTO,J31617,Open End Wrench 16 x 17mm 15 Deg 8 in. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J31617

**Special Price:** **758.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 986.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [MM]: 16 x 17

OUTSIDE HEAD WIDTH 1 [IN]: 1-13/32

HEAD THICKNESS 1 [IN]: 5/16

OUTSIDE HEAD WIDTH 2 [IN]: 8-1/4

HEAD THICKNESS 2 [IN]: 19/64

OVERALL LENGTH [IN]: 8-15/64

WEIGHT [LBS]: 0.33

THROAT DEPTH 1 [IN]: 57/64

THROAT DEPTH 2 [IN]: 3/4

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401526/proto-j31617-open-end-wrench-1>

**Item: PROTO,J31819,Open End Wrench 18 x 19mm 15 Deg 8 in. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J31819

**Special Price:** **656.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 853.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [MM]: 18 x 19

OUTSIDE HEAD WIDTH 1 [IN]: 1-37/64

HEAD THICKNESS 1 [IN]: 11/32

OUTSIDE HEAD WIDTH 2 [IN]: 8-7/8

HEAD THICKNESS 2 [IN]: 21/64

OVERALL LENGTH [IN]: 8-55/64

WEIGHT [LBS]: 0.48

THROAT DEPTH 1 [IN]: 29/32

THROAT DEPTH 2 [IN]: 53/64

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401527/proto-j31819-open-end-wrench-1>

**Item: PROTO,J32022,Open End Wrench, 20x22mm, 15 Deg, 9-31/64 L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J32022

**Special Price:** **723.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 940.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [MM]: 20 x 22

OUTSIDE HEAD WIDTH 1 [IN]: 1-13/16

HEAD THICKNESS 1 [IN]: 11/32

OUTSIDE HEAD WIDTH 2 [IN]: 9-1/2

HEAD THICKNESS 2 [IN]: 11/32

OVERALL LENGTH [IN]: 9-31/64

WEIGHT [LBS]: 0.58

THROAT DEPTH 1 [IN]: 1-3/64

THROAT DEPTH 2 [IN]: 29/32

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401528/proto-j32022-open-end-wrench->

**Item: PROTO,J3546M,46mm Service Wrench, Length: 7-5/8"**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J3546M

**Special Price:** **1,625.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,113.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 30° angle head allows access to difficult to reach fasteners.
- Thin pattern for use on jam nuts, check nuts or lock nuts.
- Short shank allows for use in confined spaces.

FINISH: Satin

SIZE [MM]: 46

OUTSIDE HEAD WIDTH 1 [IN]: 3-1/8

HEAD THICKNESS 1 [IN]: 9/32

OVERALL LENGTH [IN]: 7-5/8

WEIGHT [LBS]: 0.70

UNIT OF MEASURE: Metric



**Buy Online**

<https://www.qtec-technology.com/product/2387359/proto-j3546m-46mm-service-wren>

**Item: PROTO,J406,C-CLAMP 6 In,3-5/8 In**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J406

**Special Price:** **1,682.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,187.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Standard service, deep throat style is the most versatile and popular.
- Hot forged for strength and hard use.
- Forcing screw has heavy rolled Acme thread allowing the screw to turn easily under pressure and is less susceptible to damage.
- Forcing screw has a sliding T-handle and an impact resistant pad.

OPENING RANGE [IN]: 0-6

THROAT DEPTH 1 [IN]: 3-5/8

TEST LOAD [LBS]: 6600

MAXIMUM JAW CAPACITY [IN]: 6

MINIMUM CAPACITY [IN]: 0

WEIGHT [LBS]: 5.00



**Buy Online**

<https://www.qtec-technology.com/product/2401107/proto-j406-c-clamp-6-in-3-5-8->

**Item: PROTO,J4706T,Socket 1/4 In Dr 12 Pts 3/16 In 7/8 In L****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4706T**Special Price:** **158.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 206.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 3/16

NUT END OUTSIDE DIAMETER [IN]: 5/16

DRIVE END OUTSIDE DIAMETER [IN]: 7/16

NUT DEPTH [IN]: 13/64

BOLT CLEARANCE DEPTH [IN]: 5/16

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.02

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH Full Polish

LENGTH TYPE Standard

UNIT OF MEASURE Fractional

SPECIFICATION ASME ASME B107.110-2012

SPECIFICATION AS SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401469/proto-j4706t-socket-1-4-in-dr->

**Item: PROTO,J4706TM,Socket 1/4 In Dr 12 Pts 6mm 22.2mm L****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4706TM**Special Price:** **163.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 212.00 Baht / EA**Location:** BKK**Stock QTY:** 3**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 6

NUT END OUTSIDE DIAMETER [IN]: 3/8

DRIVE END OUTSIDE DIAMETER [IN]: 15/32

NUT DEPTH [IN]: 7/32

BOLT CLEARANCE DEPTH [IN]: 1/2

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.02

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401479/proto-j4706tm-socket-1-4-in-dr>

**Item: PROTO,J4707T,Socket 1/4 In Dr 12 Pts 7/32 In 7/8 In L****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4707T**Special Price:** **159.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 207.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 7/32

NUT END OUTSIDE DIAMETER [IN]: 11/32

DRIVE END OUTSIDE DIAMETER [IN]: 7/16

NUT DEPTH [IN]: 13/64

BOLT CLEARANCE DEPTH [IN]: 5/16

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.02

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401470/proto-j4707t-socket-1-4-in-dr->



**Item: PROTO,J4708T,Socket 1/4 Dr 1/4 In 12 Pt Chrome****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4708T**Special Price:** **162.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 211.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 1/4

NUT END OUTSIDE DIAMETER [IN]: 3/8

DRIVE END OUTSIDE DIAMETER [IN]: 7/16

NUT DEPTH [IN]: 7/32

BOLT CLEARANCE DEPTH [IN]: 5/16

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.02

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401471/proto-j4708t-socket-1-4-dr-1-4>

**Item: PROTO,J4709T,Socket 1/4 In Dr 12 Pts 9/32 In 7/8 In L****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4709T**Special Price:** **163.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 212.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 9/32

NUT END OUTSIDE DIAMETER [IN]: 27/64

DRIVE END OUTSIDE DIAMETER [IN]: 27/64

NUT DEPTH [IN]: 17/64

BOLT CLEARANCE DEPTH [IN]: 9/16

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.02

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE Standard

UNIT OF MEASURE Fractional

SPECIFICATION ASME ASME B107.110-2012

SPECIFICATION AS SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401472/proto-j4709t-socket-1-4-in-dr->

**Item: PROTO,J4709TM,Socket 1/4 In Dr 12 Pts 9mm 22.2mm L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4709TM

**Special Price:** **165.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 215.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 9

NUT END OUTSIDE DIAMETER [IN]: 33/64

DRIVE END OUTSIDE DIAMETER [IN]: 33/64

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 35/64

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.03

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401480/proto-j4709tm-socket-1-4-in-dr>

**Item: PROTO,J4710T,Socket 1/4 Dr 5/16 In 12 Pt****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4710T**Special Price:** **164.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 214.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 5/16

NUT END OUTSIDE DIAMETER [IN]: 15/32

DRIVE END OUTSIDE DIAMETER [IN]: 15/32

NUT DEPTH [IN]: 19/64

BOLT CLEARANCE DEPTH [IN]: 9/16

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.02

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401473/proto-j4710t-socket-1-4-dr-5-1>

**Item: PROTO,J4711T,Socket 1/4 In Dr 12 Pt 11/32 In 7/8 In L****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4711T**Special Price:** **165.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 215.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 11/32

NUT END OUTSIDE DIAMETER [IN]: 1/2

DRIVE END OUTSIDE DIAMETER [IN]: 1/2

NUT DEPTH [IN]: 11/32

BOLT CLEARANCE DEPTH [IN]: 9/16

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.03

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401474/proto-j4711t-socket-1-4-in-dr->

**Item: PROTO,J4711TM,Socket 1/4 In Dr 12 Pts 11mm 22.2mm L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4711TM

**Special Price:** **170.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 221.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 11

NUT END OUTSIDE DIAMETER [IN]: 5/8

DRIVE END OUTSIDE DIAMETER [IN]: 5/8

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 35/64

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.05

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401481/proto-j4711tm-socket-1-4-in-dr>

**Item: PROTO,J4712T,Socket 1/4 Dr 3/8 In 12 Pt Chrome****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4712T**Special Price:** **168.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 219.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 3/8

NUT END OUTSIDE DIAMETER [IN]: 35/64

DRIVE END OUTSIDE DIAMETER [IN]: 35/64

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 17/32

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.04

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401475/proto-j4712t-socket-1-4-dr-3-8>

**Item: PROTO,J4712TM,Socket 1/4 In Dr 12 Pts 12mm 22.2mm L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4712TM

**Special Price:** **172.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 224.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 12

NUT END OUTSIDE DIAMETER [IN]: 21/32

DRIVE END OUTSIDE DIAMETER [IN]: 21/32

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 35/64

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.05

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401482/proto-j4712tm-socket-1-4-in-dr>



**Item: PROTO,J4714T,Socket 1/4 Dr 7/16 In 12 Pt****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4714T**Special Price:** **170.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 221.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 7/16

NUT END OUTSIDE DIAMETER [IN]: 5/8

DRIVE END OUTSIDE DIAMETER [IN]: 5/8

NUT DEPTH [IN]: 3/8

BOLT CLEARANCE DEPTH [IN]: 17/32

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.05

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401476/proto-j4714t-socket-1-4-dr-7-1>

**Item: PROTO,J4714TM,Socket 1/4 In Dr 12 Pts 14mm 22.2mm L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4714TM

**Special Price:** **175.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 228.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 14

NUT END OUTSIDE DIAMETER [IN]: 3/4

DRIVE END OUTSIDE DIAMETER [IN]: 3/4

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 9/16

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.06

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401483/proto-j4714tm-socket-1-4-in-dr>

**Item: PROTO,J4716T,Socket 1/4 Dr 1/2 In 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4716T

**Special Price:** **172.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 224.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 1/2

NUT END OUTSIDE DIAMETER [IN]: 11/16

DRIVE END OUTSIDE DIAMETER [IN]: 11/16

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 17/32

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.05

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401477/proto-j4716t-socket-1-4-dr-1-2>

**Item: PROTO,J4718T,Socket 1/4 Dr 9/16 In 12 Pt****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4718T**Special Price:** **174.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 227.00 Baht / EA**Location:** BKK**Stock QTY:** 5**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 9/16

NUT END OUTSIDE DIAMETER [IN]: 47/64

DRIVE END OUTSIDE DIAMETER [IN]: 47/64

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 17/32

OVERALL LENGTH [IN]: 7/8

WEIGHT [LBS]: 0.07

DRIVE SIZE [IN]: 1/4

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401478/proto-j4718t-socket-1-4-dr-9-1>

**Item: PROTO,J5206M,Socket 3/8 In Dr 12 Pts 6mm 27.8mm L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5206M

**Special Price:** **178.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 232.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 6

NUT END OUTSIDE DIAMETER [IN]: 25/64

DRIVE END OUTSIDE DIAMETER [IN]: 43/64

NUT DEPTH [IN]: 1/4

BOLT CLEARANCE DEPTH [IN]: 45/64

OVERALL LENGTH [IN]: 1-3/32

WEIGHT [LBS]: 0.05

DRIVE SIZE [IN]: 3/8

POINT SIZE 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401484/proto-j5206m-socket-3-8-in-dr->

**Item: PROTO,J5207M,Socket 3/8 In Dr 12 Pts 7mm 27.8mm L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5207M

**Special Price:** **178.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 232.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 7

NUT END OUTSIDE DIAMETER [IN]: 27/64

DRIVE END OUTSIDE DIAMETER [IN]: 43/64

NUT DEPTH [IN]: 1/4

BOLT CLEARANCE DEPTH [IN]: 45/64

OVERALL LENGTH [IN]: 1-3/32

WEIGHT [LBS]: 0.05

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401485/proto-j5207m-socket-3-8-in-dr->

**Item: PROTO,J5208M,Socket 3/8 Dr 8mm 12 Pt Chrome****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5208M**Special Price:** **179.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 233.00 Baht / EA**Location:** BKK**Stock QTY:** 3**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

**Buy Online**<https://www.qtec-technology.com/product/2401486/proto-j5208m-socket-3-8-dr-8mm>**Item: PROTO,J5209M,Socket 3/8 In Dr 12 Pts 9mm 27.8mm L****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5209M**Special Price:** **178.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 232.00 Baht / EA**Location:** BKK**Stock QTY:** 3**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

**Buy Online**<https://www.qtec-technology.com/product/2401487/proto-j5209m-socket-3-8-in-dr>

**Item: PROTO,J5211M,Socket 3/8 Dr 11mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5211M

**Special Price:** **186.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 242.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 11

NUT END OUTSIDE DIAMETER [IN]: 41/64

DRIVE END OUTSIDE DIAMETER [IN]: 43/64

NUT DEPTH [IN]: 21/64

BOLT CLEARANCE DEPTH [IN]: 45/64

OVERALL LENGTH [IN]: 1-3/32

WEIGHT [LBS]: 0.07

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401489/proto-j5211m-socket-3-8-dr-11m>



**Item: PROTO,J5212M,Socket 3/8 Dr 12mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5212M

**Special Price:** **184.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 240.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 12

NUT END OUTSIDE DIAMETER [IN]: 45/64

DRIVE END OUTSIDE DIAMETER [IN]: 45/64

NUT DEPTH [IN]: 9/32

BOLT CLEARANCE DEPTH [IN]: 1/2

OVERALL LENGTH [IN]: 1-1/8

WEIGHT [LBS]: 0.05

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME :ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401490/proto-j5212m-socket-3-8-dr-12m>

**Item: PROTO,J5213M,Socket 3/8 Dr 13mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5213M

**Special Price:** **186.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 242.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 13

NUT END OUTSIDE DIAMETER [IN]: 47/64

DRIVE END OUTSIDE DIAMETER [IN]: 47/64

NUT DEPTH [IN]: 9/32

BOLT CLEARANCE DEPTH [IN]: 1/2

OVERALL LENGTH [IN]: 1-1/8

WEIGHT [LBS]: 0.07

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401491/proto-j5213m-socket-3-8-dr-13m>

**Item: PROTO,J5214M,Socket 3/8 Dr 14mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5214M

**Special Price:** **194.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 253.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 14

NUT END OUTSIDE DIAMETER [IN]: 25/32

DRIVE END OUTSIDE DIAMETER [IN]: 25/32

NUT DEPTH [IN]: 15/32

BOLT CLEARANCE DEPTH [IN]: 7/16

OVERALL LENGTH [IN]: 1-1/8

WEIGHT [LBS]: 0.08

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME :ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401492/proto-j5214m-socket-3-8-dr-14m>

**Item: PROTO,J5215M,Socket 3/8 Dr 15mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5215M

**Special Price:** **196.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 255.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 15

NUT END OUTSIDE DIAMETER [IN]: 27/32

DRIVE END OUTSIDE DIAMETER [IN]: 27/32

NUT DEPTH [IN]: 17/32

BOLT CLEARANCE DEPTH [IN]: 7/16

OVERALL LENGTH [IN]: 1-1/8

WEIGHT [LBS]: 0.10

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401493/proto-j5215m-socket-3-8-dr-15m>

**Item: PROTO,J5216M,Socket 3/8 In Dr 12 Pts 16mm 28.5mm L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5216M

**Special Price:** **196.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 255.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 16

NUT END OUTSIDE DIAMETER [IN]: 55/64

DRIVE END OUTSIDE DIAMETER [IN]: 55/64

NUT DEPTH [IN]: 17/32

BOLT CLEARANCE DEPTH [IN]: 7/16

OVERALL LENGTH [IN]: 1-1/8

WEIGHT [LBS]: 0.10

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401494/proto-j5216m-socket-3-8-in-dr->

**Item: PROTO,J5217M,Socket Standard 17 Mm****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5217M**Special Price:** **197.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 257.00 Baht / EA**Location:** BKK**Stock QTY:** 3**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 17

NUT END OUTSIDE DIAMETER [IN]: 15/16

DRIVE END OUTSIDE DIAMETER [IN]: 15/16

NUT DEPTH [IN]: 17/32

BOLT CLEARANCE DEPTH [IN]: 7/16

OVERALL LENGTH [IN]: 1-1/8

WEIGHT [LBS]: 0.12

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401495/proto-j5217m-socket-standard-1>

**Item: PROTO,J5218M,Socket 3/8 Dr 18mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5218M

**Special Price:** **197.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 257.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.



**Buy Online**

<https://www.qtec-technology.com/product/2401496/proto-j5218m-socket-3-8-dr-18m>

**Item: PROTO,J5219M,Socket 3/8 Dr 19mm 12 Pt Chrome****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5219M**Special Price:** 205.00 Baht / EA

(Ex. Vat) Delivery Fee Not Included.

**Price:** 267.00 Baht / EA**Location:** BKK**Stock QTY:** 3**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 19

NUT END OUTSIDE DIAMETER [IN]: 1

DRIVE END OUTSIDE DIAMETER [IN]: 1

NUT DEPTH [IN]: 17/32

BOLT CLEARANCE DEPTH [IN]: 1/2

OVERALL LENGTH [IN]: 1-3/16

WEIGHT [LBS]: 0.14

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401497/proto-j5219m-socket-3-8-dr-19m>



**Item: PROTO,J5411M,Socket 1/2 Dr 11mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5411M

**Special Price:** **230.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 299.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 11

NUT END OUTSIDE DIAMETER [IN]: 45/64

DRIVE END OUTSIDE DIAMETER [IN]: 55/64

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 55/64

OVERALL LENGTH [IN]: 1-31/64

WEIGHT [LBS]: 0.11

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401501/proto-j5411m-socket-1-2-dr-11m>

**Item: PROTO,J5416M,Socket Standard 16 Mm**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5416M

**Special Price:** **232.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 302.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 16

NUT END OUTSIDE DIAMETER [IN]: 7/8

DRIVE END OUTSIDE DIAMETER [IN]: 7/8

NUT DEPTH [IN]: 37/64

BOLT CLEARANCE DEPTH [IN]: 7/8

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.13

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401506/proto-j5416m-socket-standard-1>

**Item: PROTO,J5418M,Socket 1/2 Dr 18mm 12 Pt Chrome****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5418M**Special Price:** **266.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 346.00 Baht / EA**Location:** BKK**Stock QTY:** 3**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 18

NUT END OUTSIDE DIAMETER [IN]: 61/64

DRIVE END OUTSIDE DIAMETER [IN]: 61/64

NUT DEPTH [IN]: 37/64

BOLT CLEARANCE DEPTH [IN]: 7/8

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.17

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401466/proto-j5418m-socket-1-2-dr-18m>

**Item: PROTO,J5420M,Socket 1/2 Dr 20mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5420M

**Special Price:** **308.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 401.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 20

NUT END OUTSIDE DIAMETER [IN]: 1-3/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-3/32

NUT DEPTH [IN]: 11/16

BOLT CLEARANCE DEPTH [IN]: 27/32

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.22

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401507/proto-j5420m-socket-1-2-dr-20m>

**Item: PROTO,J5524M,Socket 3/4 Dr 24mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5524M

**Special Price:** **667.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 868.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.



**Buy Online**

<https://www.qtec-technology.com/product/2401509/proto-j5524m-socket-3-4-dr-24m>

**Item: PROTO,J5526M,Socket 3/4 In Dr 12 Pts 26mm 50.8mm L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5526M

**Special Price:** **688.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 895.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.

SIZE [MM]: 26

NUT END OUTSIDE DIAMETER [IN]: 1-1/2

DRIVE END OUTSIDE DIAMETER [IN]: 1-1/2

NUT DEPTH [IN]: 5/8

BOLT CLEARANCE DEPTH [IN]: 1-5/16

OVERALL LENGTH [IN]: 2

WEIGHT [LBS]: 0.59

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS955



**Buy Online**

<https://www.qtec-technology.com/product/2401511/proto-j5526m-socket-3-4-in-dr->

**Item: PROTO,J5528M,Socket 3/4 Dr 28mm 12Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5528M

**Special Price:** **661.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 860.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.

SIZE [MM]: 28

NUT END OUTSIDE DIAMETER [IN]: 1-19/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-31/64

NUT DEPTH [IN]: 3/4

BOLT CLEARANCE DEPTH [IN]: 1-5/16

OVERALL LENGTH [IN]: 2-7/32

WEIGHT [LBS]: 0.64

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS955



**Buy Online**

<https://www.qtec-technology.com/product/2401510/proto-j5528m-socket-3-4-dr-28m>

**Item: PROTO,J5529M,Socket 3/4 Dr 29mm 12Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5529M

**Special Price:** **665.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 865.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.

SIZE [MM]: 29

NUT END OUTSIDE DIAMETER [IN]: 1-19/32

DRIVE END OUTSIDE DIAMETER [IN]: 1-31/64

NUT DEPTH [IN]: 49/64

BOLT CLEARANCE DEPTH [IN]: 1-5/16

OVERALL LENGTH [IN]: 2-7/32

WEIGHT [LBS]: 0.65

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS955



**Buy Online**

<https://www.qtec-technology.com/product/2401513/proto-j5529m-socket-3-4-dr-29m>



**Item: PROTO,J88006,Screwdriver Slotted 5/16x6 In Tri-Lobe**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88006

**Special Price:** **287.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 374.00 Baht / EA

**Location:** BKK

**Stock QTY:** 4



**Description**

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

SIZE [IN]: 5/16

TIPS: Keystone Slotted

SHANK LENGTH [IN]: 6

BLADE LENGTH [IN]: 6

SHANK WIDTH [IN]: 5/16

TIP WIDTH [IN]: 5/16

LENGTH [IN]: 10-5/16

OVERALL LENGTH [IN]: 10-5/16

WEIGHT [LBS]: 0.35

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.15

FINISH: Full Polish

SHANK TYPE: Round



**Buy Online**

<https://www.qtec-technology.com/product/2387207/proto-j88006-screwdriver-slott>

**Item: PROTO,J88010,Screwdriver Flared 3/8 x 10 In**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88010

**Special Price:** **481.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 626.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

SIZE [IN]: 3/8

TIPS: Keystone Slotted

SHANK LENGTH [IN]: 10

BLADE LENGTH [IN]: 10

SHANK WIDTH [IN]: 3/8

TIP WIDTH [IN]: 3/8

LENGTH [IN]: 14-3/4

OVERALL LENGTH [IN]: 14-3/4

WEIGHT [LBS]: 0.58

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.15

FINISH: Full Polish

SHANK TYPE: Round



**Buy Online**

<https://www.qtec-technology.com/product/2401097/proto-j88010-screwdriver-flare>

**Item: PROTO,J88328,Screwdriver Phillips #2x8 In Tri-Lobe**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88328

**Special Price:** **357.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 465.00 Baht / EA

**Location:** BKK

**Stock QTY:** 4



**Description**

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

TIP SIZE #2

TIPS: Phillips<sup>®</sup>

SHANK LENGTH [IN]: 8

BLADE LENGTH [IN]: 8

SHANK WIDTH [IN]: 1/4

LENGTH [IN]: 12-1/2

OVERALL LENGTH [IN]: 12-1/2

WEIGHT [LBS]: 0.27

SPECIFICATION ASME: ASME B107.30

FINISH: Full Polish

SHANK TYPE: Round



**Buy Online**

<https://www.qtec-technology.com/product/2387191/proto-j88328-screwdriver-phill>

**Item: Puller Set, Wide, 6 Ton, 8 Inch Spread, with Case**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4291B

**Special Price:** **50,163.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 65,212.00 Baht / SET

**Location:** BKK

**Stock QTY:** 2



**Description**

SPECIFICATION USFEDERAL: GGG-P-781d

UNIT OF MEASURE: Fractional

LENGTH [IN]: 21

HEIGHT [IN]: 4"

WIDTH [IN]: 15



**Buy Online**

<https://www.qtec-technology.com/product/2387743/puller-set-wide-6-ton-8-inc>

### Item: Punch and Chisel Set w/Pouch 26 Pc

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J46

**Special Price:** **12,039.00 Baht / ST**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 15,651.00 Baht / ST

**Location:** BKK

**Stock QTY:** 3



#### Description

Includes:

1/2 in, 1-3/16 in, 1/4 in, 1/8 in, 1 in, 3/16 in, 3/4 in, 3/8 in, 5/16 in, 5/32 in, 5/8 in, 7/32 in, 7/8 in

Center Punch: 3/8 in

Cold Chisel: 1/4 in

Drift Punch: 1/8 in

Drive Pin Punch: 3/32 in

Prick Punch: 5/16 in

Starting Punch: 3/32 in



Buy Online

<https://www.qtec-technology.com/product/2401096/punch-and-chisel-set-w-pouch-2>

### Item: Punch and Chisel Set w/Pouch, 12 Pc

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J2

**Special Price:** **4,558.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 5,926.00 Baht / SET

**Location:** BKK

**Stock QTY:** 1



#### Description

Punch and Chisel Set: 12 Pieces, Cape Chisel/Cold Chisel/Diamond Point Chisel, Pouch

Includes: 1/2 in , 1/8 in , 3/16 in , 7/16 in

Cape Chisel: 5/16 in

Center Punch: 3/8 in

Cold Chisel: 5/16 in

Diamond Point Chisel: 3/16 in

Drive Pin Punch: 3/32 in

Starting Punch: 1/16 in



Buy Online

<https://www.qtec-technology.com/product/2401587/punch-and-chisel-set-w-pouch->

**Item: Punch and Cold Chisel Holder****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J2108**Special Price:** **1,070.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 1,391.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Holds punches and chisels up to 1" in diameter reducing the risk of injury.
- Nylon insert absorbs shock.
- Large 4-sided handle.

OVERALL LENGTH [IN]: 8

WEIGHT [LBS]: 0.60

**Buy Online**<https://www.qtec-technology.com/product/2401591/punch-and-cold-chisel-holder>**Item: Ratchet 1/4 Dr Chrome****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J4749XL**Special Price:** **1,397.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 1,817.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Small pear head design for access in tight, hard-to-reach work areas.
- 45-tooth gear provides balance between 8° articulation angle and high torque carrying capacity.
- Low profile reversing lever design for quick, one-hand operation.
- Contoured, ergonomically designed handle for comfort. Knurled bands allow for increased grip and slip resistance.
- Full polish finish offers double nickel chrome plating for enhanced corrosion protection.
- Field repairable.

DRIVE SIZE [IN]: 1/4

REPAIR KIT PART NUMBER: J4749XLRK

OVERALL LENGTH [IN] :6-11/16

FINISH: Full Polish

STYLE: Pear Head

SPECIFICATION ASME: ASME B107.10M

SPECIFICATION AS: SAE AS4283C

**Buy Online**<https://www.qtec-technology.com/product/2387199/ratchet-1-4-dr-chrome>

## Item: Ratchet Stubby

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5248S

**Special Price:** **849.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,104.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



### Description

- Robust 24-tooth design with 15° arc swing.
- Alloy steel drive gear for strength and durability.
- Low profile head for access in constricted areas.
- Reversing lever design for quick, one-hand operation.
- Knurled slip-resistant grip.

FINISH: Full Polish

STYLE: Pear Head

SPECIFICATION AS: SAE AS4984A

DRIVE SIZE [IN]: 3/8

OVERALL LENGTH [IN]: 5

WEIGHT [LBS]: 0.28

REPAIR KIT PART NUMBER: J6064RK



Buy Online

<https://www.qtec-technology.com/product/2387201/ratchet-stubby>

## Item: Retainer Pin/Ring 2 1/2 Groove Dia

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** JRR10040

**Special Price:** **319.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 415.00 Baht / EA

**Location:** BKK

**Stock QTY:** 6



### Description

- Large drive size crush gauge retaining ring.
- Part numbers are embossed on the rings near the point at which the pin and ring meet.

WEIGHT [LBS]: 0.02

DRIVE SIZE [IN]: 1

UNIT OF MEASURE: Fractional



Buy Online

<https://www.qtec-technology.com/product/2401467/retainer-pin-ring-2-1-2-groove>

**Item: Retaining Ring Plier Set: External/Internal, For 3/8 in to 2 in Bore Dia, 6 1/4 in Overall Lg, Red****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J380**Special Price:** **1,916.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 2,491.00 Baht / SET**Location:** BKK**Stock QTY:** 1**Description**

- Includes one internal and one external pliers.
- Covers ring range: External 1/4"-2", Internal 3/8"-2".
- Contains 16 interchangeable tips (4 of each listed below) (Replacements available).
- Pliers overall length 6-1/4".
- Weight: 0.64 lbs.

WEIGHT [LBS]: 0.64

TIP ANGLE: 0

TIP SIZE : .070

**Buy Online**<https://www.qtec-technology.com/product/2401579/retaining-ring-plier-set-exte>**Item: Rolling Head Pry Bar, 12" L X 1/2" W, Heat Treated Steel****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J2126**Special Price:** **1,757.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 2,285.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Application: Pry and aligning bar with a long pointed taper and 90° rolling head for leverage.

TIP WIDTH [IN]: 1/2

SHANK WIDTH [IN]: 1/2

OVERALL LENGTH [IN]: 12

WEIGHT [LBS]: 1.30

**Buy Online**<https://www.qtec-technology.com/product/2401594/rolling-head-pry-bar-12-quot-l-x>

**Item: S2 Steel Punch and Chisel Set; Number of Pieces: 5**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J3

**Special Price:** **962.00 Baht / ST**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,251.00 Baht / ST

**Location:** BKK

**Stock QTY:** 2



**Description**

Includes:

3/16 in

Center Punch: 3/8 in

Cold Chisel: 5/8 in

Drive-Pin Punch: 1/8 in

Starting Punch: 1/8 in



**Buy Online**

<https://www.qtec-technology.com/product/2387224/punch-and-chisel-w-pouch-5-pc>

**Item: SAFETY WIRE TWISTER REVERSIBLE PLIERS - 11"**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J197

**Special Price:** **3,749.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 4,874.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Reversible safety wire pliers provide right and left twist capability often eliminating the need for a second pliers.
- Meet SAE Aerospace Standard AS 567 Twister Requirements.
- Provides all of the features of standard Proto® Safety Wire Pliers.

J197 designed for wire sizes .020" - .060"

OVERALL LENGTH [IN] 11

WEIGHT [LBS] 0.88



**Buy Online**

<https://www.qtec-technology.com/product/2401534/safety-wire-twister-reversible>



**Item: SATIN OPEN-END WRENCH - 11/16" X 3/4"**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J3035

**Special Price:** **775.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,008.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Satin finish provides corrosion resistance and a slip resistant grip.
- 15° angle heads.
- Special heat-treated alloy steel permits slim shanks for strength and durability.
- Standard open end configuration.

FINISH: Satin

SIZE [IN]: 11/16 x 3/4

OUTSIDE HEAD WIDTH 1 [IN]: 1-37/64

HEAD THICKNESS 1 [IN]: 11/32

OUTSIDE HEAD WIDTH 2 [IN]: 1-13/32

HEAD THICKNESS 2 [IN]: 21/64

OVERALL LENGTH [IN]: 8-7/8

WEIGHT [LBS]: 0.47

THROAT DEPTH 1 [IN]: 29/32

THROAT DEPTH 2 [IN]: 53/64

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.100-2010



**Buy Online**

<https://www.qtec-technology.com/product/2401601/satin-open-end-wrench-11-16-quot->

### Item: Screw Extractor Set, Extractor Type Screw and Pipe Extractor, Number of Pieces 5

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J9500A

**Special Price:** **2,167.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,818.00 Baht / SET

**Location:** BKK

**Stock QTY:** 1



#### Description

- Drive into end of broken pipe or fitting.
- Use tap holder or wrench on extractor to turn out broken part.
- Size stamped on extractor refers to drill bit size to be used with that extractor.

FINISH: Black chrome

WEIGHT [LBS]: 0.28



Buy Online

<https://www.qtec-technology.com/product/2401586/screw-extractor-set-extractor>

### Item: Screwdr Phillips 1pt

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88313

**Special Price:** **225.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 293.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



#### Description

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

TIP SIZE #1

TIPS: Phillips<sup>®</sup>

SHANK LENGTH [IN]: 3

BLADE LENGTH [IN]: 3

SHANK WIDTH [IN]: 3/16

LENGTH [IN]: 6-7/8

OVERALL LENGTH [IN]: 6-7/8

WEIGHT [LBS]: 0.12

SPECIFICATION ASME: ASME B107.30

FINISH: Full Polish

SHANK TYPE: Round



Buy Online

<https://www.qtec-technology.com/product/2387258/screwdr-phillips-1pt>

**Item: Screwdriver #0 Phillips x 2 1/2 In**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88393

**Special Price:** **177.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 231.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

TIP SIZE #0

TIPS: Phillips<sup>®</sup>

SHANK LENGTH [IN]: 3

BLADE LENGTH [IN]: 3

SHANK WIDTH [IN]: 1/8

LENGTH [IN]: 6-3/8

OVERALL LENGTH [IN]: 6-3/8

WEIGHT [LBS]: 0.05

SPECIFICATION ASME: ASME B107.30

FINISH: Full Polish

SHANK TYPE: Round



**Buy Online**

<https://www.qtec-technology.com/product/2387257/screwdriver-0-phillips-x-2-1->

**Item: Screwdriver #1 Phillips x 8 In**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88318

**Special Price:** **290.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 377.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

TIP SIZE #1

TIPS: Phillips<sup>®</sup>

SHANK LENGTH [IN]: 8

BLADE LENGTH [IN]: 8

SHANK WIDTH [IN]: 3/16

LENGTH [IN]: 12

OVERALL LENGTH [IN]: 12

WEIGHT [LBS]: 0.20

SPECIFICATION ASME: ASME B107.30

FINISH: Full Polish

SHANK TYPE: Round



**Buy Online**

<https://www.qtec-technology.com/product/2401100/screwdriver-1-phillips-x-8-in>

## Item: Screwdriver Flared Tip

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88004

**Special Price:** **238.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 310.00 Baht / EA

**Location:** BKK

**Stock QTY:** 4



### Description

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

SIZE [IN]: 1/4

TIPS: Keystone Slotted

SHANK LENGTH [IN]: 4

BLADE LENGTH [IN]: 4

SHANK WIDTH [IN]: 1/4

TIP WIDTH [IN]: 1/4

LENGTH [IN]: 8-1/4

OVERALL LENGTH [IN]: 8-1/4

WEIGHT [LBS]: 0.21

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.15

FINISH: Full Polish

SHANK TYPE: Round



**Buy Online**

<https://www.qtec-technology.com/product/2387189/screwdriver-flared-tip>

**Item: Screwdriver Phillips, 2Point, 1/4"X4"**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88324B

**Special Price:** **291.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 379.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

TIP SIZE #2

TIPS: Phillips

SHANK LENGTH [IN]: 4

BLADE LENGTH [IN]: 4

SHANK WIDTH [IN]: 1/4

LENGTH [IN]: 8-1/4

OVERALL LENGTH [IN]: 8-1/4

WEIGHT [LBS]: 0.21

SPECIFICATION ASME: ASME B107.30

FINISH: Black Oxide

SHANK TYPE: Round



**Buy Online**

<https://www.qtec-technology.com/product/2387718/screwdriver-phillips-2point->

## Item: Screwdriver Set, Combo, 6Pc

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88816

**Special Price:** **2,200.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,860.00 Baht / SET

**Location:** BKK

**Stock QTY:** 1



### Description

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

SPECIFICATION ASME: ASME B107.15

FINISH: Full Polish

PIECE COUNT: 6

WEIGHT [LBS]: 2.64



Buy Online

<https://www.qtec-technology.com/product/2401596/screwdriver-set-combo-6pc>

## Item: Screwdriver Set, Phillips, 6PC

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88836

**Special Price:** **1,675.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,178.00 Baht / SET

**Location:** BKK

**Stock QTY:** 1



### Description

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

SPECIFICATION ASME: ASME B107.15

FINISH: Full Polish

PIECE COUNT: 6

TIPS: Phillips

WEIGHT [LBS]: 1.60



Buy Online

<https://www.qtec-technology.com/product/2401595/screwdriver-set-phillips-6pc>

**Item: SCREWDRIVER, FLARED TIP, 5/16X6 IN**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J88006B

**Special Price:** **1,053.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,369.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Tri-lobed handle made from Bi-Material, helps prevent hand slipping.
- Precision machined tips for precise fastener fit.
- Alloy steel shanks heat-treated for strength.

SIZE [IN]: 5/16

TIPS: Keystone Slotted

SHANK LENGTH [IN]: 6

BLADE LENGTH [IN]: 6

SHANK WIDTH [IN]: 5/16

TIP WIDTH [IN]: 5/16

LENGTH [IN]: 10-5/16

OVERALL LENGTH [IN]: 10-5/16

WEIGHT [LBS]: 0.20

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.15

FINISH: Black Oxide

SHANK TYPE: Round



**Buy Online**

<https://www.qtec-technology.com/product/2387681/screwdriver-flared-tip-5-16x>

**Item: Screwdriver, Tip Size 3/8 in, Keystone Slotted, Overall Length 13 in**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J9610C

**Special Price:** **300.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 390.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

Tip Size: 3/8 in Overall Length: 13 in Keystone Slotted



**Buy Online**

<https://www.qtec-technology.com/product/2401599/screwdriver-tip-size-3-8-in->



**Item: Sledge Hammer, 8 lb., 32 In, Fiberglass**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J1437G

**Special Price:** **2,664.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 3,464.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Designed for striking metal, concrete, and stone.
- Strong fiberglass handle with smooth, slip-resistant cushion grip.

HEAD WEIGHT: 8 lbs.  
FACE DIAMETER: 2-3/8"  
HEAD LENGTH [IN]: 6-1/2  
HANDLE LENGTH [IN]: 32  
OVERALL LENGTH [IN]: 34-3/8  
WEIGHT [LBS]: 10.14  
SPECIFICATION ASME: ASME B107.54



Buy Online

<https://www.qtec-technology.com/product/2387222/hammer-sledge-8-lb-32-in-l>

**Item: Slip Joint Pliers, Max. Jaw Opening: 1"**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J278G

**Special Price:** **1,016.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,321.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Has two jaw positions and shear type wire cutter.
- Plastisol grips for added comfort.

JAW LENGTH [IN]: 1-3/4  
JAW WIDTH [IN]: 1-13/64  
JAW THICKNESS [IN]: 1-13/64  
HANDLE COLOR: Red  
OVERALL LENGTH [IN]: 8-1/16  
WEIGHT [LBS]: 0.67  
SPECIFICATION ASME: ASME B107.23



Buy Online

<https://www.qtec-technology.com/product/2401602/slip-joint-pliers-max-jaw-op>

**Item: Slugging Wrench, Offset, 41mm, 10-1/8 L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** JHD041M / HD041M

**Special Price:** **2,292.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 2,980.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Non-reflective black oxide finish for use where non-plated products are required.
- 12 point box end allows for fine indexing, helping improve speed and access.
- Fits most 4, 6 and 12 point fasteners.
- Designed for heavy use in close quarters where hammer or sledge is required to loosen frozen nuts or set large fasteners.
- High strength rectangular design withstands heavy sledging.
- Box opening designed to remain in place on fastener when wrench is struck.
- Heavy box walls provide greater transmission of torque to fastener.
- Straighter handle design than striking wrenches resists springing, nut turns easier.

FINISH: Black Oxide

SIZE [MM]: 41

OUTSIDE HEAD WIDTH 1 [IN]: 2-3/4

HEAD THICKNESS 1 [IN]: 1-9/64

OVERALL LENGTH [IN]: 10-1/8

WEIGHT [LBS]: 1.36

POINT SIZE: 12

UNIT OF MEASURE: Metric



**Buy Online**

<https://www.qtec-technology.com/product/2387217/slugging-wrench-offset-41mm->

**Item: Socket 1/2 Dr 12mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5412M

**Special Price:** **230.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 299.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 12

NUT END OUTSIDE DIAMETER [IN]: 47/64

DRIVE END OUTSIDE DIAMETER [IN]: 55/64

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 55/64

OVERALL LENGTH [IN]: 1-31/64

WEIGHT [LBS]: 0.11

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401502/socket-1-2-dr-12mm-12-pt-chrom>

**Item: Socket 1/2 Dr 13mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5413M

**Special Price:** **231.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 301.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 13

NUT END OUTSIDE DIAMETER [IN]: 3/4

DRIVE END OUTSIDE DIAMETER [IN]: 55/64

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 55/64

OVERALL LENGTH [IN]: 1-31/64

WEIGHT [LBS]: 0.12

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401503/socket-1-2-dr-13mm-12-pt-chrom>

**Item: Socket 1/2 Dr 14mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5414M

**Special Price:** **232.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 302.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 14

NUT END OUTSIDE DIAMETER [IN]: 13/16

DRIVE END OUTSIDE DIAMETER [IN]: 55/64

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 7/8

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.13

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401504/socket-1-2-dr-14mm-12-pt-chrom>

**Item: Socket 1/2 Dr 15mm 12 Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5415M

**Special Price:** **232.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 302.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 15

NUT END OUTSIDE DIAMETER [IN]: 55/64

DRIVE END OUTSIDE DIAMETER [IN]: 55/64

NUT DEPTH [IN]: 37/64

BOLT CLEARANCE DEPTH [IN]: 7/8

OVERALL LENGTH [IN]: 1-1/2

WEIGHT [LBS]: 0.13

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401505/socket-1-2-dr-15mm-12-pt-chrom>

## Item: Socket 3/4 InDr 25mm

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5525M

**Special Price:** **693.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 901.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



### Description

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.

SIZE [MM]: 25

NUT END OUTSIDE DIAMETER [IN]: 1-31/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-31/64

NUT DEPTH [IN]: 5/8

BOLT CLEARANCE DEPTH [IN]: 1-5/16

OVERALL LENGTH [IN]: 2

WEIGHT [LBS]: 0.60

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS955



Buy Online

<https://www.qtec-technology.com/product/2401512/socket-3-4-indr-25mm>

**Item: Socket 3/8 Dr 1/4 In 12 Pt Chrome****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5208**Special Price:** **163.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 212.00 Baht / EA**Location:** BKK**Stock QTY:** 2**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 1/4

NUT END OUTSIDE DIAMETER [IN]: 25/64

DRIVE END OUTSIDE DIAMETER [IN]: 43/64

NUT DEPTH [IN]: 23/64

BOLT CLEARANCE DEPTH [IN]: 21/32

OVERALL LENGTH [IN]: 1-3/32

WEIGHT [LBS]: 0.05

DRIVE SIZE [IN]: 3/8

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2387256/socket-3-8-dr-1-4-in-12-pt-chr>



## Item: Socket 3/8 In Dr 12 Pts 20mm 28.5mm L

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5220M

**Special Price:** **207.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 270.00 Baht / EA

**Location:** BKK

**Stock QTY:** 3



### Description

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.



Buy Online

<https://www.qtec-technology.com/product/2401498/socket-3-8-in-dr-12-pts-20mm-2>

## Item: SOCKET BAR - 17"

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J2587

**Special Price:** **119.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 155.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



### Description

All clips fit all bars.



Buy Online

<https://www.qtec-technology.com/product/2401657/socket-bar-17-quot->

**Item: Socket Bit,3/8 in. Dr,3/16 in. Hex**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J49903/16

**Special Price:** **561.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 730.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Made using a heat-treated alloy for wear resistance which helps minimize distortion for a long life.
- Hex opening holds the bit, allowing the bit holder to take the torque load.

SIZE [IN]: 3/16

BIT LENGTH [IN]: 1-5/8

OVERALL LENGTH [IN]: 2-23/32

WEIGHT [LBS]: 0.12

DRIVE SIZE [IN]: 3/8

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

TIPS: Hex

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401535/socket-bit-3-8-in-dr-3-16-in->

**Item: Socket Bit: 1/4 in Drive Size, Hex Tip, 9/64 in Tip Size, 1 7/8 in Overall Lg, SAE**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J47709/64

**Special Price:** **628.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 817.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Bit holders have a hex opening to hold the bit allowing the bit holder to take the full load of torque.
- Made of heat-treated alloy steel.
- Polished chrome finish.

SIZE [IN]: 9/64

BIT LENGTH [IN]: 1

OVERALL LENGTH [IN]: 1-7/8

WEIGHT [LBS]: 0.05

DRIVE SIZE [IN]: 1/4

FINISH: Full Polish

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

TIPS: Hex

SPECIFICATION AS: SAE AS4984A



Buy Online

<https://www.qtec-technology.com/product/2401539/socket-bit-1-4-in-drive-size->

**Item: SOCKET CLIP - 1/2" DRIVE**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J2592

**Special Price:** **33.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 43.00 Baht / EA

**Location:** BKK

**Stock QTY:** 15



**Description**

All clips fit all bars.

DRIVE SIZE [IN]: 1/2



Buy Online

<https://www.qtec-technology.com/product/2401658/socket-clip-1-2-quot-drive>

**Item: Socket Deep 1/2Dr 1 1/8In 12Pt Chrome****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5336**Special Price:** **1,430.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 1,859.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [IN]: 1-1/8

NUT END OUTSIDE DIAMETER [IN]: 1-1/2

DRIVE END OUTSIDE DIAMETER [IN]: 1-1/2

NUT DEPTH [IN]: 1-5/32

BOLT CLEARANCE DEPTH [IN]: 2-29/64

OVERALL LENGTH [IN]: 3-1/4

WEIGHT [LBS]: 0.83

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Deep

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401621/socket-deep-1-2dr-1-1-8in-12pt>

**Item: Socket Deep 1/2Dr 26mm 12Pt Chrome**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5326M

**Special Price:** **1,403.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,824.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.

SIZE [MM]: 26

NUT END OUTSIDE DIAMETER [IN]: 1-21/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-21/64

NUT DEPTH [IN]: 1-3/16

BOLT CLEARANCE DEPTH [IN]: 2-3/32

OVERALL LENGTH [IN]: 3-1/4

WEIGHT [LBS]: 0.63

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

LENGTH TYPE: Deep

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS955



**Buy Online**

<https://www.qtec-technology.com/product/2401543/socket-deep-1-2dr-26mm-12pt-chrome>

**Item: Socket Deep 3/4Dr 1 1/16In 6Pt Blk****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5534HL**Special Price:** **1,508.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 1,961.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto<sup>®</sup> 6 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Made from alloy steel.
- Heat-treated for strength and durability.
- Hand use only.
- Ball detent design.

SIZE [IN]: 1-1/16

NUT END OUTSIDE DIAMETER [IN]: 1-9/16

DRIVE END OUTSIDE DIAMETER [IN]: 1-7/16

NUT DEPTH [IN]: 11/16

BOLT CLEARANCE DEPTH [IN]: 2-9/16

OVERALL LENGTH [IN]: 3-1/2

WEIGHT [LBS]: 0.97

DRIVE SIZE [IN]: 3/4

POINT SIZE: 6

FINISH: Satin

LENGTH TYPE: Deep

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401537/socket-deep-3-4dr-1-1-16in-6pt>

**Item: Socket Deep 3/8Dr 11/16In 6Pt Chrome****Category:** Hand Tools**Manufacturer:** Proto**PartNo:** J5022H**Special Price:** **698.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.**Price:** 908.00 Baht / EA**Location:** BKK**Stock QTY:** 1**Description**

- Proto 6 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded or rusted fasteners.

SIZE [IN]: 11/16

NUT END OUTSIDE DIAMETER [IN]: 61/64

DRIVE END OUTSIDE DIAMETER [IN]: 61/64

NUT DEPTH [IN]: 21/32

BOLT CLEARANCE DEPTH [IN]: 1-23/32

OVERALL LENGTH [IN]: 2-3/4

WEIGHT [LBS]: 0.29

DRIVE SIZE [IN]: 3/8

POINT SIZE: 6

FINISH: Full Polish

LENGTH TYPE: Deep

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A

**Buy Online**<https://www.qtec-technology.com/product/2401620/socket-deep-3-8dr-11-16in-6pt->

**Item: Socket SAE 3/4" DRIVE SOCKET 13/16" - 12 POINT**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5526

**Special Price:** **970.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,261.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus™ design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus™ configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus™ internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.
- Made of heat-treated alloy steel.
- Side locking hole.

SIZE [IN]: 13/16

NUT END OUTSIDE DIAMETER [IN]: 1-5/16

DRIVE END OUTSIDE DIAMETER [IN]: 1-5/16

NUT DEPTH [IN]: 21/32

BOLT CLEARANCE DEPTH [IN]: 1-1/16

OVERALL LENGTH [IN]: 2

WEIGHT [LBS]: 0.36

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Fractional

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS4984A



**Buy Online**

<https://www.qtec-technology.com/product/2401598/socket-sae-3-4-quot-drive-socket-1>



## Item: Socket Set Metric

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J54214

**Special Price:** **29,087.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 37,814.00 Baht / SET

**Location:** BKK

**Stock QTY:** 1



### Description

DRIVE SIZE [IN]: 1/2

POINT SIZE: 12

FINISH: Full Polish

UNIT OF MEASURE: Metric

WEIGHT [LBS]: 18.41

PIECE COUNT: 31

#### INCLUDED ITEMS:

- EXTENSION, 1/2" DR 5"#:J5461 / EXTENSION, 1/2" DR 10":J5463
- HANDLE, HINGE 1/2" DR 15-3/4":J5467
- RATCHET, CLASSIC PEAR HEAD 1/2" DR 10":J5449
- SOCKET, DEEP 1/2" DR 16 MM 12 PT:J5316M / SOCKET, DEEP 1/2" DR 17 MM 12 PT:J5317M / SOCKET, DEEP 1/2" DR 18 MM 12 PT:J5318M / SOCKET, DEEP 1/2" DR 19 MM 12 PT:J5319M / SOCKET, DEEP 1/2" DR 20 MM 12 PT:J5320M / SOCKET, DEEP 1/2" DR 21 MM 12 PT:J5321M / SOCKET, DEEP 1/2" DR 22 MM 12 PT:J5322M / SOCKET, DEEP 1/2" DR 24 MM 12 PT:J5324M / SOCKET, DEEP 1/2" DR 25 MM 12 PT:J5325M / SOCKET, DEEP 1/2" DR 26 MM 12 PT:J5326M / SOCKET, 1/2" DR 10 MM 12 PT:J5410M / SOCKET, 1/2" DR 11 MM 12 PT:J5411M / SOCKET, 1/2" DR 12 MM 12 PT:J5412M / SOCKET, 1/2" DR 13 MM 12 PT:J5413M / SOCKET, 1/2" DR 14 MM 12 PT:J5414M / SOCKET, 1/2" DR 15 MM 12 PT:J5415M / SOCKET, 1/2" DR 16 MM 12 PT:J5416M / SOCKET, 1/2" DR 17 MM 12 PT:J5417M / SOCKET, 1/2" DR 18 MM 12 PT:J5418M / SOCKET, 1/2" DR 19 MM 12 PT:J5419M / SOCKET, 1/2" DR 20 MM 12 PT:J5420M / SOCKET, 1/2" DR 21 MM 12 PT:J5421M / SOCKET, 1/2" DR 22 MM 12 PT:J5422M / SOCKET, 1/2" DR 23 MM 12 PT:J5423M / SOCKET, 1/2" DR 24 MM 12 PT:J5424M / SOCKET, 1/2" DR 25 MM 12 PT:J5425M / SOCKET, 1/2" DR 26 MM 12 PT:J5426M



Buy Online

<https://www.qtec-technology.com/product/2401624/socket-set-metric>

**Item: Socket Set, Hex Bit, Drive Size 1/4 In, Metric, 6 PCS**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J4770-6

**Special Price:** **2,479.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 3,223.00 Baht / SET

**Location:** BKK

**Stock QTY:** 5



**Description**

Not for use on impact applications.

DRIVE SIZE [IN]: 1/4

FINISH: Full Polish

UNIT OF MEASURE: Metric

WEIGHT [LBS]: 0.41

PIECE COUNT: 6



**Buy Online**

<https://www.qtec-technology.com/product/2387682/socket-set-hex-bit-drive-siz>

**Item: Socket, Metric, 42 mm**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J5542M

**Special Price:** **2,878.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 3,742.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Proto<sup>®</sup> 12 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials.
- The TorquePlus<sup>™</sup> design is a high performance drive configuration which allows for quick and easy socket engagement to the fastener flats, not the corners.
- The TorquePlus<sup>™</sup> configuration employs a radius-corner design, shifting contact area and stress away from the fastener corners and distributing contact stresses over a large area of the socket, minimizing slippage.
- The TorquePlus<sup>™</sup> internal design minimizes fastener rounding, helps to extend fastener life, and allows the user to more easily turn worn, rounded, or rusted fasteners.
- Ball detent design.

SIZE [MM]: 42

NUT END OUTSIDE DIAMETER [IN]: 2-23/64

DRIVE END OUTSIDE DIAMETER [IN]: 1-23/32

NUT DEPTH [IN]: 1-15/32

BOLT CLEARANCE DEPTH [IN]: 1-5/16

OVERALL LENGTH [IN] :2-23/32

WEIGHT [LBS]: 1.06

DRIVE SIZE [IN]: 3/4

POINT SIZE: 12

FINISH: Satin

LENGTH TYPE: Standard

UNIT OF MEASURE: Metric

SPECIFICATION ASME: ASME B107.110-2012

SPECIFICATION AS: SAE AS955



**Buy Online**

<https://www.qtec-technology.com/product/2401538/socket-metric-42-mm>

**Item: Steel Drive Pin Punch Set; Number of Pieces: 7**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J48007

**Special Price:** **2,414.00 Baht / SET**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 3,139.00 Baht / SET

**Location:** BKK

**Stock QTY:** 1



**Description**

- Made from S2 steel and specially heat-treated for greater strength and durability.
- One-piece design for strength and durability.
- Reverse taper to help prevent binding.
- Modified parabolic striking end to help reduce mushrooming and chipping.
- Black oxide finish to help prevent rust corrosion; extending tool life and performance.
- A polished identification panel on one of the flats is marked with the tool number and size in a black inlay.
- Set offers a wide range of sizes to handle a variety of jobs.
- Includes a pouch for convenient storage solution.

WEIGHT [LBS] 0.90

INCLUDED ITEMS: TOOL ROLL,7 POCKETS:J25TR31C / PIN SUPER DUTY 1/4":J48014 / PIN SUPER DUTY 1/8":J48018 / PIN SUPER DUTY 1/16":J48116 / PUNCH, PIN SUPER DUTY 3/16":J48316 / PUNCH, PIN SUPER DUTY 3/32":J48332 / PUNCH, PIN SUPER DUTY 5/32":J48532 / PUNCH, PIN SUPER DUTY 7/32":J48732



**Buy Online**

<https://www.qtec-technology.com/product/2401605/steel-drive-pin-punch-set-num>

## Item: Steel Screwdriver with 1-1/2" Shank and 1/4" Standard Tip

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** JK14112R

**Special Price:** **434.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 565.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



### Description

HANDLE COLOR: Red  
TIP SIZE : 1/4  
TIPS: Keystone  
SHANK LENGTH [IN]: 1-1/2  
SHANK WIDTH [IN]: 0.25  
TIP WIDTH [IN]: 0.25  
OVERALL LENGTH [IN]: 3-1/2  
WEIGHT [LBS]: 0.12  
SPECIFICATION ASME: ASME B107.15  
SHANK TYPE: Square



Buy Online

<https://www.qtec-technology.com/product/2387515/steel-screwdriver-with-1-1-2-quot->

## Item: Straight Pipe Wrench 12"

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J812HD

**Special Price:** **1,306.00 Baht / EA**

(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,698.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



### Description

- Forged steel jaw provides outstanding strength.
- Full floating hook jaw, provides instant grip, easy release.
- Large knurl and power threads provide fast, positive jaw adjustment.

FINISH: Cast Iron  
OVERALL LENGTH [IN]: 12  
WEIGHT [LBS]: 2.66  
JAW CAPACITY [IN]: 2  
MAXIMUM OPENING [IN]: 2



Buy Online

<https://www.qtec-technology.com/product/2387219/straight-pipe-wrench-12-quot->

**Item: Straight Pipe Wrench Steel 6 in. L**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J806HD

**Special Price:** **665.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 865.00 Baht / EA

**Location:** BKK

**Stock QTY:** 2



**Description**

- Forged steel jaw provides outstanding strength.
- Full floating hook jaw, provides instant grip, easy release.
- Large knurl and power threads provide fast, positive jaw adjustment.

FINISH: Cast Iron

OVERALL LENGTH [IN]: 6

WEIGHT [LBS]: 0.45

MAXIMUM OPENING [IN]: 3/4



**Buy Online**

<https://www.qtec-technology.com/product/2387218/straight-pipe-wrench-steel-6-i>

**Item: Striking Wrench Straight 1-7/16 in.**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J2723SW

**Special Price:** **2,850.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 3,705.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Non-reflective black oxide finish for use where non-plated products are required.
- Large striking surface for surer blow contact and more efficient transmittal of force to fastener.
- Short handle permits use in close quarters.
- Box opening designed to remain on fastener when wrench is struck.
- For use where extreme force is necessary to loosen or set large fasteners.
- Heavy box walls provide greater torque transmission.
- Straight handle design helps prevent the wrench from cocking when struck.

FINISH: Black Oxide

SIZE [IN]: 1-7/16

OUTSIDE HEAD WIDTH 1 [IN] :2-17/64

HEAD THICKNESS 1 [IN]: 7/8

OVERALL LENGTH [IN]: 10-19/32

WEIGHT [LBS]: 2.49

NUT DEPTH [IN]: 7/8

DRIVE END OUTSIDE DIAMETER [IN]: 2-9/32

POINT SIZE: 6

UNIT OF MEASURE: Fractional



**Buy Online**

<https://www.qtec-technology.com/product/2387343/striking-wrench-straight-1-7-1>

**Item: Striking Wrench: Alloy Steel, Black Oxide, 55 mm Head Size, 13 in Overall Lg, 12-Point  
Box End**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J2655SWM

**Special Price:** **6,836.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 8,887.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

Non-reflective black oxide finish for use where non-plated products are required.

12 point box end allows for fine indexing, helping improve speed and access.

- Fits most 4, 6 and 12 point fasteners.

- Large striking surface for surer blow contact and more efficient transmittal of force to fastener.

- Short handle permits use in close quarters.

- Box opening designed to remain on fastener when wrench is struck.

- For use where extreme force is necessary to loosen or set large fasteners.

- Heavy box walls provide greater torque transmission.

- Offset handle clears obstructions.

FINISH: Black Oxide

SIZE [MM]: 55

OUTSIDE HEAD WIDTH 1 [IN]: 3-25/64

HEAD THICKNESS 1 [IN]: 1-1/2

OVERALL LENGTH [IN]: 13-1/2

WEIGHT [LBS]: 6.58

DRIVE END OUTSIDE DIAMETER [IN]: 86

POINT SIZE: 12

UNIT OF MEASURE: Metric



**Buy Online**

<https://www.qtec-technology.com/product/2401608/striking-wrench-alloy-steel->



**Item: Torque Wrench 1/4Dr 40-200 in.-lb.**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J6062C

**Special Price:** **6,358.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 8,266.00 Baht / EA

**Location:** BKK

**Stock QTY:** 5



**Description**

- Calibrated to +/- 4% clockwise direction (for J6060A, calibrated to +/- 4% clockwise direction) and +/- 6% counter clockwise direction at 20% to 100% of full scale.
- Calibration is accomplished by manually loading the torque wrench.
- Manufactured to meet standard industrial torque applications such as general industry, heavy equipment and maintenance.

DRIVE SIZE [IN]: 1/4

INCREMENTS [IN LBS]: 1

TORQUERANGE [IN LBS]: 40-200

HEAD WIDTH 1 [IN]: 1-1/32

HEAD DEPTH [IN]: 3/4

OVERALL LENGTH [IN]: 11-21/64

WEIGHT [LBS]: 2.60

REPAIR KIT PART NUMBER: J6062RK

STORAGE CASE PART NUMBER: J6006PBF

STYLE: Micrometer

FINISH: Full Polish

SPECIFICATION ASME: ASME B107.300-2010

SPECIFICATION TO: TO33K6-4-2193-1



**Buy Online**

<https://www.qtec-technology.com/product/2401517/torque-wrench-1-4dr-40-200-in->

**Item: Torque Wrench 3/8Dr 40-200 in.-lb.**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** 6064C

**Special Price:** **6,498.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 8,448.00 Baht / EA

**Location:** BKK

**Stock QTY:** 9



**Description**

- Calibrated to +/- 4% clockwise direction (for J6060A, calibrated to +/- 4% clockwise direction) and +/- 6% counter clockwise direction at 20% to 100% of full scale.
- Calibration is accomplished by manually loading the torque wrench.
- Manufactured to meet standard industrial torque applications such as general industry, heavy equipment and maintenance.

DRIVE SIZE [IN]: 3/8

INCREMENTS [IN LBS]: 1

TORQUERANGE [IN LBS]: 40-200

HEAD WIDTH 1 [IN]: 1-1/32

HEAD DEPTH [IN]: 7/8

OVERALL LENGTH [IN]: 11-21/64

WEIGHT [LBS]: 2.60

REPAIR KIT PART NUMBER: J6064RK

STORAGE CASE PART NUMBER: J6006PBF

STYLE: Micrometer

FINISH: Full Polish

SPECIFICATION ASME: ASME B107.300-2010

SPECIFICATION TO: TO33K6-4-2193-1



**Buy Online**

<https://www.qtec-technology.com/product/2387188/torque-wrench-3-8dr-40-200-in->

**Item: WIRE STRIPPER PLIERS - 8-1/4"**

**Category:** Hand Tools

**Manufacturer:** Proto

**PartNo:** J298

**Special Price:** **1,411.00 Baht / EA**  
(Ex. Vat) Delivery Fee Not Included.

**Price:** 1,835.00 Baht / EA

**Location:** BKK

**Stock QTY:** 1



**Description**

- Strips 10-22 AWG - American Wire Gauge.
- Crimps insulated and non-insulated terminals for 10-22 AWG wire.
- Crimps non-insulated 7 mm and 8 mm auto ignition wire.
- Cuts screw/bolt sizes 4-40, 5-40, 6-32, 8-32, 10-32, 10-24 and copper wire.
- Extended length curved cutter to handle heavier wire with less force.
- Pliers nose designed to grip, bend, and pull wire.
- Plastisol grips for added comfort.

OVERALL LENGTH [IN]: 8-1/4

WEIGHT [LBS]: 0.5



**Buy Online**

<https://www.qtec-technology.com/product/2401584/wire-stripper-pliers-8-1-4-quot->