

1-800-GRAINGER (472-4643)

## H4-Rated NER 3-Phase Electric Chain Hoists



- Dual speed via under-the-cover variable frequency drive
- Count hour meter and chain container
- Plug-in pendant and power cord
- Low-profile upper and lower limit switches

- 10-yr. warranty on brake
- IP55 rated for indoor or outdoor use
- Meet ANSI/ASME B30.16 and UL 1340
- RoHS Compliant

Designed for heavy- and severe-duty applications.

Load Capacity	Lift Speed	Motor HP	Voltage	Min. Between Hooks	Amps @ Low Volts	10 ft Hoist Lift	15 ft Hoist Lift	20 ft Hoist Lift
						6 ft Control Cord Item No.	11 ft Control Cord Item No.	16 ft Control Cord Item No.
<b>Single Speed</b>								
250 lb	55 fpm	0.75 hp	208/230/460	13 1/16 in	3.4 A	25K564	25K565	25K566
500 lb	53 fpm	1.2 hp	208/230/460	13 1/16 in	4.8 A	25K573	25K574	25K575
	36 fpm	0.75 hp	208/230/460	13 1/16 in	3.4 A	25K582	25K583	25K584
1000 lb	15 fpm	0.75 hp	208/230/460	14 5/8 in	3.4 A	4DFL1	4DFL2	4DFL3
	29 fpm	1.2 hp	208/230/460	14 5/8 in	4.8 A	4DFL4	4DFL5	4DFL6
2000 lb	14 fpm	1.2 hp	208/230/460	16 1/16 in	4.8 A	4DFL7	4DFL8	4DFL9
	28 fpm	2.4 hp	208/230/460	16 1/16 in	8.6 A	4DFN1	4DFN2	4DFN3
4000 lb	14 fpm	2.4 hp	208/230/460	22 5/8 in	8.6 A	4DFN4	4DFN5	4DFN6
	28 fpm	4.7 hp	208/230/460	23 3/16 in	16.4 A	4DFN7	4DFN8	4DFN9
6000 lb	17 fpm	4.7 hp	208/230/460	32 1/16 in	16.4 A	4DFP1	4DFP2	4DFP3
10000 lb	11 fpm	4.7 hp	208/230/460	33 1/2 in	16.4 A	4DFP4	4DFP5	4DFP6
<b>Variable Speed</b>								
250 lb	55/9 fpm	0.75 hp	460	13 1/16 in	1.8 A	25K568	25K570	25K572
	55/9 fpm	0.75 hp	230	13 1/16 in	3.6 A	25K567	25K569	25K571
	53/9 fpm	1.2 hp	460	13 1/16 in	2.7 A	25K577	25K579	25K581
500 lb	36/6 fpm	0.75 hp	230	13 1/16 in	3.6 A	25K585	25K587	25K589
	36/6 fpm	0.75 hp	460	13 1/16 in	1.8 A	25K586	25K588	25K590
	53/9 fpm	1.2 hp	230	13 1/16 in	5.1 A	25K576	25K578	25K580
1000 lb	29/5 fpm	1.2 hp	230	14 5/8 in	5.1 A	14H716	14H717	14H718
	15/2.5 fpm	0.75 hp	230	14 5/8 in	3.6 A	14H713	14H714	14H715
	15/2.5 fpm	0.75 hp	460	14 5/8 in	1.8 A	6HJ90	6HJ91	6HJ92
2000 lb	14/2.5 fpm	1.2 hp	460	14 5/8 in	2.7 A	6HJ92	6HJ93	6HJ94
	14/2.5 fpm	1.2 hp	230	16 1/16 in	5.1 A	14H719	14H720	14H721
	14/2.5 fpm	1.2 hp	460	16 1/16 in	2.7 A	6HJ95	6HJ96	6HJ97
4000 lb	28/4.5 fpm	2.4 hp	230	16 1/16 in	9.1 A	14H722	14H723	14H724
	28/4.5 fpm	2.4 hp	460	16 1/16 in	4.5 A	6HJ98	6HJ99	6HJ00
	14/2.5 fpm	2.4 hp	230	22 5/8 in	9.1 A	14H725	14H726	14H727
6000 lb	17/3 fpm	4.7 hp	230	22 5/8 in	4.5 A	6HJ01	6HJ02	6HJ03
	17/3 fpm	4.7 hp	460	32 1/16 in	17.3 A	14H728	14H729	14H730
	11/2 fpm	4.7 hp	230	23 3/16 in	17.3 A	14H731	14H732	14H733
10000 lb	11/2 fpm	4.7 hp	460	32 1/16 in	8.3 A	6HJ04	6HJ05	6HJ06
	11/2 fpm	4.7 hp	230	33 1/2 in	17.3 A	14H734	14H735	14H736
	11/2 fpm	4.7 hp	460	33 1/2 in	8.3 A	6HJ07	6HJ08	6HJ09



4DFL8

## H4-Rated NERP 3-Phase Electric Chain Hoists with Push Trolley



- Push trolley operates on S or W beams
- Side guide rollers for smooth travel
- High-strength, Grade 80, nickel-plated load chain
- Includes chain container

- Meet ANSI/ASME B30.16 and UL 1340
- RoHS Compliant

Hoist and trolley rated IP55 for indoor or outdoor use and are built to handle heavy- and severe-duty applications.

Load Capacity	Lift Speed	Motor HP	Voltage	Min. Between Hooks	Fits Beam Flange W	Amps @ Low Volts	10 ft Hoist Lift	15 ft Hoist Lift	20 ft Hoist Lift
							6 ft Control Cord Item No.	11 ft Control Cord Item No.	16 ft Control Cord Item No.
<b>Single Speed</b>									
250 lb	55 fpm	0.75 hp	208/230/460	15 5/8 in	2 1/4 in to 4 in	3.4 A	25K591	25K592	25K593
500 lb	53 fpm	1.2 hp	208/230/460	16 3/16 in	2 1/4 in to 4 in	4.8 A	25K601	25K602	25K603
	36 fpm	0.75 hp	208/230/460	15 5/8 in	2 1/4 in to 4 in	3.4 A	25K610	25K611	25K612
1000 lb	15 fpm	0.75 hp	208/230/460	17 1/8 in	2 1/4 in to 4 in	3.4 A	25K619	25K620	25K621
	29 fpm	1.2 hp	208/230/460	17 1/8 in	2 1/4 in to 4 in	4.8 A	25K628	25K629	25K630
2000 lb	14 fpm	1.2 hp	208/230/460	18 1/2 in	2 1/4 in to 5 in	4.8 A	25K637	25K638	25K639
	18 fpm	2.4 hp	208/230/460	22 3/8 in	3 1/4 in to 6 in	8.6 A	25K655	25K656	25K657
3000 lb	7 fpm	1.2 hp	208/230/460	27 3/8 in	3 1/4 in to 6 in	4.8 A	25K664	25K665	25K666
	14 fpm	2.4 hp	208/230/460	25 in	3 1/4 in to 6 in	8.6 A	25K673	25K674	25K675
4000 lb	28 fpm	4.7 hp	208/230/460	25 3/8 in	3 1/4 in to 6 in	16.4 A	25K682	25K683	25K684
	17 fpm	4.7 hp	208/230/460	32 1/16 in	3 1/4 in to 6 in	16.4 A	25K691	25K692	25K693
10000 lb	11 fpm	4.7 hp	208/230/460	35 3/8 in	4 in to 7 in	16.4 A	25K701	25K702	25K703
<b>Variable Speed</b>									
250 lb	55/9 fpm	0.75 hp	460	15 5/8 in	2 1/4 in to 4 in	1.8 A	25K594	25K595	25K596
	55/9 fpm	0.75 hp	230	15 5/8 in	2 1/4 in to 4 in	3.6 A	25K597	25K598	25K599
	53/9 fpm	1.2 hp	460	16 3/16 in	2 1/4 in to 4 in	2.7 A	25K604	25K605	25K606
500 lb	36/6 fpm	0.75 hp	230	16 3/16 in	2 1/4 in to 4 in	1.8 A	25K607	25K608	25K609
	36/6 fpm	0.75 hp	460	15 5/8 in	2 1/4 in to 4 in	3.6 A	25K616	25K617	25K618
	15/2.5 fpm	0.75 hp	460	17 1/8 in	2 1/4 in to 4 in	1.8 A	25K622	25K623	25K624
1000 lb	29/5 fpm	1.2 hp	230	17 1/8 in	2 1/4 in to 4 in	3.6 A	25K625	25K626	25K627
	29/5 fpm	1.2 hp	460	17 1/8 in	2 1/4 in to 4 in	2.7 A	25K631	25K632	25K633
	29/5 fpm	1.2 hp	230	17 1/8 in	2 1/4 in to 4 in	5.1 A	25K634	25K635	25K636
2000 lb	14/2.5 fpm	1.2 hp	230	18 1/2 in	2 1/4 in to 5 in	5.1 A	25K643	25K644	25K645
	14/2.5 fpm	1.2 hp	460	18 1/2 in	2 1/4 in to 5 in	2.7 A	25K640	25K641	25K642
	28/4.5 fpm	2.4 hp	230	18 1/2 in	2 1/4 in to 5 in	9.1 A	25K652	25K653	25K654
3000 lb	18/3 fpm	2.4 hp	460	18 1/2 in	2 1/4 in to 5 in	4.5 A	25K649	25K650	25K651
	18/3 fpm	2.4 hp	460	22 3/8 in	3 1/4 in to 6 in	4.5 A	25K658	25K659	25K660
	7/1 fpm	1.2 hp	460	22 3/8 in	3 1/4 in to 6 in	9.1 A	25K661	25K662	25K663
4000 lb	28/4.5 fpm	2.4 hp	460	27 1/8 in	3 1/4 in to 6 in	2.7 A	25K667	25K668	25K669
	28/4.5 fpm	2.4 hp	230	27 1/8 in	3 1/4 in to 6 in	5.1 A	25K670	25K671	25K672
	28/4.5 fpm	2.4 hp	460	25 in	3 1/4 in to 6 in	4.5 A	25K676	25K677	25K678
6000 lb	17/3 fpm	4.7 hp	230	25 in	3 1/4 in to 6 in	9.1 A	25K679	25K680	25K681
	17/3 fpm	4.7 hp	460	25 3/8 in	3 1/4 in to 6 in	8.3 A	25K685	25K686	25K687
	17/3 fpm	4.7 hp	230	25 3/8 in	3 1/4 in to 6 in	17.3 A	25K688	25K689	25K690
10000 lb	11/2 fpm	4.7 hp	460	32 1/16 in	3 1/4 in to 6 in	8.3 A	25K694	25K695	25K696
	11/2 fpm	4.7 hp	230	32 1/16 in	3 1/4 in to 6 in	17.3 A	25K697	25K698	25K699
	11/2 fpm	4.7 hp	460	33 1/2 in	4 in to 7 in	8.3 A	25K704	25K705	25K706
11/2 fpm	4.7 hp	230	33 1/2 in	4 in to 7 in	17.3 A	25K707	25K708	25K709	



25K637