

1-800-GRAINGER (472-4643)

Dayton

General Utility Chains

Durable, welded-steel links are for use as barriers or tailgates in addition to other applications where low-tensile strength is required. Zinc-plated for corrosion resistance. Straight and Twist Link chains meet NACM Standards.

Note: Do not use utility chains for lifting.

Trade Size	L	Working Load Limit	Finish	Brand	Item No.
Double Loop Link Chains					
5	100 ft	55 lb	Zinc	—	2ZDH3
	100 ft	70 lb	Zinc	—	2ZDH4
4	100 ft	70 lb	Galvanized	—	2ZDJ1
	100 ft	255 lb	Zinc	—	2ZDH7
02/0	100 ft	255 lb	Galvanized	—	2ZDJ4
	100 ft	255 lb	Plain	—	2ZDJ8
3	100 ft	90 lb	Galvanized	—	2ZDJ2
	100 ft	90 lb	Zinc	—	2ZDK1
2	100 ft	100 lb	Plain	—	2ZDJ6
	100 ft	115 lb	Zinc	—	2ZDH5
1	100 ft	155 lb	Zinc	—	2ZDH6
	100 ft	155 lb	Plain	—	2ZDJ7
1/0	100 ft	200 lb	Galvanized	—	2ZDJ3
3/0	100 ft	305 lb	Zinc	—	2ZDH8
4/0	100 ft	365 lb	Zinc	—	2ZDH9
Jack Link Chains					
10	100 ft	34 lb	Plain	—	2ZDG6
	100 ft	43 lb	Zinc	—	2ZDE8
	100 ft	43 lb	Nickel	—	2ZDF5
	100 ft	43 lb	Brass	—	2ZDG2
12	100 ft	43 lb	Plain	—	2ZDH2
	100 ft	29 lb	Nickel	—	2ZDF4
	100 ft	29 lb	Plain	—	2ZDH1
	100 ft	29 lb	Zinc	—	2ZDJ9
14	100 ft	11 lb	Plain	—	2ZDG4
	100 ft	16 lb	Zinc	—	2ZDE7
	100 ft	16 lb	Nickel	—	2ZDF3
	100 ft	16 lb	Plain	—	2ZDG9
16	100 ft	8 lb	Plain	—	2ZDG3
	100 ft	10 lb	Zinc	—	2ZDE6
	100 ft	10 lb	Nickel	—	2ZDF2
	100 ft	10 lb	Brass	—	2ZDF8
18	100 ft	10 lb	Plain	—	2ZDG8
	100 ft	5 lb	Zinc	—	2ZDE5
	100 ft	5 lb	Nickel	—	2ZDF1
	100 ft	5 lb	Brass	—	2ZDF7
20	100 ft	5 lb	Plain	—	2ZDG7
	100 ft	3 lb	Nickel	—	2ZDE9
	100 ft	3 lb	Brass	—	2ZDF6
	100 ft	3 lb	Plain	—	2ZDE9
Straight Link Coil Chains					
4	25 ft	205 lb	Galvanized	Dayton	1DKE2
	100 ft	205 lb	Galvanized	Dayton	1DKE3
	10 ft	520 lb	Self Colored	Dayton	1DKD5
02/0	10 ft	520 lb	Galvanized	Dayton	1DKF1
	50 ft	520 lb	Self Colored	Dayton	1DKD6
	50 ft	520 lb	Galvanized	Dayton	1DKF2




Straight Link Coil



Straight Passing Link Chain

Trade Size	L	Working Load Limit	Finish	Brand	Item No.
2	10 ft	310 lb	Galvanized	Dayton	1DKE4
	50 ft	310 lb	Galvanized	Dayton	1DKE5
1	10 ft	370 lb	Galvanized	Dayton	1DKE6
	50 ft	370 lb	Galvanized	Dayton	1DKE7
1/0	10 ft	440 lb	Self Colored	Dayton	1DKD3
	10 ft	440 lb	Galvanized	Dayton	1DKE8
3/0	10 ft	605 lb	Galvanized	Dayton	1DKF3
	50 ft	605 lb	Galvanized	Dayton	1DKF4
4/0	10 ft	670 lb	Zinc Plated	Dayton	1DKF5
	50 ft	670 lb	Galvanized	Dayton	1DKF6
5/0	50 ft	880 lb	Galvanized	Dayton	1DKF8
	10 ft	999 lb	Galvanized	Dayton	1DKF9
6/0	50 ft	999 lb	Galvanized	Dayton	1DKG1
	Straight Link Machine Chains				
4	25 ft	215 lb	Self Colored	Dayton	1DJZ9
	25 ft	215 lb	Galvanized	Dayton	1DKB3
	100 ft	215 lb	Self Colored	Dayton	1DKA1
	100 ft	215 lb	Galvanized	Dayton	1DKB4
02/0	50 ft	545 lb	Self Colored	Dayton	1DKA7
	50 ft	545 lb	Galvanized	Dayton	1DKC5
3	100 ft	270 lb	Galvanized	Dayton	1DKB6
	25 ft	325 lb	Self Colored	Dayton	1DKA2
2	100 ft	325 lb	Galvanized	Dayton	1DKB8
	25 ft	390 lb	Galvanized	Dayton	1DKB9
1	100 ft	390 lb	Galvanized	Dayton	1DKC1
	50 ft	465 lb	Galvanized	Dayton	1DKC3
1/0	25 ft	545 lb	Self Colored	Dayton	1DKA6
	10 ft	700 lb	Galvanized	Dayton	1DKC8
2/0	50 ft	700 lb	Self Colored	Dayton	1DKA9
	50 ft	700 lb	Galvanized	Dayton	1DKC9
4/0	50 ft	925 lb	Galvanized	Dayton	1DKD2
	50 ft	925 lb	Galvanized	Dayton	1DKD2
Straight Passing Link Chains					
02/0	10 ft	450 lb	Galvanized	Dayton	1DKH3
	50 ft	450 lb	Galvanized	Dayton	1DKH4
4/0	10 ft	600 lb	Galvanized	Dayton	1DKH5
	50 ft	600 lb	Galvanized	Dayton	1DKH6
Twist Link Coil Chains					
4	10 ft	195 lb	Galvanized	Dayton	1DKG2
	50 ft	195 lb	Zinc	Dayton	1DKG3
02/0	50 ft	495 lb	Galvanized	Dayton	1DKH2
	50 ft	240 lb	Galvanized	Dayton	1DKG5
2	10 ft	295 lb	Galvanized	Dayton	1DKG6
	10 ft	415 lb	Galvanized	Dayton	1DKG8
1/0	50 ft	415 lb	Galvanized	Dayton	1DKG9



CAMPBELL

Grade 30 Connecting Links

Attach accessories to connect chain pieces together. Drop-forged, heat-treated carbon steel is self-colored. Meet design requirements of Federal Specification RR-C-271D, Type II.

Note: Do not exceed the working load limit.

Trade Size	Working Load Limit	Item No.
1/4 in	1,400 lb	49JN74
3/8 in	2,000 lb	49JN75
1/2 in	2,800 lb	49JN76

9XE4



B/A PRODUCTS CO.

Grade 70 Double Clevis Links

Reusable, easy-to-install connectors for short- or long-term use. Steel with natural finish.

Note: Not for overhead lifting.

Trade Size	Working Load Limit	Item No.
3/8 in	4,700 lb	9XH2
1/2 in	6,600 lb	9XDM5
5/8 in	11,300 lb	9XE4



PEERLESS **RONSTAN**
A SPECTRA GROUP COMPANY

Quick Links

Large opening and threaded locking sleeves make attachments easy and secure. Zinc-plated, low-carbon steel prevents rusting. Grade 316 stainless steel provides corrosion resistance and extra strength.

Trade Size	Working Load Limit	Brand	Item No.
Low Carbon Steel			
1/4 in	880 lb	Peerless	38XH96
316 Stainless Steel			
5/32 in	616 lb	Ronstan	6HJC6
1/4 in	1,433 lb	Ronstan	6HJC7
5/16 in	2,425 lb	Ronstan	6HJC8
13/32 in	3,960 lb	Ronstan	6HJC9