

1-800-GRAINGER (472-4643)



Plastic Construction Film

High-strength polyethylene resin film.

Thickness	W	L	Color	Item No.	Thickness	W	L	Color	Item No.
1 mil	9 ft	250 ft	Clear	15J251	4 mil	10 ft	100 ft	White	6FLZ6
1.5 mil	8 ft 4 in	200 ft	Clear	4JX91	4 mil	12 ft	100 ft	Clear	15J258
1.5 mil	10 ft	200 ft	Clear	21XR49	4 mil	12 ft	100 ft	Black	21XR55
1.5 mil	12 ft	200 ft	Clear	21XR50	4 mil	12 ft	100 ft	White	21XR56
1.5 mil	20 ft	200 ft	Clear	21XR48	4 mil	12 ft	100 ft	Clear	21XR64
2 mil	10 ft	100 ft	Clear	15J255	4 mil	16 ft	100 ft	Clear	15J259
3 mil	6 ft	100 ft	Clear	21XR51	4 mil	20 ft	100 ft	Black	4JX85
3 mil	8 ft 4 in	100 ft	Clear	15J262	4 mil	20 ft	100 ft	Clear	4JX89
3 mil	10 ft	25 ft	Clear	15J252	4 mil	20 ft	100 ft	White	21XR57
3 mil	10 ft	100 ft	Clear	15J256	4 mil	20 ft	50 ft	Clear	21XR65
3 mil	12 ft	100 ft	Clear	15J257	6 mil	8 ft 4 in	100 ft	Clear	15J263
3 mil	20 ft	100 ft	Clear	15J260	6 mil	8 ft 4 in	100 ft	Black	21XR60
4 mil	6 ft	100 ft	Clear	15J261	6 mil	8 ft 4 in	100 ft	White	21XR61
4 mil	6 ft	100 ft	Black	21XR58	6 mil	10 ft	100 ft	Black	6FLZ5
4 mil	6 ft	100 ft	White	21XR59	6 mil	10 ft	100 ft	White	6FLZ7
4 mil	8 ft 4 in	25 ft	Clear	21XR52	6 mil	10 ft	100 ft	Clear	4JX88
4 mil	8 ft 4 in	100 ft	Clear	4JX92	6 mil	12 ft	100 ft	Clear	21XR62
4 mil	8 ft 4 in	100 ft	Black	21XR53	6 mil	20 ft	100 ft	Black	4JX86
4 mil	8 ft 4 in	100 ft	White	21XR54	6 mil	20 ft	100 ft	Clear	4JX90
4 mil	10 ft	100 ft	Clear	4JX87	10 mil	20 ft	100 ft	Clear	21XR63
4 mil	10 ft	100 ft	Black	6FLZ4					

Plasticover[™] TRIMACO Carpet Protection Film and Applicators

CARPET PROTECTION FILM

Self-adhesive clear film applies quickly and removes easily to protect carpets during construction, renovation, and event traffic. Nonslip surface grips carpet firmly to promote safety. Tear-resistant film can be left in place for up to 60 days.



Carpet Film Applicator w/Film

ADJUSTABLE FILM APPLICATORS

Roller design allows for fast application. Steel construction adjusts to fit various sizes.

W	Brand	200 ft Item No.	500 ft Item No.
24 in	Plasticover	2NYH7	2NYJ1
36 in	Plasticover	2NYH9	2NYH6
48 in	Plasticover	—	2NYH8

Carpet Film Applicator	Trimaco	52MU69
Adjustable, For Use with 24 in, 30 in or 36 in Rolls	Plasticover	18F254
Adjustable, For Use With 24", 36", and 48" Rolls		



String-Reinforced Construction Film

High-strength virgin polyethylene resin film reinforced with polyester scrim for enhanced tear resistance.



Thickness	W	L	Color	Item No.
String Reinforced Poly Sheeting				
6 mil	12 ft	100 ft	Clear	6HHZ7
6 mil	20 ft	100 ft	Clear	6HHZ8
NFPA Certified Fire-Retardant Poly Sheeting				
6 mil	12 ft	100 ft	Off-White	6HHZ9
6 mil	20 ft	100 ft	Off-White	6HJAD



Antistatic Fire-Retardant Poly Sheeting

Superior dust containment for healthcare environments. White color. Sold on a roll. Fire Standards are printed in red directly on the film. Meet NFPA 701-2015 Standards.

Thickness	W	L	Item No.
6 mil	12 ft	100 ft	4FPK8
6 mil	20 ft	100 ft	4FPK9

Plasticover[™] Floor Protection Mats

Sticky surface removes dirt and debris from shoes to eliminate damage to interior surfaces. When the mat is dirty, the top layer can be removed to expose a fresh surface. Adhesive backing sticks to clean, smooth floors to stay in place. Each mat has 30 numbered sheets and are packed 2 per box.



45MT84 Mat shown on 45MT87 Base

FLOOR PROTECTION MAT BASE

Recommended base provides a secure mounting surface for the mats in dusty conditions and enables portability to multiple locations. Nonskid backing.

Material	W	L	Color	Item No.
Mats				
Polyethylene	18 in	36 in	Blue	45MT86
Polyethylene	18 in	36 in	White	45MT85
Polyethylene	24 in	36 in	Blue	45MT84
Polyethylene	24 in	36 in	White	45MT83
Base				
HDPE	25 in	37 in	White	45MT87



Fire-Retardant Deck Covers

Heavy-duty, reusable blue polyethylene sheeting protects floors and decks during construction, refit, and new build. Film can easily be cut, sized, and taped down in place. Smooth bottom side eliminates pattern imprinting as can occur with embossed films. Matte side is antislip and antiskid. Meet NFPA 701.



Thickness	W	L	Item No.
14 mil	36 in	150 ft	6DLR6
30 mil	36 in	100 ft	6DLR7



Rapid Wall Cover

Clings to surfaces. Quick-and-easy to install because the tape is already attached to the poly. Replaces the traditional tape and poly method.



Thickness	W	L	Item No.
2 mil	10 ft	100 ft	39J395