Self-Dumping Steel Hoppers

Red powder-coat finish on hopper, black base

HOPPERS

Automatically dump loads when locking latch is released, then return to locked position. Constructed with precision robotic weld; base is formed steel. Safety chain secures hopper to fork truck, while cable enables dumping from fork truck seat.

Low-Profile

Feature a 90° dump angle and halflength fork entry. Hoppers return

Dayton

to locked position when lowered to ground.

Front-Release

Bumper dumps hopper a minimum of 70° when activated. Full-length fork entry. Predrilled for caster kit.

OPTIONAL CASTER KITS

Casters are field installable with hardware included. Include 2 rigid and 2 swivel casters. Intended for use on front-release hoppers only.

2 rigid casters. Hoppers without casters are forklift capable for elevated

dumping and mobility.

Volume Cap.	Overall Length	Overall Width	Overall Height	2000 lb. Item No.	4000 lb. Item No.	6000 lb. Item No.
Low Profile Se	If-Dumping Ho	ppers				
1/4 cu. yd.	46 in	25 in	18 ¼ in	5PKE8	5PKE9	5PKF0
1/2 cu. yd.	51 ¼ in	25 in	28 in	5PKF1	5PKF2	5PKF3
1 cu. yd.	51 ¼ in	49 in	28 in	5PKF4	5PKF5	5PKF6
11/2 cu. yd.	51 ¼ in	49 in	41 in	5PKF7	5PKF8	5PKF9
Front Self-Dun	nping Hoppers					
1/3 cu. yd.	49 1/4 in	26 in	38 ¼ in	_		5PKG1
1/3 cu. yd.	52 in	26 in	38 ¼ in	5PKG0	—	—
1/2 cu. vd.	52 in	33 ½ in	38 ¼ in	5PKG2	_	5PKG3
3/4 cu. yd.	61 1/2 in	31 ½ in	43 in	5PKG4	—	5PKG5
1 cu. yd.	61 ½ in	41 ½ in	43 in	5PKG6	—	5PKG7
11/2 cu. yd.	69 in	43 1/2 in	52 in	5PKG8	—	5PKG9
2 cu. yd.	69 in	56 ½ in	52 in	5PKH0	5PKH1	5PKH2
21/2 cu. vd.	69 in	69 ½ in	52 in	5PKH3	_	5PKH4
3 cu. yd.	69 in	81 ¾ in	52 in	5PKH5	5PKH6	5PKH7
Wheel/	Tread Material		Load Rating		6 in-dia. Wheels Item No.	8 in-dia. Wheels Item No.
Standard Plate	e Caster Kits					
Rubber			2400 lb)	5PKH8	5PKH9
Polyurethane			4800 lb)	5PKJ2	5PKJ3
Nylon			4800 lb)	5PKJ4	5PKJ5



Self-Dumping Poly Hoppers Hoppers with casters have 2 swivel,

- Dump up to 40° below horizontal
- All-welded steel framework

Bumper release

Seamless, molded polyethylene bodies are supported by steel tubular frames.

Volume Cap.	Load Capacity	Overall Length	Overall Width	Overall Height	CHOOSE: Color	ltem No.
Hoppers w	vith (4) 6 in	Rubber Ca	asters			
5% cu. yd.	750 lb.	59 in	26 in	42 in	Blue, Green, Red, White, Yellow	F1970
1 cu. yd.	1000 lb.	71 in	31 in	46 in	Blue, Green, Red, White, Yellow	F1972
15% cu. yd.	1200 lb.	80 in	40 in	62 ½ in	Blue, Green, Red, White, Yellow	F1974
21/4 cu. yd.	1500 lb.	80 in	51 in	55 in	Blue, Green, Red, White, Yellow	F1976
Hoppers w	vithout Cas	ters				
1/2 cu. yd.	750 lb.	59 in	26 in	42 in	Blue, Green, Red, White, Yellow	F1969
1 cu. yd.	1000 lb.	71 in	32 in	46 in	Blue, Gray, Green, Red, White, Yellow	F1971
15% cu. yd.	1200 lb.	80 in	40 in	55 in	Gray	F1974 *
13/4 cu. yd.	1200 lb.	80 in	40 in	55 in	Blue, Green, Red, White, Yellow	F1973
21/4 cu. yd.	1500 lb.	80 in	51 in	55 in	Blue, Gray, Green, Red, White, Yellow	F1975
* Not forkl	ift capable.					





Cubi

2-Wheel Wheelbarrows

These wheelbarrows have large 20"-dia. wheels and a one-piece plastic container that won't leak, cleans easily, and resist

sts mild chemi				Capacity
ic Ft. Capacity	Load Capacity	Wheel Material	Wheel Type	ltem No.
3 ½ cu ft	200 lb	Rubber	Semi-Pneumatic	2KTD7
7 ½ cu ft	300 lb	Vulcanized Rubber	Pneumatic	4W504

2-Wheel Steel **Trailer Carts**

2-wheel steel trailer carts can be pulled by all-terrain and utility task vehicles (ATVs and UTVs). Feature rust-resistant powder-coated finish and pneumatic tires that roll smoothly across rough terrain.



Volume Cap.	Load Capacity	Overall Length	Overall Width	Overall Height	Wheel Dia.	Wheel Width	ltem No.
10.3 cu ft	500 lb	58 1/8 in	30 ½ in	30 în	15 in	3 ½ in	46V231
18.4 cu ft	1,000 lb	80 in	32 ¾ in	38 3⁄8 in	16 in	5 in	46V233
13.6 cu ft	1.500 lb	67 ¾ in	45 in	37 1/8 in	18 in	8 in	46V234
18.4 cu ft	1,500 lb	80 1/4 in	37 1/8 in	32 5/8 in	16 in	5 in	46V230

Sign in to Grainger.com® to see YOUR Pricing and MORE

300-Lb.

MATERIAL HANDLING Self-Dumping Hoppers