Dock Bumpers

Weather- and abrasion-resistant; protect docks, dock levelers, and shelters from impact damage. Individual sections can be replaced if damaged. Installation Kits 33F680 and 33F681 are sold separately.

LAMINATED DOCK BUMPERS

Prevent impact damage at loading dock. Constructed from same material used in heavy-duty tire cord. Weld to channel or to curb angle with one preset bolt. Mount with anchor bolts in new concrete construction or with lag bolts and shields for existing concrete. Wood dock mount requires lagging. Flush-mounted.

D-SHAPE

Compress on contact, reducing impact force between building and vehicle. Mounting holes on the back of the bumper protect vehicle's finish. 1-piece construction reduces gaps between bumpers.

L- AND T-SHAPE

T-Shape 2MYR8 includes a reflector.

Include a thick molded-in steel bar running the length of each bumper; anchor the rubber to the dock. Mounting fasteners not included.

BUMPER STOP

RECTANGULAR

Draws attention to high-traffic areas. Features a neon yellow caution stripe down its center, recessed to protect it from impact damage.

INSTALLATION KITS

Single Bumper—Includes four concrete anchor bolts (3/4" x 4"L) and one 3/4" masonry drill bit for installing one laminated dock

Additional Bumper—Includes four concrete anchor bolts (3/4" x 4"L). Does not include masonry drill bit.



Overall Width	Overall Height	Overall Depth	Mounting Holes O.C. W	Mounting Hole Dia.	Item No.
Laminated	Rubber				
Rectangula	r				
13 in	24 in	4 ½ in	11 in	7⁄8 in	22NT90
13 III	36 in	4 ½ in	11 in	7⁄8 in	22NT91
14 in	10 in	4 ½ in	12 in	13/16 in	3KR36
14 111	12 in	4 ½ in	12 in	7⁄8 in	22NT86
16 in	10 in	4 ½ in	14 in	13/16 in	5W823
20 ¾ in	10 in	4 ½ in	18 in	13/16 in	5W824
	10 in	4 ½ in	18 in	7∕8 in	22NT83
20 in	10 in	6 in	18 in	13/16 in	4W942
	12 in	4 ½ in	18 in	7∕8 in	22NT87
	10 in	4 ½ in	24 in	13/16 in	5W825
26 in	10 in	4 ½ in	24 in	7⁄8 in	22NT84
	12 in	4 ½ in	24 in	7/8 in	22NT88
	6 in	4 ½ in	36 in	13/16 in	5W826
38 in	10 in	4 ½ in	36 in	7⁄8 in	22NT85
	12 in	4 ½ in	36 in	13/16 in	5W827
Molded Rul		. , , , , , , , ,	00 111	710111	011021
D-Shape					
	1 11/16 in	2 in	6 in	3/8 in	22NT58
12 in	4 in	4 1/4 in	6 in	7/8 in	22NT61
24 in	1 11/16 in	2 in	18 in	3/8 in	22NT59
	4 in	4 1/4 in	18 in	7⁄8 in	22NT62
36 in	1 11/16 in	2 in	15 in	3/8 in	22NT60
	4 in	4 1/4 in	15 in	7/8 in	22NT63
Shape				70	
18 in	18 in	4 in	10 ¼ in	3 ¾ in	2MYR3
Rectangula		7.00	10 /4 111	0 /4111	21111110
2 in	2 ½ in	8 in		½ in	22NT80
3 ½ in	6 in	3 ½ in		½ in	22NT82
4 ½ in	10 in	3 in	5 in	1 ½ in	2MYP8
	30 in	3 in	5 in	1 ½ in	2MYP9
5 ½ in	8 in	3 ½ in	5 ½ in	19/32 in	22NT81
16 in	2 in	2 in	— — —	½ in	22NT79
18 in	8 in	2 in	8 in	2 in	2MYR2
24 in	12 in	3 in	6 in	7/8 in	2MYR9
	r Bumper Sto		0 111	70 111	L113
5 ¼ in	18 in	1 3% in	3 in	1 1/8 in	2MYR5
	Rectangula		0 111	1 /0 111	21111110
12 in	13 in	4 in	9 1/4 in	7/8 in	2MYR1
T-Shape	10 111	4 111	3 74 III	78 111	ZWIINI
22 in	22 in	3 in	15 ¹³ / ₁₆ in	7⁄8 in	2MYR8
Yellow Fac		3 111	13 '716 III	78 III	ZIVIINO
12 in	13 in	4 in	7 ½ in	7∕8 in	2MYR4
14 111	10 111	4 111	1 72 111	78 III	ZIVI I N4

Overall	Overall	Overall	Mounting Holes	Mounting	Item		
Width	Height	Depth	0.C. W	Hole Dia.	No.		
Recycled R							
Rectangula				101			
10 in	13 in	5 in	7 in	13/16 in	32KL52		
10 1/8 in	20 in	4 ½ in	8 in	13/16 in	26W604		
13 1/8 in	10 in	4 ½ in	6 in	13/16 in	26W603		
	20 in	4 ½ in	11 in	13/16 in	26W591		
	20 in	6 in	11 in	13/16 in	26W595		
	24 in	4 ½ in	11 in	13/16 in	26W592		
13 in	24 in	6 in	11 in	13/16 in	26W596		
10 111	30 in	4 ½ in	11 in	¹³ ⁄ ₁₆ in	26W593		
	30 in	6 in	11 in	13/16 in	26W597		
	36 in	4 ½ in	11 in	13/16 in	26W594		
	36 in	6 in	11 in	13/16 in	26W598		
	10 in	6 in	12 in	13/16 in	26W579		
14 in	12 in	4 ½ in	12 in	¹³ ⁄ ₁₆ in	26W573		
	12 in	6 in	12 in	13/16 in	26W584		
	10 in	6 in	14 in	13/16 in	26W580		
16 in	12 in	4 ½ in	14 in	13/16 in	26W574		
	12 in	6 in	14 in	13/16 in	26W585		
20 in	12 in	4 ½ in	18 in	13/16 in	26W575		
20 111	12 in	6 in	18 in	13/16 in	26W586		
	6 in	4 ½ in	24 in	13/16 in	26W569		
26 in	10 in	6 in	24 in	13/16 in	26W581		
26 III	12 in	4 ½ in	24 in	13/16 in	26W576		
	12 in	6 in	24 in	13/16 in	26W587		
00:	10 in	4 ½ in	30 in	13/16 in	26W570		
32 in	10 in	6 in	30 in	13/16 in	26W582		
	10 in	4 ½ in	36 in	13/16 in	26W571		
38 in	10 in	6 in	36 in	13/16 in	26W583		
	12 in	6 in	36 in	13/16 in	26W589		
	10 in	4 ½ in	96 in	13/16 in	26W572		
98 in	12 in	4 ½ in	96 in	13/16 in	26W578		
	12 in	6 in	96 in	13/16 in	26W590		
Steel Face							
13 in	20 in	5 1/4 in	11 in	7⁄8 in	22NT72		
	24 in	5 1/4 in	11 in	7⁄8 in	22NT73		
	36 in	5 1/4 in	11 in	7⁄8 in	22NT74		
16 in	10 in	5 1/4 in	14 in	7⁄8 in	22NT64		
	12 in	5 1/4 in	14 in	78 in	22NT68		
20 in	10 in	5 ½ in	18 in	7⁄8 in	22NT65		
	12 in	5 1/4 in	18 in	78 in	22NT69		
Installation		0 /4 111	10 111	70 111	LLMIUS		
	Single Bumper Installation Kit						
Additional I	33F680 33F681						











Trailer/Crane Bumpers

Priced and sold in sets of 2

Mount directly onto truck trailers and cranes to protect them from contact with docks, buildings. or other trailers and cranes. Mounting hardware not included, 2MYR7 includes steel washers molded in bottom of access holes.

Overall Width	Overall Height	Overall Depth	Mounting Hole Dia.	Mounting Holes O.C. W	Item No.
3 ½ in	6 in	3 1/8 in	1 1/4 in	3 in	2MYR6 *
3 ½ in	6 ¼ in	3 % in	1 1/4 in	3 ½ in	2MYR7
+ 01-44-44-01	u .				

Slotted to 3".

Clearance Bars

Include eye bolts. 6MGV7 and 6MGV8 include lettering kit.



4PHE1

2MYR6