



Pillow Block Mount
3FCP4



2-Bolt Flange Mount
3FCV3

**4-Bolt
Flange
Mount**
3FCX4



**Rubber
Mount**
3FDF1



Mounted Ball Bearings

- Temp. range: -20° to 200°F
- 52100 Grade 10 chrome steel ball bearings

Pillow block and flange-mount bearings are prelubricated and regreaseable with a rubber seal and cast-iron housing. Rubber-mounted bearings are lubricated, not regreaseable, and feature a rubber seal and housing.

Nickel-Plated Bearings—For corrosive environments or where a decorative finish is preferred.

Air Handling and Rubber-Mounted Bearings—Designed to reduce noise and vibration in HVAC applications. Rubber mounted 52100 chrome steel ball bearing features rubber seals and is designed to reduce noise and vibration in HVAC applications.

Bore Dia.	Mounting Surface to Shaft Center	Bolt Hole Center-to-Center	Bolt Size	H	Overall W	L	Item No.
Pillow Block, Light Duty, Set Screw							
1/2 in	1 3/8 in	3 3/8 in	3/8 in	2 1/4 in	1 7/8 in	4 7/8 in	3CUR1
5/8 in	1 3/8 in	3 3/8 in	3/8 in	2 1/4 in	1 7/8 in	4 7/8 in	3CUR2
3/4 in	1 3/8 in	3 3/4 in	7/16 in	2 3/8 in	1 1/2 in	5 in	3FGA3
1 in	1 7/8 in	4 1/8 in	7/16 in	2 3/4 in	1 1/2 in	5 1/2 in	3FGA4
1 1/4 in	1 11/16 in	4 3/4 in	1/2 in	3 3/8 in	1 7/8 in	6 1/2 in	3FCN1
Pillow Block, Standard Duty, Set Screw							
1/2 in	1 3/8 in	3 3/4 in	3/8 in	2 1/2 in	1 1/2 in	5 in	3FCN9
5/8 in	1 3/8 in	3 3/4 in	3/8 in	2 1/2 in	1 1/2 in	5 in	3FCP1
3/4 in	1 3/8 in	3 3/4 in	3/8 in	2 3/8 in	1 1/2 in	5 in	3FCP2
7/8 in	1 7/8 in	4 1/8 in	3/8 in	2 3/4 in	1 1/2 in	5 in	3FCP3
1 in	1 7/8 in	4 1/8 in	3/8 in	2 3/4 in	1 1/2 in	5 1/2 in	3FCP4
1 1/8 in	1 11/16 in	4 3/4 in	1/2 in	3 3/8 in	1 7/8 in	6 1/2 in	3FCP5
1 3/8 in	1 11/16 in	4 3/4 in	1/2 in	3 3/8 in	1 7/8 in	6 1/2 in	3FCP6
1 1/4 in	1 11/16 in	4 3/4 in	1/2 in	3 3/8 in	1 7/8 in	6 1/2 in	3FCP8
1 3/4 in	1 7/8 in	5 in	1/2 in	3 7/8 in	1 7/8 in	6 9/16 in	3FCP7
1 3/8 in	1 7/8 in	5 in	1/2 in	3 7/8 in	1 7/8 in	6 9/16 in	3FCP9
1 7/8 in	1 7/8 in	5 in	1/2 in	3 7/8 in	1 7/8 in	6 9/16 in	3FCR1
1 1/2 in	1 11/16 in	5 1/8 in	1/2 in	3 7/8 in	2 1/8 in	7 1/4 in	3FCR2
1 5/8 in	2 1/8 in	5 9/16 in	1/2 in	4 3/8 in	2 1/8 in	7 15/16 in	3FCR3
1 5/8 in	2 1/8 in	5 9/16 in	1/2 in	4 3/8 in	2 1/8 in	7 15/16 in	3FCR4
1 11/16 in	2 1/8 in	5 9/16 in	1/2 in	4 3/8 in	2 1/8 in	7 15/16 in	3FCR5
1 3/4 in	2 1/8 in	5 9/16 in	1/2 in	4 3/8 in	2 3/8 in	8 1/8 in	3FCR6
1 15/16 in	2 1/8 in	6 3/16 in	5/8 in	4 7/8 in	2 3/8 in	8 5/8 in	3FCR8
2 in	2 1/8 in	6 3/16 in	5/8 in	4 7/8 in	2 3/8 in	8 5/8 in	3FCR8
2 3/8 in	2 1/2 in	6 3/16 in	5/8 in	4 7/8 in	2 3/8 in	8 5/8 in	3FCR7
2 7/8 in	2 3/4 in	7 1/4 in	5/8 in	5 7/8 in	2 3/4 in	9 1/2 in	3FCR9
Pillow Block, Nickel-Plated Standard Duty, Set Screw							
5/8 in	1 3/8 in	3 3/4 in	3/8 in	2 3/8 in	1 1/2 in	5 in	3FDD5
3/4 in	1 3/8 in	3 3/4 in	3/8 in	2 3/8 in	1 1/2 in	5 in	3FDD6
1 in	1 7/8 in	4 1/8 in	3/8 in	2 3/4 in	1 1/2 in	5 1/2 in	3FDD7
1 3/8 in	1 11/16 in	4 3/4 in	1/2 in	3 3/8 in	1 7/8 in	6 1/2 in	3FDD8
Pillow Block, Air Handling Standard Duty, Set Screw							
5/8 in	1 3/8 in	3 3/4 in	3/8 in	2 3/8 in	1 1/2 in	5 in	3FDA3
3/4 in	1 3/8 in	3 3/4 in	3/8 in	2 3/8 in	1 1/2 in	5 in	3FDA4
1 in	1 7/8 in	4 1/8 in	3/8 in	2 3/4 in	1 1/2 in	5 1/2 in	3FDA5
1 3/8 in	1 11/16 in	4 3/4 in	1/2 in	3 3/8 in	1 7/8 in	6 1/2 in	3FDA1
1 1/4 in	1 7/8 in	5 in	1/2 in	3 7/8 in	1 7/8 in	6 9/16 in	3FDA2
1 3/8 in	1 7/8 in	5 in	1/2 in	3 7/8 in	1 7/8 in	6 9/16 in	3FDA6
1 15/16 in	2 1/4 in	6 7/16 in	1/2 in	4 7/8 in	2 3/8 in	8 1/8 in	3FDA7
Pillow Block, Standard Duty, Eccentric Locking Collar							
5/8 in	1 1/4 in	3 3/4 in	3/8 in	2 1/2 in	1 3/4 in	5 in	3FCT1
3/4 in	1 1/4 in	3 3/4 in	3/8 in	2 1/2 in	1 3/4 in	5 in	3FCT2
1 in	1 3/8 in	4 1/8 in	3/8 in	2 1/2 in	1 3/4 in	5 1/2 in	3FCT3
1 1/8 in	1 3/8 in	4 1/8 in	3/8 in	2 1/2 in	2 in	6 1/2 in	3FCT4
1 3/8 in	1 3/8 in	4 3/4 in	1/2 in	3 3/8 in	2 in	6 1/2 in	3FCT5
1 1/4 in	1 11/16 in	5 3/8 in	1/2 in	3 11/16 in	2 in	7 in	3FCT6
1 3/8 in	1 11/16 in	5 3/8 in	1/2 in	3 11/16 in	2 in	7 in	3FCT7
1 11/16 in	1 11/16 in	5 3/8 in	1/2 in	3 11/16 in	2 in	7 in	3FCT8
1 1/2 in	1 11/16 in	5 1/2 in	1/2 in	3 7/8 in	2 7/8 in	7 1/4 in	3FCT9
1 11/16 in	2 1/8 in	5 3/4 in	1/2 in	4 11/16 in	2 7/8 in	7 3/4 in	3FCU1
1 3/4 in	2 1/8 in	5 3/4 in	1/2 in	4 11/16 in	2 7/8 in	7 3/4 in	3FCU2
1 15/16 in	2 1/8 in	6 1/2 in	1/2 in	4 7/8 in	2 15/16 in	8 3/8 in	3FCU3
2 in	2 1/8 in	7 1/8 in	5/8 in	4 15/16 in	2 15/16 in	9 1/4 in	3FCU4
2 3/8 in	2 1/8 in	7 1/8 in	5/8 in	4 15/16 in	2 15/16 in	9 1/4 in	3FCU5
2 7/8 in	2 11/16 in	7 9/16 in	5/8 in	5 7/8 in	3 1/8 in	9 3/4 in	3FCU6
Pillow Block, Medium Duty, Set Screw							
1 in	1 3/4 in	4 11/16 in	1/2 in	3 3/8 in	2 in	6 1/4 in	3FDC3
1 3/8 in	1 7/8 in	5 in	1/2 in	3 11/16 in	2 1/4 in	6 7/8 in	3FDC4
1 7/8 in	2 1/8 in	5 21/32 in	1/2 in	4 1/8 in	2 1/4 in	8 in	3FDC5
1 1/2 in	2 5/8 in	6 5/32 in	5/8 in	4 1/2 in	2 5/8 in	8 3/4 in	3FDC6
1 11/16 in	2 5/8 in	6 5/32 in	5/8 in	4 1/2 in	2 5/8 in	8 3/4 in	3FDC7
1 3/4 in	2 5/8 in	6 5/32 in	5/8 in	4 1/2 in	2 5/8 in	8 3/4 in	3FDC8
1 15/16 in	2 5/8 in	6 5/32 in	5/8 in	4 1/2 in	2 5/8 in	8 3/4 in	3FDC9
2 in	2 3/4 in	7 1/4 in	3/4 in	5 15/16 in	3 3/8 in	10 1/4 in	3FDD1
2 3/8 in	2 3/4 in	7 1/4 in	3/4 in	5 15/16 in	3 3/8 in	10 1/4 in	3FDD2
2 7/8 in	3 in	8 in	3/4 in	5 31/32 in	3 9/32 in	11 1/4 in	3FDD3
2 15/16 in	3 1/2 in	9 1/2 in	7/8 in	6 7/8 in	3 1/2 in	13 in	3FDD4

Bore Dia.	Bolt Hole Center-to-Center	Bolt Size	H	Overall W	L	Item No.
2-Bolt Flange, Light Duty, Set Screw						
1/2 in	3 in	3/8 in	1 3/4 in	2 1/8 in	3 7/8 in	3FCN2
5/8 in	3 in	3/8 in	1 3/4 in	2 1/8 in	3 7/8 in	3FCN3
3/4 in	3 1/2 in	3/8 in	1 3/4 in	2 3/8 in	4 7/8 in	3FCN4
1 in	3 5/8 in	7/16 in	1 3/4 in	2 3/4 in	5 1/8 in	3FCN5
1 3/8 in	4 1/2 in	7/16 in	1 3/4 in	3 1/4 in	5 13/16 in	3FCN6
1 1/4 in	4 1/2 in	7/16 in	1 3/4 in	3 1/4 in	5 13/16 in	3FCN7
1 7/8 in	5 1/8 in	1/2 in	1 11/16 in	3 1/2 in	6 1/2 in	3FCN8
2-Bolt Flange, Standard Duty, Set Screw						
1/2 in	3 1/2 in	3/8 in	1 3/2 in	2 3/8 in	4 13/32 in	3FCU7
5/8 in	3 1/2 in	3/8 in	1 3/2 in	2 3/8 in	4 13/32 in	3FCU8
3/4 in	3 1/2 in	3/8 in	1 3/2 in	2 3/8 in	4 13/32 in	3FCU9
7/8 in	3 5/8 in	7/16 in	1 13/16 in	2 3/4 in	4 7/8 in	3FCV1
15/16 in	3 5/8 in	7/16 in	1 13/16 in	2 3/4 in	4 7/8 in	3FCV2
1 in	3 5/8 in	7/16 in	1 13/16 in	2 3/4 in	4 7/8 in	3FCV3
1 1/8 in	4 1/2 in	7/16 in	1 3/4 in	3 1/4 in	5 9/16 in	3FCV4
1 3/8 in	4 1/2 in	7/16 in	1 3/4 in	3 1/4 in	5 9/16 in	3FCV5
1 1/4 in	5 1/8 in	1/2 in	1 3/4 in	3 3/4 in	6 1/8 in	3FCV6
1 3/8 in	5 1/8 in	1/2 in	1 3/4 in	3 3/4 in	6 1/8 in	3FCV7
1 7/8 in	5 3/8 in	1/2 in	1 3/4 in	3 3/4 in	6 1/8 in	3FCV8
1 1/2 in	5 23/32 in	1/2 in	2 1/4 in	4 1/8 in	6 3/8 in	3FCV9
1 11/16 in	5 23/32 in	1/2 in	2 1/4 in	4 1/8 in	7 1/16 in	3FCW1
1 3/4 in	5 23/32 in	1/2 in	2 1/4 in	4 3/8 in	7 1/16 in	3FCW2
1 15/16 in	6 3/16 in	5/8 in	2 1/2 in	4 9/16 in	7 3/8 in	3FCW3
2 in	7 1/4 in	5/8 in	2 1/2 in	5 1/4 in	8 1/2 in	3FCW4
2-Bolt Flange, Nickel-Plated Standard Duty, Set Screw						
5/8 in	3 1/2 in	3/8 in	1 3/2 in	2 3/8 in	4 13/32 in	3FDD9
3/4 in	3 1/2 in	3/8 in	1 3/2 in	2 3/8 in	4 13/32 in	3FDE1
1 in	3 5/8 in	7/16 in	1 13/16 in	2 3/4 in	4 7/8 in	3FDE2
1 3/8 in	4 1/2 in	7/16 in	1 3/4 in	3 1/4 in	5 9/16 in	3FDE3
2-Bolt Flange, Air Handling Standard Duty, Set Screw						
3/4 in	3 1/2 in	3/8 in	1 3/2 in	2 3/8 in	4 13/32 in	3FDA8
15/16 in	3 5/8 in	7/16 in	1 13/16 in	2 3/4 in	4 7/8 in	3FDA9
1 in	3 5/8 in	7/16 in	1 13/16 in	2 3/4 in	4 7/8 in	3FDC1
1 3/8 in	4 1/2 in	7/16 in	1 3/4 in	3 1/4 in	5 9/16 in	3FDC2
2-Bolt Flange, Standard Duty, Eccentric Locking Collar						
1 in	3 5/8 in	3/8 in	1 13/16 in	2 3/4 in	4 7/8 in	3FCW5
1 3/8 in	4 1/2 in	3/8 in	2 in	3 1/8 in	5 1/8 in	3FCW6
1 1/4 in	5 1/8 in	1/2 in	2 3/4 in	3 3/8 in	6 3/16 in	3FCW7
1 7/8 in	5 1/8 in	1/2 in	2 1/4 in	3 3/8 in	6 3/16 in	3FCW8
1 1/2 in	5 23/32 in	1/2 in	2 3/4 in	4 1/8 in	6 3/8 in	3FCW9
4-Bolt Flange, Standard Duty, Set Screw						
5/8 in	2 1/2 in	3/8 in	1 3/4 in	3 3/8 in	3 3/8 in	3FCX1
3/4 in	2 1/2 in	3/8 in	1 3/4 in	3 3/8 in	3 3/8 in	3FCX2
7/8 in	2 3/4 in	3/8 in	1 13/16 in	3 3/4 in	3 3/4 in	3FCX3
1 in	2 3/4 in	3/8 in	1 13/16 in	3 3/4 in	3 3/4 in	3FCX4
1 1/8 in	3 1/4 in	3/8 in	1 3/4 in	4 1/4 in	4 1/4 in	3FCX5
1 3/8 in	3 1/4 in	3/8 in	1 3/4 in	4 1/4 in	4 1/4 in	3FCX6
1 1/4 in	3 3/8 in	1/2 in	1 3/4 in	4 5/8 in	4 5/8 in	3FCX7
1 3/8 in	3 3/8 in	1/2 in	1 3/4 in	4 5/8 in	4 5/8 in	3FCX8
1 7/8 in	3 3/8 in	1/2 in	1 3/4 in	4 5/8 in	4 5/8 in	3FCX9
1 1/2 in	4 in	1/2 in	2 1/4 in	5 1/8 in	5 1/8 in	3FCY3
1 11/16 in	4 1/8 in	1/2 in	2 1/4 in	5 3/8 in	5 3/8 in	3FCY1
1 3/4 in	4 1/8 in	1/2 in	2 1/4 in	5 3/8 in	5 3/8 in	3FCY2
1 15/16 in	4 3/8 in	1/2 in	2 1/4 in	5 3/8 in	5 3/8 in	3FCY6
2 in	5 1/8 in	5/8 in	2 3/8 in	6 3/8 in	6 3/8 in	3FCY4
2 3/8 in	5 1/8 in	5/8 in	2 3/8 in	6 3/8 in	6 3/8 in	3FCY5
2 7/8 in	5 3/8 in	5/8 in	2 3/4 in	6 7/8 in	6 7/8 in	3FCY7
4-Bolt Flange, Nickel-Plated Standard Duty, Set Screw						
3/4 in	2 1/2 in	3/8 in	1 3/4 in	3 3/8 in	3 3/8 in	3FDE4
1 in	2 3/4 in	3/8 in	1 13/16 in	3 3/4 in	3 3/4 in	3FDE5
1 3/8 in	3 1/4 in	3/8 in	1 3/4 in	4 1/4 in	4 1/	