



Electrical Insulating Gloves

Meet ASTM D120 specifications and NFPA 70E standards


Available in glove sizes from 7 to 12 at Grainger.com

Rubber Insulating Gloves are made of dielectric natural rubber to protect workers from electrical hazards, Voltage Class is the maximum use voltage for the glove. Type I gloves are not ozone-resistant. Type II gloves are ozone- and UV-resistant. Workers should use a Voltage Class and Type rating that meets their worksite requirements. See Grainger.com for detailed information on Voltage Class and Type.

Leather Protectors are worn over rubber gloves to protect from pinpricks, tears, and abrasion. They do not provide protection against electrical shock when worn alone.

Glove Kits include a pair of electrical-insulating rubber gloves and a pair of leather protector gloves. Also include glove bag where noted.

CHOOSE:	Lenath	Brand	ltem No.	CHOOSE:	Lenath	Brand	ltem No.
Rubber Insulating		Diallu	NU.	Glove Kits	Lengui	Didilu	NU.
Class 0 - Type I	Class 0 - Tv	no l					
Red. Black	11 in	Salisbury	D1025	Black, Red	11 in	Salisburv	D1029 *
Yellow, Black, Red	11 in	Ansell Marigol		Red	14 in	Salisbury	J3451
Yellow	14 in	Salisbury	J3400	Yellow	14 in	Salisbury	J3452
Black	14 in	Salisbury	J3398	Class 0 - Tv		Jansbury	JJ4J2
Class 0 - Type II		Guildbury	00000	Red. Black	11 in	Salisbury	D1029 *
Blue	11 in	Salisbury	D1026	Blue	11 in	Salisbury	D1023 *
Orange	14 in	Salisbury	J3400	Black	14 in	Salisbury	J3449
Class 00 - Type I		Guildbury	00400	Blue	14 in	Salisbury	J3450 *
Black, Red	11 in	Salisbury	D1023	Class 00 - 1		ounobury	00400
Yellow, Black, Red	11 in	Ansell Marigol		Red, Black	11 in	Salisburv	D1027 *
Yellow	14 in	Ansell Marigol		Yellow	11 in	Salisbury	J3443 *
Black	14 in	Salisbury	J3391	Black	14 in	Salisbury	J3444
Class 00 - Type II	14 111	Jansbury	00091	Red	14 in	Salisbury	E4072 *
Blue	11 in	Salisbury	D1024	Class 00 - 1	vne II	oansbury	14072
Orange	11 in	Salisbury	J3390	Blue	11 in	Salisburv	D1028 *
Blue, Orange	14 in	Salisbury	J3391	Blue	14 in	Salisbury	J3444
Class 1 - Type I	14 111	Jansbury	00001	Class 2 - Tv		Salisbuly	33444
Black	14 in	Salisbury	D1032	Black/Red	14 in	Salisburv	E4077
Black	14 in	Salisbury	J3407	Black	16 in	Salisbury	J3456
Black	16 in		J3407 J3413	Black	18 in		J3450
Black	16 in	Salisbury Ansell Marigol				Salisbury	J3439
Black	18 in			* Include gli	ove bag.		
	10 111	Salisbury	J3416				
Class 1 - Type II	4.4.5m	Callahumu	10 4 0 0				
Black	14 in	Salisbury	J3402				
Black	16 in	Salisbury	J3408				
Class 2 - Type I	4.4.1		1115000				
Black	14 in	Ansell Marigol					
Yellow	14 in	Ansell Marigol					
Yellow	16 in	Ansell Marigol	d H5869				
							Item
Color		Cuff Sty	le	Lenath		Brand	No.
Leather Protector	s, Cowh	ide					
Class 0, Class 00							
White		Shirred Sli	p-On	10 in	(Condor	D1035
Class 2							
Cream		Gauntle	et	10 in	S	alisburv	H0347
Cream		Shirred Sli		10 in		alisbury	H0346
Yellow		Gauntle		10 in		alisbury	H0358
Beige/Orange/G	reen	Gauntle		12 in		Condor	D1037
Class 4	0011	Guunnie		12 111		5011001	51001
Beige/Orang	٥	Gauntle	t	15 in	(Condor	D1039
Leather Protector				10 111			51003
Class 0, Class 00	o, aoato	- China - Chin					
White		Shirred Sli	n-On	10 in	(Condor	D1036
White		Cinch	011	10 in		Condor	E4079
Grav		Shirred Sli	n=On	10 in		II Marigold	H5856
Class 2		Juned Sli		10111	11156	in Manyolu	113030
Cream		Gauntle	t.	10 in	c	alisburv	H0364
		Shirred Sli		10 in		alisbury	H8306
Cream White/Orange/G	roop			12 in			D1038
writte/orange/G	IEEII	Gauntle	1L	12 111		Condor	01030



SALISBURY by Honeywell

Arc Flash Protection Equipment

Enclose or insulate against electrical hazards to help prevent exposure to electric arcs and reduce the risk of injuries to workers.

Arc Protection Blankets provide barrier protection from exposure to explosive electrical arcs and flashes.

Shock Protection Blankets cover energized components to protect workers from electrical hazards and provide a protective barrier on electrical equipment located in cubicles, switchboards, and substations.

switchboards, and substations. ac **Grounding Sets** protect workers from Ty electrical shocks and prevent damage to equipment.

Electrical Sticks and Rescue Hooks protect workers from electrical charges when checking energized equipment and responding to emergency situations. Hot switch sticks can be used to help check transmission lines, power distribution equipment, down power lines, fuses, and load break connectors. Rescue hooks help withdraw injured workers out of a hazardous area.

Insulating Line Hoses cover highvoltage lines to prevent against accidental contact with live wires. Type II ozone- and UV-resistant rubber maintains flexibility in cold weather.

Description	Color	Std.	Mfr. Model	ltem No.
Arc Protection Blankets				
48" x 60", 15kA	Navy Blue	ASTM F2676	ARC45-15PS	
48" x 60", 40kA		ASTM F2676	ARC45-40PS	5YGL1
48 "x 96", 15kA	Navy Blue	ASTM F2676	ARC48-15PS	5YGL2
48° X 96°, 40KA	Gray/Khaki	ASTM F2676	ARC48-40PS	5YGL3
Shock Protection Blankets				
Roll, 3 x 30 ft., Class 00, 500V	Brown	ASTM F2320	RLB00	3KWU9
Roll, 3 x 30 ft., Class 0, 1000V	Yellow	ASTM F2320	RLB0	3GY62
Roll, 3 x 30 ft., Class 1, 7500V	Clear	ASTM F1742	RLBPVC1	5EU29
Roll, 3 x 30 ft., Class 1, 7500V	Orange	ASTM F2320	RLB1	3KWX2
Low-Voltage, 1 x 3 ft., Class 0, 1000V	Maroon	ASTM D1048	123LV	3KUX7
Low-Voltage, 11/2 x 3 ft., Class 0, 1000V	Yellow	ASTM D 1048	1836YLV	5ZV63
Low-Voltage, 3 x 3 ft., Class 0, 1000V	Yellow	ASTM D 1048	3636YLV	5ZV80
Eyelet Style, 36" x 36", Class 4, 36kV Slotted Style, 22" x 22", Class 4, 36kV	Orange	ASTM D 1048	900E	5ZV86
Slotted Style, 22" x 22", Class 4, 36kV	Orange	ASTM D 1048	15	5ZV65
Slotted Style, 36" x 36", Class 4, 36kV Blanket Canister 5" x 37", Holds 1 to 2 Blankets	Orange	ASTM D 1048	1300	5ZV64
Blanket Canister 5" x 37", Holds 1 to 2 Blankets	Orange	_	P2	5ZW03
Blanket Canister 6" x 37", Holds 1 to 3 Blankets	Orange	_	P3	3KUX9
Blanket Canister, 7" x 37", Holds 1 to 4 Blankets	Orange	_	P4	5ZW05
Blanket Clamp Pin, 91/2" L	Yellow	_	21	5ZV66
Grounding Sets				
4-Way Set with (1) Four Way Connector w/ Sleeves, (4) 1½ in Serrated Jaw Clamps w/ Sleeves, (1) Double Hanger Stud, (1) Contact Stud, 34 ft #2137 1/0 Cu. Cable, (4) pr. Ferrules	-	ASTM F 855	2680	3KUY4
4-Way Set with Socket Clamp, (3) 6 Ft, (1) 10 Ft 2/0 Cable	_	ASTM F 855	24307	5ZV73
4-Way Set with C Clamp, Input/Output 2/0 Yellow Cable, (3) 6 Ft, (1) 10 Ft	_	ASTM F 855	24308	5ZV74
Single Set with (2) C Clamp, 6 ft 2/0 Cable Single Set with 2" (2) C Clamp,	_	ASTM F 855	24309	5ZV75
Flat Jaw Clamp,6 ft 2/0 Cable	_	ASTM F 855	24310	5ZV76
Electrical Sticks and Rescue Hooks				
Hot Switch Stick, Std. Prong, 11/4" x 8 ft.	Yellow	ASTM F711	9935	5ZV87
Hot Switch Stick, Universal Head, Std. Prong, 1 ¹ /4" x 8 ft.	Yellow	ASTM F711	4215	5ZV83
External Rod Clampstick, 6 ft. 8"L	Yellow	ASTM F711	4009	5ZV81
Static Discharge Stick	Yellow	ASTM F711	20817	3GY63
Rescue Hook, 6 ft.	Yellow	ASTM F711	24401	3GY61
Rescue Hook, 8 ft.	Yellow	ASTM F711	24403	3KUX5
Line Hoses				
4½ ft. L with 1½" Dia. Connector, Class 3, 26.5kV	Safety Orange	ASTM D 1050	OR150-45C	5ZW01
6 ft. L with $1{}^{1\!\!\!/}_{2"}$ Dia. Connector, Class 3, 26.5kV	Safety Orange	ASTM D 1050	OR150-6C	5ZW02

1662 **GRAINGER**

Find even MORE on Grainger.com®

1-800-GRAINGER (472-4643)