



## Manhole Equipment

**Manhole Cover Hooks**—Made of 5/8" forged hexagonal steel for the strength to lever up heavy covers. Choose straight or right-angle handle.

- 300-lb. capacity

**Manhole Lid Lifter**—All-steel construction. Includes rubber grip for handle and foot. Recessable hook.

**Magnetic Manhole Lid Lifters with Dolly**—2-position lifting points help one person break loose the most stubborn covers—up to 36" dia.—safely and with minimal back strain. Lifters collapse for easy transport and storage.

**Manhole Guardrail**—Collapsible. Steel frame construction. Includes heavy-duty safety chains.

**Guardrail Winch**—Mounts easily; 300-lb. cap. Side pieces are aluminum, and winch bar is steel tubing with a 3" drum. Includes 2 independent ratchet systems and automatic brake.

**Umbrella and Umbrella Stand**—Heavy-duty, waterproof vinyl umbrella is safety yellow color for visibility. Easy storage in the included bag. Sturdy 2-pc. metal pole can be pushed into the ground, strapped to a manhole guard rail, or used with 11C537 metal stand; tilts for convenient placement.

**Tent Heater**—Steel housing with enclosed heating elements and a sealed motor. Raises the temperature 50°F. UL Listed; CSA Certified.



Description	Brand	Mr. Model	Item No.
<b>Manhole Cover Hooks</b>			
For 24" dia. Manhole, Flat Handle	Cherne	251429	3TCR6
For 24" dia. Manhole, 90° Handle	Cherne	015443	3TCR4
For 36" dia. Manhole, Flat Handle	Cherne	251438	3TCR7
For 36" dia. Manhole, 90° Handle	Cherne	015438	3TCR5
<b>Manhole Lid Lifter</b>			
42" L	—	10K048	10K048
<b>Magnetic Manhole Lid Lifters with Dolly</b>			
Steel Dolly and 660-lb. Lift Weight	Allegro	9401-25	5PTL7
Steel Dolly and 900-lb. Lift Weight	Allegro	9401-26	32MZ68
Aluminum Dolly and 660-lb. Lift Weight	Allegro	9401-25A	32MZ67
Aluminum Dolly and 900-lb. Lift Weight	Allegro	9401-26A	5PTN0
<b>Manhole Guardrail</b>			
33" L x 33" W x 42" H	—	10K047	10K047
<b>Guardrail Winch</b>			
With 1/2" x 35-ft. Dura-Plax Braided Rope	Allegro	9401-10	6MKN6
<b>Umbrella and Umbrella Stand</b>			
Umbrella 84" Dia., 92" H	Allegro	9403	1UFG3
Umbrella Stand	Allegro	9403-05	11C537
<b>Tent Heater</b>			
110VAC, 1500W of 5000 Btu with 115 cfm	Allegro	9401-50	3NPV5

## Venturi-Style Pneumatic Air Blowers

Use to ventilate explosive and hazardous vapors safely. Operate on compressed air or steam pressure up to 140 psi.



Inlet Connection	Base Dia.	Overall Length	INLET PRESSURE			Air Consumed, SCFM			Mr. Model	Item No.
			40 psig	60 psig	80 psig	40 psig	60 psig	80 psig		
<b>Allegro</b>										
<b>Galvanized Steel Housing with Cast Aluminum Base</b>										
1/2 in NPT	7 1/2 in	16 3/4 in	650	865	1,080	20	30	40	9518-03S	3TCR2
1/2 in NPT	7 1/2 in	30 1/2 in	960	1,135	1,310	20	30	40	9518-03	3TCR3
1 in NPT	11 1/4 in	44 1/4 in	2,100	2,560	3,020	20	60	80	9518-06	3TCR4
1 in NPT	14 1/2 in	46 in	3,152	4,215	4,810	114	110	140	9518-08	3TCR5
<b>Plastic Housing with Cast Aluminum Base</b>										
1/2 in NPT	7 1/2 in	16 3/4 in	650	865	1,080	20	30	40	9518-13S	5GVX7
1/2 in NPT	7 1/2 in	30 1/2 in	960	1,135	1,310	20	30	40	9518-13	5GVX8
1 in NPT	11 1/4 in	44 1/4 in	2,280	2,560	3,020	40	60	80	9518-16	5GVX9
1 in NPT	14 1/2 in	46 in	3,620	4,215	4,810	80	110	140	9518-18	5GVY0
<b>ASI</b>										
<b>Galvanized Steel Housing with Cast Aluminum Base</b>										
1/2 in NPT	7 1/2 in	16 1/2 in	935	1,274	1,422	38	53	64	ASI-1000	4YG44
1/2 in NPT	7 1/2 in	32 1/2 in	1,211	1,429	1,580	38	53	64	ASI-1200	1C089
1 in NPT	11 1/4 in	44 in	2,770	3,340	3,752	76	99	127	ASI-2900	1C093
1 in NPT	14 1/2 in	46 1/2 in	3,785	4,562	5,041	117	152	197	ASI-4100	1C095

