

## **BODY/SHACKLE MATERIAL:**

**Plastic** is nonconductive. When selecting a plastic body padlock with a plastic shackle, the lock is also non-sparking.

**Aluminum** is corrosion resistant for use in a variety of indoor and outdoor settings, including those with exposure to chemicals, oil, UV radiation, high temperatures, and moisture.

**Steel** is a heavy-duty material for use in harsh weather environments or where impact is a concern.

Stainless Steel is corrosion resistant for use in wet areas.

Boron Alloy is cut resistant for use in high-security settings.


## **KEY TYPE:**

**Keyed Alike** padlocks share a common key and are used when one worker needs to lockout multiple energy sources to perform a task. Reduce the number of keys a worker has to control.

**Keyed Different** padlocks do not share a common key. They are used when multiple workers in the same location each need to secure an energy source. Reduce the risk of one worker inadvertently removing another worker's lock.

Yellow

Standard Body Aluminum Shackle D1944



# Lockout Padlock Information





#### Vertical Shackle Clearance

### **BODY SIZE:**

Body dimensions describe the size of the locking component.

**Standard Body** is used in most common applications where locks are applied in an easily accesible lockout device.

**Long Body** provides space for more labeling and messaging and makes the lock more visible to workers.

**Compact Body** is used where there is limited space or multiple locks are applied to a hasp.

**Shackle Diameter** must be slightly smaller than the hole of the lockout device to ensure the lock can be applied and move freely.

Key Retaining locks prevent the key from being removed from the lock until the shackle is engaged in the locked position to ensure the power source is fully locked out.

**Key Combinations** indicate the number of lock tumber combinations and key configurations. A higher number of key combinations reduces the possibility of having locks with duplicate keys on the same worksite.

# BRADY Master Abilityone 200 ZING

# **Nonconductive Plastic-Body Lockout Padlocks**

Label legend: Danger Locked Out Do Not Remove
 For custom lock configurations, see Grainger.com

Padlocks inhibit the transfer of electricity, making them ideal for locking out electrical components. They are lightweight alternatives to heavy-duty steel and aluminum-body LOTO padlocks. D8959 has an extended shackle length.

Shackle Material	Vertical Shackle Clearance	Shackle Dia.	Key Retaining	CHOOSE: Body Color	Brand	KEYED A Item No.	LIKE Pkg. Qty.	KEYED DIF Item No.	FERENT Pkg. Qty.
<b>Standard Body</b>									
40,000+ Key Co									
Hardened Steel	1 ½ in	1⁄4 in	Yes	Black, Blue, Brown, Green, Orange,		H1699	6	D1949	1
Hardened Steel	1 ½ in	1⁄4 in	Yes	Purple, Red, White, Yellow	Brady	H1698	3	D1951	6
Metal	1 ½ in	1⁄4 in	Yes	Black, Blue, Green, Orange,	Master Lock	D1944	1	K7940	1
Metal	1 ½ in	1⁄4 in	Yes	Purple, Red, Teal, Yellow	Master Lock	-	_	K7449	6
Nylon	1 ½ in	1⁄4 in	Yes	Black, Blue, Brown, Green, Orange,	Brady	H1707	6	H1704	1
Nylon	1 ½ in	1⁄4 in	Yes	Purple, Red, White, Yellow	Brady	H1706	3	H1705	6
Plastic	1 ½ in	1⁄4 in	Yes	Black, Blue, Green, Orange, Red, Teal, Yellow	Master Lock	-	_	D1942	1
Plastic	1 ½ in	1⁄4 in	Yes	Black, Blue, Green,	Master Lock	D5324	3	_	_
Plastic	1 1/2 in	1⁄4 in	Yes	Orange, Red, Yellow	Master Lock	D5325	6	_	_
Plastic	1 ½ in	1/4 in	Yes	Blue, Green, Orange, Red, Yellow	Master Lock	D5326	12	_	_
Steel	1 ½ in	1⁄4 in	Yes	,,,,,.,.,.,.,.,.,.,.,.,.,.	Master Lock	K7448	6	—	_
Steel	1 ½ in	1/4 in	Yes	– Black, Blue, Green, – – Orange, Red, Yellow –	Master Lock	K7447	3	—	_
Steel	1 ½ in	1/4 in	Yes		Master Lock	K7446	12	_	_
Steel	1 ½ in	1⁄4 in	No	5.1	Ability One	52ND71	6	52ND69	1
Steel	1 ½ in	1⁄4 in	No	- Red -	Ability One	52ND81	3	_	_
Steel	1 in	1⁄4 in	Yes	Black, Blue, Brown, Green, Orange, Purple, Red, Yellow	Zing	K7489	1	D8958	1
Steel	1 in	1⁄4 in	Yes		Zina	D8963	3	_	_
Steel	1 in	1/4 in	Yes	Blue, Green, Red, Yellow	Zing	D8964	6	_	_
Steel	3 in	1⁄4 in	Yes	Black, Blue, Brown, Green, Orange, Purple, Red, Yellow	Zing	_	_	D8959	1
Long Body									
40,000+ Key C	mbination	s							
Hardened Steel	1 ½ in	- 1⁄4 in	Yes	Black, Blue, Green,	Master Lock	D5327	3	_	_
Hardened Steel	1 ½ in	1/4 in	Yes	Orange, Red, Yellow	Master Lock	D5328	6	_	_
Hardened Steel	1 ½ in	1⁄4 in	Yes	Black, Blue, Brown, Green, Orange, Purple, Red, White, Yellow	Brady	H1710	3	_	_
Hardened Steel	1 ½ in	1⁄4 in	Yes	Black, Blue, Green, Orange, Red, Yellow	Master Lock	D5329	12	_	_
Metal	1 ½ in	1⁄4 in	Yes	Black, Blue, Green, Orange, Purple, Red, Teal, Yellow	Master Lock	-	_	D1948	1
Steel	1 in	1⁄4 in	Yes		Zing	D7359	3	_	_
Steel	1 in	1⁄4 in	Yes	Blue, Green, Red, Yellow	Zing	D7361	6	_	_
<b>Compact Body</b>									
15,000+ Key C	ombination	s							
Aluminum	1 in	⅓ in	Yes	Black, Blue, Brown, Green, Orange, Purple, Red, White, Yellow	Brady	-	_	H1700	1
40,000+ Key Co	ombination	s							
Stainless Steel	1 ½ in	3∕16 in	Yes	Black, Blue, Green,	Master Lock	D5338	3	-	_
Stainless Steel	1 ½ in	3∕16 in	Yes	Orange, Red, Yellow	Master Lock	D7355	6		_
Stainless Steel	1 ½ in	3∕16 in	Yes	Black, Blue, Green, Orange,	Master Lock	-	_	D5337	1
Stainless Steel	1 ½ in	3⁄16 in	No	Purple, Red, Teal, White, Yellow	Master Lock	_	_	G6057	1
100,000+ Key (	Combinatio	ns							
Plastic	1 in	3⁄16 in	No	Black, Blue, Brown, Green, Orange,	Brady	K7458	3	_	_
Plastic	1 in	3⁄16 in	Yes	Purple, Red, White, Yellow	Brady	K7460	6	_	_

Find even MORE on Grainger.com®

1-800-GRAINGER (472-4643)

Blue Standard Body Steel Shackle D1951



52ND69

 Financian
 Black

 Red
 Black

 Standard
 Standard Body

 Body
 Steel Extended

 Steel Shackle
 Shackle

D8959

Green ody Long Body ided Steel Shackle D5327



1882 GRAINGER