

## SECURITY

### Exit Devices & Trim

Scan. Order. Done.  
Details on page A1.



2RJ66

**FALCON.**

## Exit Devices, Grade 1

- 19 Series devices fit doors 1¾" thick up to 7-ft. high
- 25 Series devices fit doors 1¾" to 2½" thick up to 7-ft. high
- Aluminum finish

For assisted living facilities, retail stores, churches, and other commercial buildings that have constant traffic.

Description	Item No.
<b>19 Series Exit Devices</b>	
Exit Device, Rim, Long	2RJ66
Exit Device, Surface Vertical Rod	4WY74
<b>25 Series Exit Devices</b>	
Exit Device, Exit Only, Rim	5YFA5
Exit Device Trim, Pull Entrance by Thumbpiece	5YFC3

**Yale**

Rim Pullman Bolt

Surface Vertical Rod

Rim Square Bolt

## Exit Devices

- Nonhanded

Nonfire-rated devices have a dogging feature that keeps the door unlatched, allowing traffic to enter and exit freely. "A" labeled fire doors. Fit 1¾"- and 2¼"-thick doors up to 7-ft. high. Include strike and mounting hardware. Heavy-duty devices have a hydraulic noise-dampening feature and a high-quality finish.

**Rim Pullman Bolt**—Devices resist vandalism and have a ¾" throw stainless steel latchbolt for single-point latching. A guardbolt deadlocks the latchbolt when door is closed and latched.

**Rim Square Bolt**—Deadbolt-style, 1" throw latchbolt engages the roller strike with a flat surface for increased security. Stainless steel bolt design locks into place; resists shimmying and door rattling/shaking.

**Surface Vertical Rod**—2-point locking exit devices have an automatic deadlocking upper latchbolt with ¾" throw and lower deadbolt with ⅝" throw. For doors taller than 7 ft., order vertical rod extensions.

Description	Finish	Door Width	FIRE RATED Item No.	NON- FIRE RATED Item No.
Heavy-Duty, 7100 Series				
Rim Pullman Bolt	Stainless Steel	30 in to 36 in	5T796	5T794
Rim SquareBolt	Stainless Steel		3ZV64	3ZV63
Standard-Duty, 2100 Series				
Rim Pullman Bolt	Stainless Steel	30 in to 36 in	1ABK4	1ABK3
	Lacquer		1ABK5	—
	Aluminum		—	1H820
	Painted		—	1H819
Rim SquareBolt	Stainless Steel		1ABL3	1ABL2
	Lacquer		1ABL5	1ABL4
	Stainless Steel		1ABK8	1ABK7
Surface Vertical Rod	Painted		—	1H818
	Stainless Steel		—	1H817
	Lacquer		1ABK9	—
Standard-Duty, 1800 Series				
Rim Pullman Bolt	Lacquer	30 in to 36 in	5VRW9	5VRV7
		36 in to 42 in	5VRX0	5VRV8
		42 in to 48 in	5VRX1	5VRV9
	Bronze	30 in to 36 in	—	5VRW0
		36 in to 42 in	—	5VRW1
		42 in to 48 in	5VRX4	—
Surface Vertical Rod	Lacquer	30 in to 36 in	5VRX5	5VRW3
		36 in to 42 in	5VRX6	5VRW4
		42 in to 48 in	5VRX7	5VRW5
	Bronze	30 in to 36 in	5VRX8	5VRW6
		36 in to 42 in	5VRX9	—
		42 in to 48 in	5VRX0	5VRW8
Finish		2 IN Item No.	6 IN Item No.	12 IN Item No.
Surface Vertical Rod Extensions				
Stainless Steel 360		4AVD4	4AVD5	4AVE3
Aluminum Painted		4AVE1	4AVE2	4AVD6



**SARGENT**

**ASSA BLOY**

## Exit Devices and Trim, Grade 1

- For 1¾"-thick doors

**3828 Series**—Nonhanded style. Stainless steel latchbolt, ¾" throw. Dogging feature keeps the door unlatched to allow traffic to enter and exit freely.

**88 Series**—Designed for standard width stile applications on wood and metal doors. Nonhanded style. Stainless steel latchbolt, ¾" throw.

- 3-hr. fire rating

**87 Series**—Feature 2-pt. top and bottom latching with adjustability through the center case. Standard bottom latch is compatible with most latch track thresholds.

- 3-hr. fire rating

Description	► CHOOSE: Finish	Item No.
<b>3828 Series Rim Exit Devices and Trim</b>		
Exit Device, Exit Only, Rim, 3 ft.	Lacquer	18F574
Exit Device, Vertical Rod, 3 ft.	Lacquer	18F575
Exit Device Trim, Pull, Entrance by Thumbpiece	Painted	18F576
Exit Device Trim, Night Latch	Painted	18F577
<b>88 Series Multifunction Exit Device and Trim</b>		
Exit Device, Exit Only, Rim, 3 ft.	Stainless Steel, Brass	G6693
Storeroom Lever Trim, Night Latch, Right Hand	Satin Chrome, 10B Dull	G6694
Storeroom Lever Trim, Night Latch, Left Hand	Satin Chrome, 10B Dull	G6695
Classroom Lever Trim, Right Hand	Satin Chrome, 10B Dull	G6696
Classroom Lever Trim, Left Hand	Satin Chrome, 10B Dull	G6697
Passage Lever Trim, Right Hand	Satin Chrome, 10B Dull	G6698
Passage Lever Trim, Left Hand	Satin Chrome, 10B Dull	G6699
<b>87 Series Exit Devices and Trim</b>		
Exit Device, Vertical Rod, No Outside Operation, Right Hand, 3 ft.	Stainless Steel, Brass	G6701
Exit Device, Vertical Rod, Passage Only, Right Hand, 3 ft.	Stainless Steel, Brass	G6702
Exit Device, Vertical Rod, Passage Only, Left Hand, 3 ft.	Stainless Steel, Brass	G6703
Exit Device, Vertical Rod with Cylinder, Right Hand, 3 ft.	Stainless Steel, Brass	G6704
Storeroom Lever Trim, Right Hand	Satin Chrome, 10B Dull	G6708
Storeroom Lever Trim, Left Hand	Satin Chrome, 10B Dull	G6709



## Exit Devices and Trim, Grade 1

- Fit 1¾"-thick doors
- 19 Series

Suitable for all doors where there is no projection on the face. Can be sized down to fit the required width of the door and used with a variety of exit device trims. Include sheet metal and machine screws.

Description	Finish	Door Width	Item No.
<b>Exits</b>			
Touch Bar Rim	Aluminum	37 in to 48 in	5TUN1
Touch Bar Rim	Aluminum	36 in	5TUN2
<b>Exit Trim</b>			
Lever w/Lock	Aluminum	—	5TUN3
Knob w/Lock	Stainless Steel	—	5TUN4
Night Latch Pull w/Lock	Aluminum	—	5TUN5



## Exit Devices and Trim

- Thru-bolt trim design for increased security and durability
- For doors 32" to 36"W
- Aluminum finish

Use in school, healthcare, industrial, office, and multifamily housing facilities. Hex dogging and cylinder dogging lock down the device bar so the latch remains retracted and the door can swing freely. Hex dogging locks down the bar with the use of a hex key. Cylinder dogging uses a keyed cylinder for increased access control.

Standard-duty devices tested to over 500,000 cycles and exceed requirements for Grade 1 certification.

**STANLEY**

Description	Item No.
<b>Exit Devices</b>	
Rim Exit Device, Cylinder Dogging	2WHH9
Standard Rim	2WHH5
Standard Rim, Fire Rated	2WHH4
Standard Surface Vertical Rod	2WHH3
Standard Surface Vertical Rod, Fire Rated	2WHH2
Surface Vertical Rod, Cylinder Dogging	2WHH8
<b>Exit Device Trim</b>	
Passage Lever	2WHG8
Entry Lever	2WHG9
Nightlatch Lever	2WHH1
Gull Wing Pull	2WHH6
Rose Lever, Classroom	5PHH0
Rose Lever, Classroom, SFIC	5PHH1
Rose Lever, Storeroom	5PHH2
Rose Lever, Storeroom, SFIC	5PHH4

1920 **GRAINGER®**

Find even **MORE** on **Grainger.com®**

1-800-GRAINGER (472-4643)