

Ceco Door
ASSA ABLOYSteel Doors
with Louvers

■ 1 3/4"-thick doors

Doors help to improve ventilation and heat transfer in and out of storage areas while maintaining privacy. Suitable for use in boiler rooms, cleaning closets, restrooms, and storage closets where heat or fumes can accumulate.

D2855



Door Opening Height	Door Opening Width	►CHOOSE: Door Type	►CHOOSE: Lock Type	12 x 12 IN LOUVERS Item No.	24 x 12 IN LOUVERS Item No.	24 x 24 IN LOUVERS Item No.	24 x 60 IN LOUVERS Item No.
80 in	36 in	1, 2, 3	Cylindrical, Mortise	D2855	D2861	D2863	D2865
84 in	36 in	1, 2, 3	Cylindrical, Mortise	D2856	D2862	D2864	D2866
80 in	48 in	1, 2, 3	Cylindrical, Mortise	D4276	D4278	D4281	D4283
84 in	48 in	1, 2, 3	Cylindrical, Mortise	D4277	D4279	D4282	D4284

Ceco Door
ASSA ABLOYSteel-Stiffened
Doors

- 18-ga. steel
- 1 3/4"-thick doors

Designed to take most abuse without failure. 22-ga. steel stiffeners are placed inside the door every 6" and welded every 5" along the length of the stiffener. Fiberglass insulation between the stiffeners helps deaden sound. Door top and bottom are sealed with a 16-ga. steel channel welded in place. Doors are handed; come with closer reinforcement.



Door Opening Height	Door Opening Width	Fire Rating	►CHOOSE: Lock Type	LEFT-HAND Item No.	RIGHT-HAND Item No.
84 in	36 in	3 hr	Cylindrical, Mortise	D2914	D2915

Door Protection Plates

- Plates are 0.05" thick; 6" and 8" widths are 0.040"; 10" widths and above are 0.063"
- Equipped with mounting holes and screws

Protect doors from scratches and dents caused by collisions from gurneys, carts, hand trucks, or heavy equipment. Choose a plate 2" narrower than door.

H	W	BRIGHT BRASS Item No.	DULL 304 STAINLESS STEEL Item No.	DULL 316 STAINLESS STEEL Item No.	DULL ALUMINUM Item No.	DULL BRONZE Item No.
Armor Plates						
16 in	34 in	2RGH8	2RFR9	2RFW6	2RFZ3	2RGC9
24 in	34 in	2RGG4	—	2RFU9	—	2RGA3
34 in	24 in	—	—	—	2RFX6	—
34 in	34 in	2RGH9	2RFU2	2RFW7	2RFZ4	2RGD1
34 in	36 in	—	—	2RFW8	—	2RGD2
34 in	42 in	2RGJ2	—	2RFW9	—	2RGD3
42 in	34 in	—	—	—	2RFZ6	—
Kick/Stretcher Plates						
8 in	28 in	—	2RCH9	2RFV2	2RFX8	2RGA5
8 in	30 in	5U651	—	2RFV8	—	2RGC2
8 in	34 in	—	—	—	2RFY9	2RGC6
8 in	36 in	2RGJ4	—	2RFX2	—	2RGD5
8 in	40 in	5U653	—	2RFX5	—	2RGD8
10 in	28 in	—	2RFN9	2RFV3	2RFX9	2RGA6
10 in	30 in	2RGH3	2RFR1	2RFV9	2RFY6	2RGC3
10 in	34 in	2RGH6	—	2RFW4	2RFZ1	2RGC7
10 in	36 in	2RGJ5	2RFU7	2RFX3	2RFZ9	2RGD6
12 in	28 in	2RGG8	2RFP2	2RFV4	2RFY1	2RGA7
12 in	30 in	2RGH4	2RFR3	2RFW1	2RFY7	2RGC4
12 in	34 in	2RGH7	—	—	2RFZ2	2RGC8
12 in	36 in	2RGJ6	2RFU8	2RFX4	—	2RGD7
Mop Plates						
6 in	28 in	2RGG5	2RCH8	2RFV1	—	2RGA4
6 in	30 in	2RGH2	2RFP8	2RFV7	2RFY4	2RGC1
6 in	34 in	2RGH5	—	2RFW2	2RFX7	2RGC5

ROCKWOOD®
ASSA ABLOY

Armor Plate



Kick Plate



Stretcher Plate



Mop Plate

Door Hardware Protectors

Protect door hardware from damage caused by moving carts, gurneys, and hand trucks.

Center to Center Length		Item No.	Length	Width	Projection	Hand	Item No.
Lever Door Trim Protector Bars			Latch Guard Covers				
3 3/4 in	8 in	3HJF9	10 in	6 in	2 1/2 in	Left	3HJG3
3 3/4 in	12 in	3HJF6	10 in	6 in	2 1/2 in	Right	3HJG4
Exit Device Protector Bars			12 in	6 in	2 1/2 in	Left	3HJG5
3 3/4 in	7 1/2 in	3HJF7	12 in	6 in	2 1/2 in	Right	3HJG6
4 1/2 in	8 1/2 in	3HJF8	16 in	6 in	2 1/2 in	Left	3HJG7
			16 in	6 in	2 1/2 in	Right	3HJG8
Length	Width	Projection	Hand	Item No.	Description		
Vertical Rod Covers					Door Coordinator		
12 in	3 3/4 in	1 1/2 in	—	3HJG1	For Use With 72" Door Openings		
24 in	3 3/4 in	1 1/2 in	—	3HJG2			
					3HJH1		

ROCKWOOD®
ASSA ABLOY

3HJF9



3HJF7



3HJG1



3HJG3