




Threaded Rod Ends

KEN FORGING
Forged Industrial Hardware



19L325

Thread Size	Thread Style*	Eye I.D.	Eye O.D.	Hole Center-to-End Length	Thread Length	Eye Thickness	Brand	Item No.	Pkg. Qty.
Alloy Steel - Black Oxide									
1/4"-20	FT	3/4 in	3/8 in	1 1/2 in	1 1/2 in	1/4 in	Ken Forging	19L354	† 1
	FT	3/4 in	3/8 in	3 1/2 in	3 1/2 in	1/4 in	Ken Forging	19L355	† 1
	FT	3/4 in	3/8 in	6 in	6 in	1/4 in	Ken Forging	19L356	† 1
1/4"-28	FT	3/4 in	3/8 in	3 1/2 in	3 1/2 in	1/4 in	Ken Forging	19L379	† 1
	FT	3/4 in	3/8 in	6 in	6 in	1/4 in	Ken Forging	19L381	† 1
	FT	3/4 in	3/8 in	5 in	5 in	3/8 in	Ken Forging	19L382	† 1
3/8"-16	FT	3/4 in	13/16 in	6 in	6 in	3/8 in	Ken Forging	19L363	† 1
	FT	1/2 in	1 1/2 in	2 1/2 in	2 1/2 in	1/2 in	Ken Forging	19L364	† 1
	FT	1/2 in	1 1/2 in	3 1/2 in	3 1/2 in	1/2 in	Ken Forging	19L365	† 1
1/2"-13	FT	1/2 in	1 1/2 in	5 in	5 in	1/2 in	Ken Forging	19L366	† 1
	FT	1/2 in	1 1/2 in	6 in	6 in	1/2 in	Ken Forging	19L367	† 1
	FT	1/2 in	1 1/2 in	3 1/2 in	3 1/2 in	1/2 in	Ken Forging	19L381	† 1
1/2"-20	FT	3/4 in	1 1/2 in	3 1/2 in	3 1/2 in	3/8 in	Ken Forging	19L368	† 1
	FT	3/4 in	1 1/2 in	5 in	5 in	3/8 in	Ken Forging	19L369	† 1
	FT	3/4 in	1 1/2 in	6 in	6 in	3/8 in	Ken Forging	19L370	† 1
3/4"-11	FT	3/4 in	1 1/2 in	3 1/2 in	3 1/2 in	3/4 in	Ken Forging	19L371	† 1
	FT	3/4 in	1 1/2 in	5 in	5 in	3/4 in	Ken Forging	19L372	† 1
	FT	3/4 in	1 1/2 in	6 in	6 in	3/4 in	Ken Forging	19L373	† 1
3/4"-16	FT	3/4 in	1 1/2 in	6 in	6 in	3/4 in	Ken Forging	19L382	† 1
	FT	3/4 in	1 1/2 in	6 in	6 in	3/4 in	Ken Forging	19L375	† 1
	FT	1 in	2 1/2 in	6 in	6 in	1 in	Ken Forging	19L376	† 1
1"-8	FT	1 in	2 1/2 in	6 in	6 in	1 in	Ken Forging	19L377	† 1
Steel - Black Oxide									
1/4"-20	PT	3/4 in	1/2 in	2 in	3/4 in	1/4 in	Te-Co	2YJL8	† 1
	PT	3/4 in	1/2 in	3 in	1 1/4 in	1/4 in	Te-Co	2YJL9	† 1
	FT	3/4 in	3/8 in	1 1/2 in	1 1/2 in	1/4 in	Ken Forging	19L325	† 1
1/4"-28	FT	3/4 in	3/8 in	3 1/2 in	3 1/2 in	1/4 in	Ken Forging	19L326	† 1
	FT	3/4 in	3/8 in	6 in	6 in	1/4 in	Ken Forging	19L327	† 1
	FT	3/4 in	3/8 in	3 1/2 in	3 1/2 in	1/4 in	Ken Forging	19L350	† 1
5/16"-18	PT	3/4 in	3/8 in	3 in	1 1/2 in	3/8 in	Te-Co	2YJN1	† 1
	FT	3/4 in	3/8 in	1 1/2 in	1 1/2 in	3/8 in	Ken Forging	19L328	† 1
	FT	3/4 in	3/8 in	3 1/2 in	3 1/2 in	3/8 in	Ken Forging	19L329	† 1
3/8"-16	PT	3/4 in	3/8 in	6 in	6 in	3/8 in	Ken Forging	19L330	† 1
	PT	3/4 in	3/4 in	3 in	1 1/2 in	3/8 in	Te-Co	2YJN2	† 1
	PT	3/4 in	3/4 in	3 in	1 1/2 in	3/8 in	Te-Co	2YJN3	† 1
3/8"-16	PT	3/4 in	3/4 in	3 3/4 in	2 in	3/8 in	Te-Co	2YJN4	† 1
	PT	3/4 in	3/4 in	5 in	2 1/2 in	3/8 in	Te-Co	2YJN5	† 1
	FT	3/4 in	13/16 in	1 3/4 in	1 3/4 in	3/8 in	Ken Forging	19L331	† 1
3/8"-16	FT	3/4 in	13/16 in	3 1/2 in	3 1/2 in	3/8 in	Ken Forging	19L332	† 1
	FT	3/4 in	13/16 in	5 in	5 in	3/8 in	Ken Forging	19L333	† 1
	FT	3/4 in	13/16 in	6 in	6 in	3/8 in	Ken Forging	19L334	† 1

* FT = Fully Threaded, PT = Partially Threaded. † Grainger's product suppliers have certified that products comply with "Made in USA" requirements in accordance with FTC rules and guidance.

Wire/Cable Clamps

- Temp range: -50° to 350°F (EPDM);
-30° to 180°F (Vinyl)

Vinyl Plastisol cushioned clamps are chem-treated for corrosion resistance.

Clamping Dia.	Width	Thickness	Mounting Hole Dia.	Item No.	Pkg. Qty.
Cable Clamp - Aluminum					
3/16"	1/2 in	0.032 in	0.2813 in	6RNC5	50
1/4"	1/2 in	0.032 in	0.2813 in	6RNC6	50
5/16"	1/2 in	0.032 in	0.2813 in	6RNC7	50
3/8"	1/2 in	0.032 in	0.2813 in	6RNC8	50
1/2"	1/2 in	0.048 in	0.2813 in	6RNC9	50
5/8"	1/2 in	0.048 in	0.2813 in	6RND0	50
3/4"	1/2 in	0.048 in	0.2813 in	6RND1	50
7/8"	1/2 in	0.048 in	0.2813 in	6RND2	25
1"	1/2 in	0.048 in	0.2813 in	6RND3	25
Cable Clamp - Steel					
1/4"	1/2 in	0.032 in	0.2813 in	2UTD8	50
3/8"	1/2 in	0.032 in	0.2813 in	2UTD9	50
1/2"	1/2 in	0.048 in	0.2813 in	2UTE1	50
5/8"	1/2 in	0.048 in	0.2813 in	2UTE2	50
3/4"	1/2 in	0.048 in	0.2813 in	2UTE3	50
7/8"	1/2 in	0.048 in	0.2813 in	2UTE4	50
1"	1/2 in	0.048 in	0.2813 in	2UTE5	25
1 1/4"	1/2 in	0.048 in	0.2813 in	2UTE6	25
1 1/2"	1/2 in	0.048 in	0.2813 in	2UTE7	25
1 3/4"	1/2 in	0.048 in	0.2813 in	2UTE8	25
2"	1/2 in	0.048 in	0.2813 in	2UTE9	10
EPDM Cushioned Cable Clamp - Steel					
1/4"	1/2 in	0.032 in	0.2813 in	1BA81	50
3/8"	1/2 in	0.032 in	0.4063 in	1BA82	50
1/2"	1/2 in	0.032 in	0.2813 in	1BA83	50
3/4"	1/2 in	0.032 in	0.4063 in	1BA84	50
5/8"	1/2 in	0.032 in	0.2813 in	1BA85	50
1"	1/2 in	0.048 in	0.4063 in	1BA86	50
1 1/8"	1/2 in	0.032 in	0.2813 in	1BA87	50
1 1/4"	1/2 in	0.048 in	0.4063 in	1BA88	50
1 1/2"	1/2 in	0.032 in	0.2813 in	1BA89	50
1 3/8"	1/2 in	0.048 in	0.4063 in	1BAC1	50
1 1/2"	1/2 in	0.032 in	0.2813 in	1BAC2	50
1 3/4"	1/2 in	0.048 in	0.4063 in	1BAC3	50
1"	1/2 in	0.032 in	0.2813 in	1BAC4	25
1 1/8"	1/2 in	0.048 in	0.4063 in	1BAC5	25
1 1/4"	1/2 in	0.048 in	0.2813 in	4DZ25	25
1 1/2"	1/2 in	0.048 in	0.2813 in	1BAC6	25
1 3/8"	1/2 in	0.048 in	0.2813 in	1BAC7	25
1 1/2"	1/2 in	0.048 in	0.2813 in	4DZ26	25
1 3/4"	1/2 in	0.048 in	0.2813 in	1BAC8	25
1 1/2"	1/2 in	0.048 in	0.4063 in	1BAC9	25
1 3/8"	1/2 in	0.048 in	0.2813 in	4DZ27	10



1BAB1



1AYZ2



6RNA8



6YDR3

Clamping Dia.	Width	Thickness	Mounting Hole Dia.	Item No.	Pkg. Qty.
1 3/4"	1/2 in	0.048 in	0.2813 in	1BAE1	10
	3/4 in	0.048 in	0.4063 in	1BAE2	10
	1/2 in	0.048 in	0.2813 in	1BAE3	10
2"	3/4 in	0.048 in	0.4063 in	1BAE4	10
Extruded EPDM Cushioned Cable Clamp - 304 Stainless Steel					
3/4"	1/2 in	0.032 in	0.2813 in	2UTF1	25
5/8"	1/2 in	0.032 in	0.2813 in	2UTF2	25
1/2"	1/2 in	0.032 in	0.2813 in	2UTF3	25
3/4"	1/2 in	0.032 in	0.2813 in	2UTF4	25
5/8"	1/2 in	0.032 in	0.2813 in	2UTF5	25
1/2"	1/2 in	0.032 in	0.2813 in	2UTF6	25
1"	1/2 in	0.032 in	0.2813 in	2UTF7	25
1 1/4"	1/2 in	0.048 in	0.2813 in	2UTF8	10
1 1/2"	1/2 in	0.048 in	0.2813 in	2UTF9	10
1 3/4"	1/2 in	0.048 in	0.2813 in	2UTF10	10
2"	1/2 in	0.048 in	0.2813 in	2UTF11	10
Vinyl Coated Cable Clamp - Steel					
3/4"	1/2 in	0.032 in	0.2813 in	1AYZ2	50
5/8"	1/2 in	0.032 in	0.4063 in	1AYZ3	50
1/2"	1/2 in	0.032 in	0.2813 in	1AYZ4	50
3/4"	1/2 in	0.032 in	0.4063 in	1AYZ5	50
5/8"	1/2 in	0.032 in	0.2031 in	6YDP6	50
1/2"	1/2 in	0.032 in	0.2813 in	1AYZ6	50
3/4"	1/2 in	0.032 in	0.4063 in	1AYZ7	50
5/8"	1/2 in	0.032 in	0.2031 in	6YDP7	50
1/2"	1/2 in	0.032 in	0.2813 in	1AYZ8	50
3/4"	1/2 in	0.032 in	0.4063 in	1AYZ9	50
5/8"	1/2 in	0.032 in	0.2031 in	6YDP8	50
1/2"	1/2 in	0.048 in	0.2813 in	1AZG2	50
3/4"	1/2 in	0.048 in	0.4063 in	1AZK3	50
5/8"	1/2 in	0.032 in	0.2031 in	6YDP9	50
1/2"	1/2 in	0.048 in	0.2813 in	1AZL1	50
3/4"	1/2 in	0.048 in	0.4063 in	1AZL2	50
5/8"	1/2 in	0.032 in	0.2031 in	6YDR0	50

Clamping Dia.	Width	Thickness	Mounting Hole Dia.	Item No.	Pkg. Qty.
3/4"	1/2 in	0.048 in	0.2813 in	1AZL3	50
	3/4 in	0.048 in	0.4063 in	1AZL4	50
	1/2 in	0.032 in	0.2031 in	6YDR1	50
1/2"	1/2 in	0.048 in	0.2813 in	1AZL5	50
3/8"	1/2 in	0.048 in	0.4063 in	1AZL6	50
1"	1/2 in	0.032 in	0.2031 in	6YDR2	50
1 1/8"	1/2 in	0.048 in	0.2813 in	1AZL7	25
1 1/4"	1/2 in	0.048 in	0.4063 in	1AZL8	25
1 1/2"	1/2 in	0.048 in	0.2813 in	1AZL9	25
1 3/4"	1/2 in	0.048 in	0.4063 in	1BA81	25
1"	1/2 in	0.048 in	0.2813 in	1BA82	25
1 1/8"	1/2 in	0.048 in	0.4063 in	1BA83	25
1 1/4"	1/2 in	0.048 in	0.2813 in	1BA84	25
1 1/2"	1/2 in	0.048 in	0.4063 in	1BA85	10
1 3/4"	1/2 in	0.048 in	0.2813 in	1BA86	10
2"	1/2 in	0.048 in	0.2813 in	1BA87	10
2 1/2"	3/4 in	0.048 in	0.4063 in	1BA88	5
3"	3/4 in	0.048 in	0.4063 in	1BA89	5
Half Clip Cable Clamp - Steel					
3/16"	1/2 in	0.032 in	0.2188 in	6RNA8	50
1/4"	1/2 in	0.032 in	0.2813 in	6RNA9	50
5/16"	1/2 in	0.048 in	0.2813 in	6RNC0	50
3/8"	1/2 in	0.048 in	0.2813 in	6RNC1	50
1/2"	1/2 in	0.06 in	0.2813 in	6RNC2	50
5/8"	1/2 in	0.06 in	0.2813 in	6RNC3	50
3/4"	1/2 in	0.06 in	0.2813 in	6RNC4	50
Vinyl Coated Half Clip Cable Clamp - Steel					
3/16"	1/2 in	0.032 in	0.2188 in	6YDR3	50
1/4"	1/2 in	0.048 in	0.2813 in	6YDR4	50
5/16"	1/2 in	0.048 in	0.2813 in	6YDR5	50
3/8"	1/2 in	0.048 in	0.2813 in	6YDR6	50
1/2"	1/2 in	0.06 in	0.2813 in	6RNA5	50
5/8"	1/2 in	0.06 in	0.2813 in	6RNA6	50
3/4"	1/2 in	0.06 in	0.2813 in	6RNA7	50