



Serrated Lock Nuts

FOREVER BOLT™

Resist rotation by gripping the mounting surface with a series of angled ridges on their bottom face. This gripping action prevents unwanted rotation where high levels of vibration may be present. They are better able to resist rotation than lock nuts with washers and nylon insert lock nuts.

Thread Size	Hex Width	Item No.	Pkg. Qty.
Foreverbolt			
18-8 Stainless Steel, NL-19			
#10-24	3/8 in	53MF28	50
#10-32	3/8 in	53MF27	50
#14-20	1/2 in	53MF29	50
3/8-18	1/2 in	53MF30	50
3/8-16	3/4 in	53MF31	25
1/2-13	3/4 in	53MF32	25
M6-1.00	14 5/64 mm	53MF21	25
M12-1.75	26 5/64 mm	53MF24	10
M10-1.5	22 mm	53MF23	25

Thread Size	Hex Width	Item No.	Pkg. Qty.
316 Stainless Steel, NL-19			
1/4-20	1/2 in	53MF41	25
3/8-18	1/2 in	53MF42	25
3/8-16	3/4 in	53MF43	25
1/2-13	3/4 in	53MF44	10
M6-1.00	14 5/64 mm	53MF33	50
M8-1.25	18 mm	53MF34	25
M10-1.5	22 mm	53MF35	10



Thread Size	Hex Width	Item No.	Pkg. Qty.
Approved Vendor			
18-8 Stainless Steel, Plain			
#6-32	—	41MG57	50
#8-32	1 1/2 in	41MG58	50
#10-24	3/8 in	41MG59	50
#10-32	3/8 in	41MG64	25
1/4-20	—	41MG60	50
3/8-18	1/2 in	41MG61	50
3/8-16	—	41MG62	25
1/2-13	3/4 in	41MG63	25
1/2-13	3/4 in	4CAN2	10

Thread Size	Hex Width	Item No.	Pkg. Qty.
316 Stainless Steel, Plain			
#12-24	1 1/2 in	41MG68	10
1/4-20	—	41MG69	10
Class 8 Steel, Zinc Plated			
M6-1.00	10 mm	38DH70	100
M8-1.25	13 mm	38DH71	100
M10-1.50	15 mm	38DH72	100
M12-1.75	18 mm	38DH73	100
M16-2.00	24 mm	38DH75	50
Grade 8 Steel, Phosphate and Oil			
1/4-20	—	41MG42	100
3/8-18	1/2 in	41MG43	100
3/8-16	3/4 in	41MG44	50
1/2-13	3/4 in	41MG45	50
3/8-11	—	41MG46	25
3/4-10	—	41MG47	10
Grade A Steel, Zinc Plated			
#6-32	1 1/2 in	41MG28	100
#8-32	1 1/2 in	41MG29	100
#10-24	3/8 in	41MG30	100

Thread Size	Hex Width	Item No.	Pkg. Qty.
316 Stainless Steel, Plain			
#12-24	1 1/2 in	41MG31	100
1/4-20	—	3HDX2	100
3/8-18	1/2 in	41MG32	100
3/8-16	3/4 in	3HDX3	100
1/2-13	3/4 in	41MG33	100
3/8-16	3/4 in	3HDX4	100
3/8-24	3/4 in	41MG34	100
3/8-11	—	4CAN5	50
3/4-10	—	3HDX5	50
3/8-14	3/4 in	41MG35	50
1/2-13	3/4 in	41MG36	50
1/2-20	3/4 in	41MG37	25
3/8-12	3/4 in	4CAN7	25
3/8-11	—	41MG38	25
3/8-18	1 1/2 in	41MG39	25
3/4-10	1 1/2 in	41MG40	10

FOREVER BOLT™
Nylon Insert
Lock Nuts

Used where vibrations may loosen the nut prematurely. They use a deformable nylon insert to engage the male threads and temporarily lock them into place. They are reusable but not heat-resistant and are the weakest style of lock nut.

Thread Size	Hex Width	Item No.	Pkg. Qty.
Foreverbolt			
18-8 Stainless Steel, NL-19			
#6-32	3/8 in	53ME49	50
#8-32	1 1/2 in	53ME50	50
#10-24	3/8 in	53ME52	50
#10-32	3/8 in	53ME51	50
3/8-16	3/4 in	53ME53	50
1/2-14	3/4 in	53ME54	25
1/2-13	3/4 in	53ME55	25
3/8-11	3/4 in	53ME56	25
3/4-10	1 1/4 in	53ME57	20
M3-0.50	5 1/2 mm	53ME40	100
M5-0.80	8 mm	53ME42	100
M6-1.00	10 mm	53ME43	50
M8-1.25	13 mm	53ME44	50
M10-1.50	17 mm	53ME45	25
M12-1.75	19 mm	53ME46	25
M16-2.00	24 mm	53ME47	5
M20-2.50	30 mm	53ME48	5
M4-7.00	7 mm	53ME41	100
316 Stainless Steel, NL-19			
#10-24	3/8 in	53ME72	50
1/4-20	2 1/4 in	53ME73	50
3/8-18	1/2 in	53ME74	50
3/8-16	3/4 in	53ME75	50
1/2-14	3/4 in	53ME76	25
1/2-13	3/4 in	53ME77	25
3/8-11	3/4 in	53ME78	25
3/4-10	1 1/4 in	53ME79	5
3/8-9	1 1/4 in	53ME80	10
M4-0.70	7 mm	53ME61	100
M6-1.00	10 mm	53ME63	50
M8-1.25	13 mm	53ME64	50
M10-1.50	17 mm	53ME65	25
M12-1.75	19 mm	53ME66	25
M5-0.08	8 mm	53ME62	100

Thread Size	Hex Width	Item No.	Pkg. Qty.
Approved Vendor			
18-8 Stainless Steel, Plain			
#4-40	1/4 in	22RV91	50
#5-40	3/8 in	22RV92	50
#6-32	3/8 in	22RV93	50
#8-32	1 1/2 in	22RV94	50
#10-24	3/8 in	22RV95	50
#10-32	3/8 in	22RV96	50
#12-24	1 1/2 in	22RV97	50
1/4-20	3/8 in	22RV98	50
1/4-28	1/2 in	22RV99	50
3/8-18	1/2 in	22RV100	50

Thread Size	Hex Width	Item No.	Pkg. Qty.
316 Stainless Steel, Plain			
1/4-20	1/2 in	22RW08	50
3/8-16	3/4 in	22RW09	50
3/8-14	3/4 in	22RW10	50
1/2-13	3/4 in	22RW11	50
1/2-20	3/4 in	22RW12	50
3/8-11	3/4 in	22RW13	50
3/8-9	1 1/4 in	22RW14	50
1/4-20	1/2 in	22RW15	50
3/8-18	1/2 in	22RW16	50
3/8-16	3/4 in	22RW17	50
1/2-13	3/4 in	22RW18	50
1/2-20	3/4 in	22RW19	50
3/8-11	3/4 in	22RW20	50
3/8-9	1 1/4 in	22RW21	50
1/4-20	1/2 in	22RW22	50
3/8-18	1/2 in	22RW23	50
3/8-16	3/4 in	22RW24	50
1/2-13	3/4 in	22RW25	50
1/2-20	3/4 in	22RW26	50
3/8-11	3/4 in	22RW27	50
3/8-9	1 1/4 in	22RW28	50
1/4-20	1/2 in	22RW29	50
3/8-18	1/2 in	22RW30	50
3/8-16	3/4 in	22RW31	50
1/2-13	3/4 in	22RW32	50
1/2-20	3/4 in	22RW33	50
3/8-11	3/4 in	22RW34	50
3/8-9	1 1/4 in	22RW35	50
1/4-20	1/2 in	22RW36	50
3/8-18	1/2 in	22RW37	50
3/8-16	3/4 in	22RW38	50
1/2-13	3/4 in	22RW39	50
1/2-20	3/4 in	22RW40	50
3/8-11	3/4 in	22RW41	50
3/8-9	1 1/4 in	22RW42	50
1/4-20	1/2 in	22RW43	50
3/8-18	1/2 in	22RW44	50
3/8-16	3/4 in	22RW45	50
1/2-13	3/4 in	22RW46	50
1/2-20	3/4 in	22RW47	50
3/8-11	3/4 in	22RW48	50
3/8-9	1 1/4 in	22RW49	50
1/4-20	1/2 in	22RW50	50
3/8-18	1/2 in	22RW51	50
3/8-16	3/4 in	22RW52	50
1/2-13	3/4 in	22RW53	50
1/2-20	3/4 in	22RW54	50
3/8-11	3/4 in	22RW55	50
3/8-9	1 1/4 in	22RW56	50
1/4-20	1/2 in	22RW57	50
3/8-18	1/2 in	22RW58	50
3/8-16	3/4 in	22RW59	50
1/2-13	3/4 in	22RW60	50
1/2-20	3/4 in	22RW61	50
3/8-11	3/4 in	22RW62	50
3/8-9	1 1/4 in	22RW63	50
1/4-20	1/2 in	22RW64	50
3/8-18	1/2 in	22RW65	50
3/8-16	3/4 in	22RW66	50
1/2-13	3/4 in	22RW67	50
1/2-20	3/4 in	22RW68	50
3/8-11	3/4 in	22RW69	50
3/8-9	1 1/4 in	22RW70	50
1/4-20	1/2 in	22RW71	50
3/8-18	1/2 in	22RW72	50
3/8-16	3/4 in	22RW73	50
1/2-13	3/4 in	22RW74	50
1/2-20	3/4 in	22RW75	50
3/8-11	3/4 in	22RW76	50
3/8-9	1 1/4 in	22RW77	50
1/4-20	1/2 in	22RW78	50
3/8-18	1/2 in	22RW79	50
3/8-16	3/4 in	22RW80	50
1/2-13	3/4 in	22RW81	50
1/2-20	3/4 in	22RW82	50
3/8-11	3/4 in	22RW83	50
3/8-9	1 1/4 in	22RW84	50
1/4-20	1/2 in	22RW85	50
3/8-18	1/2 in	22RW86	50
3/8-16	3/4 in	22RW87	50
1/2-13	3/4 in	22RW88	50
1/2-20	3/4 in	22RW89	50
3/8-11	3/4 in	22RW90	50
3/8-9	1 1/4 in	22RW91	50
1/4-20	1/2 in	22RW92	50
3/8-18	1/2 in	22RW93	50
3/8-16	3/4 in	22RW94	50
1/2-13	3/4 in	22RW95	50
1/2-20	3/4 in	22RW96	50
3/8-11	3/4 in	22RW97	50
3/8-9	1 1/4 in	22RW98	50
1/4-20	1/2 in	22RW99	50
3/8-18	1/2 in	22RW100	50

Thread Size	Hex Width	Item No.	Pkg. Qty.
M14-2.00	22 mm	22RW75	25
M16-2.00	24 mm	22RW76	10
M20-2.50	30 mm	22RW78	5
M27-3.00	41 mm	26LK38	2
Brass, Plain			
1/4-20	1/2 in	4FHX1	25
3/8-18	1/2 in	4FHX2	25
3/8-16	3/4 in	4FHX3	10
1/2-13	3/4 in	4FHX5	1
Class 5 Steel, Zinc Plated			
M3-0.50	5 1/2 mm	4CAF9	100
M4-0.70	7 mm	4CAG1	100
M5-0.80	8 mm	4CAG2	100
M6-1.00	10 mm	4CAG3	100
M7-1.00	11 mm	4CAG4	100
M8-1.00	13 mm	38DH96	100
M8-1.25	13 mm	4CAG5	100
M10-1.00	17 mm	38DH97	100
M10-1.25	17 mm	22RW55	100
M10-1.50	17 mm	22RW50	100
M12-1.25	19 mm	22RW57	50
M12-1.50	19 mm	22RW58	50
M12-1.75	19 mm	19NR89	50
M14-1.50	22 mm	22RW59	50
M14-2.00	22 mm	22RW60	50
M16-1.50	24 mm	22RW61	25
M16-2.00	24 mm	4CAG9	25
M18-1.50	27 mm	26LJ37	25
M18-2.50	27 mm	4CAH1	25
M20-1.50	30 mm	26LJ38	10
M20-2.50	30 mm	22RW52	10
M24-2.00	36 mm	26LJ42	10
M24-4.50	65 mm	26LJ30	2
Class 8 Steel, Zinc Plated			
M3-0.50	5 1/2 mm	26LJ57	100
M4-0.70	7 mm	26LJ58	100
M5-0.80	8 mm	26LJ59	100
M6-1.00	10 mm	26LJ60	100
M8-1.25	13 mm	38DH99	100
M10-1.50	17 mm	26LJ63	100
M12-1.75	19 mm	38DH102	100
M14-2.00	22 mm	26LJ65	50
M16-2.00	24 mm	26LJ66	25
M20-2.50	30 mm	38DH05	50
M24-3.00	36 mm	22RW61	10
M27-3.00	41 mm	22RW62	5
M30-3.50	46 mm	22RW63	5
Class 8 Steel, Zinc Yellow			
M10-1.50	17 mm	26LJ75	100
M12-1.75	19 mm	26LJ76	50
M16-2.00	24 mm	26LJ78	25