Scan. Order. Done. Details on page A1.



RUSTOLEUM

TurboKrete Concrete Patching Kits

Repairs large cracks and deep holes. Can accept vehicular traffic in 6 to 8 hr. 3 to 4x stronger than concrete. 100% solid.

Coverage	ltem No.
0.15 cu ft	5XPP2
7.5 sa ft	6KP53



Size

15 lb 30 lb

Concrete Repair and Primer

FlexKrete 102 mortar for long-term repair is 3x harder than concrete. Flex-Prime has excellent wet out properties blocking out moisture, providing deep pentration.

	,		0 11	
Application	Container Size	Color	Mfr. Model	ltem No.
FlexKrete 102 Concrete Repair Compound				
Repair Concrete, Asphalt, Steel, Wood,	8 lb	Gray	FK102G-KIT	3XJC3
Fiberglass, Marble, Build Ramps, Seamless	40 lb	Gray	FK-102G	3EGA8
Floors, Resurface Concrete, Repair Anchor Bolts, Vertical/Horizontal and Overhead Sites, Non-skid Surface, ADA, Bridge Repair, Drain Repair, Manhole Repair	640 oz	Clear	FK-102C	3EGC1
Flex-Prime Concrete Primer, 2-Component Use As A Penetrating And Bonding Agent	1 gal	Clear	FK-Primer	3EGC7



Hydraulic Cements

Quick Plug-Stops running water through deep cracks, holes, and imperfections in concrete surfaces, both above and below ground level.

Hydraulic Cement-Stops the flow of water through breaks in concrete or masonry walls and floors. Rapid setting with initial set-time of 1 to 3 min. and final set in 3 to 4 min.

Concrete Foundation Repair Leak Stop, Anchoring—Quickly stop active leaks, plug holes, repair foundation walls and anchor equipment.

Starts to Harden	Full Cure Time	Container Size	Mfr. Model	Brand	ltem No.
Quick Plug Hydra	aulic Cement				
3 min	4 wk	5 lb	14086	DAP	1LYG5
3 min	4 wk	10 lb	14090	DAP	10L517
Hydraulic Cemer	ıt				
3 min	2 day	50 lb	120030	Sakrete	39UV65
Concrete Foundation Repair Leak Stop, Anchoring					
3 min	4 wk	3 lb	C118	JE Tomes	15F529
3 min	4 wk	10 lb	C120	JE Tomes	15F530
3 min	4 wk	48 lb	C121	JE Tomes	15F531



repairing spalled or deteriorating concrete. Can be used for overhead repairs. Solvent-free, high-strength. high-modulus, moisture intensive repair epoxy.



Starts to Full Cure Container Mfr Item Harden Time Mode Size No 5UXR4 15 min 8.5 lb 071120 2 day

15F502

TOMES

Fast Set 10-Minute Concrete Repair Compound

Permanently repairs cracks, spalls, concrete and deteriorated concrete. Can be applied in sub-zero temperatures.

15F502 includes 2 pints each of Concrete Mender Parts A and B, 17 lb. of aggregate, plastic trowel, rubber gloves, mixing bucket, and 3 lb. of dry latex concrete resurfacer.

15F504 includes 2 Concrete Mender cartridges, 2 flow controllers, 2 static



TOMES

White liquid is for use in concrete and masonry; dries clear and invisible. Starts to harden in 2 hrs. and cures in 1 to 2 days. Can be re-coated in 1 to 2 days.

Container Style	Container Size	Coverage	ltem No.
Bottle	1 gal	100 to 300 sq ft	64UX16
Pail	5 gal	500 to 1500 sq ft	64UX17

Concrete Repair

InstaPatch Concrete Repair Kit-

TurboKrete Epoxy Repair Kit & Nozzles-Fast-curing, nonsag epoxy is used for vertical and horizontal repairs. 100% solid.

OR	K	20)	

RUST-OLEUM



3



Application Compressive Strength 13,000 PSI, Rapid Setting, Chemically Resistant, Summer and Winter Additives Also Available to Aid Cure Times



Find even MORE on Grainger.com®

1-800-GRAINGER (472-4643)



Description

Small Kit

Large Kit



Concrete Sealers

mixing tips, 10 lb. of aggregate, plastic

trowel, rubber gloves, and 3 lb. of dry

cartridges, 15 flow controllers, and 15

Mfr.

Model

JET-12

JET-28

JET-2

Item

No

15F507

15F502

15F504

15F507 includes Concrete Mender

latex concrete resurfacer.

static mixing tips.

Container

Size

10 oz

40 lb

ontainer Style	Container Size	Coverage	ltem No.
Bottle	1 gal	100 to 300 sq ft	64UX16
Pail	5 gal	500 to 1500 sq ft	64UX17

2-component polyurea repair compound cures in less than 15 min. Can be applied in temperatures as low as -5°F. 100% solid.

Description	Coverage	Includes	ltem No.
InstaPatch			
Concrete Repair Kit	230 ft @ 1/4 in x 1/4 in	1/2 gal Part A and 1/2 gal Part B	30RK20
Description			ltem No.
TurboKrete			
Epoxy Repair Kit, 9 oz. Cartridge		6DNX5	
Static Mixin	a Nozzla 2 M	077100	6DNX6

LOCTITE Loctite PC9410 **Magna-Crete**

2-component, concrete repair and grouting system. Bonds to most common construction materials.

Container Size	Mfr. Model	ltem No.
1 gal	235572	2VRN1
5 gal	235573	2VRN2

	Pail	5 gal	_
			-
_			