Ferndale

Item

No.

45HE37

51% in 45HE42

W

153/4 in 92%4 in 45HE60

51% in



Safety Shields and Enclosures

Westward Safety Shields-Feature quick cam action and 360° swivel locking shield.

Ferndale—45HE37 is for milling machines and has 3 interlocking safety switches. Fitted to an articulated arm, balanced, and kept in position by a gas spring with steel pipe and polycarbonate hood. 45HE42 is for grinders and includes clutch and easy-to-fit swiveling mounting bracket. Designed with aluminum frame and 130 x 130mm polycarbonate screen. 45HE60 is a polycarbonate safety screen with lathe safety guard that can be tensioned to stay mid-way up. For use with chuck size up to 11" dia.

CEDARBERG (G) WESTWARD

Description

Ferndale/Repar Guards Machine Guard, Yellow, Includes Arm with 3 Interlock

Includes Arm with 3 Interloc Switches, Mounting Block (Ram), Round Screen Bench Grinder Guard, Yellow, Includes Screen, Swiveling Mounting Bracket Lath Chuck Guard, Vollow Louidon Arm

Yellow, Includes Arm Assembly with Interlock Switch, Round Screen

Compatible with Product Type	Guard Type	Shield Type	Overall Height	Overall Width	Overall Length	FOR USE WITH	Brand	ltem No.
Drill Droop	Lathe	Chip and Splash Shield	6 in	6 in	6 in	OPTIONAL C-CLAMP BASE 60UN6	Cedarberg	60UN56
Drill Press, Grinder, Lathe, Mill, Saw	Guard, Machine Guard	Chip and Splash Shield	9 in	9 in	9 in	OPTIONAL C-CLAMP BASE 60UN6, SPRING CLAMP BASE	Cedarberg	60UN57
		Chip and Splash Shield	12 in	12 in	12 in	OPTIONAL C-CLAMP BASE 60UN6, SPRING CLAMP BASE	Cedarberg	60UN58
Grinder	Machine Guard	Safety Shield	_	12 in	8 in	MAGNETIC SWIVEL BASE	Westward	2MZV8

DREMEĽ **3D Printers and Filament**

- = 10.00 in x 6.00 in x 6.70 in Build Volume
- 4.72 in/sec Build Speed

3D PRINTERS

2248

3D40 FLEX - Flexible metal build plate allows easy, safe removal of printed objects. Improved 50 micron ultra high quality print resolution is ideal for intricate, detailed designs. Prints up to 30% faster than low resolution using draft mode printing profile; perfect for classroom settings. Easy set up using touchscreen control.

3D45 - High quality printer for creating complex models and prototypes using advanced filament types at higher temperatures. RFID recognition automatically detects filament type and adjusts printer settings. Heated bed prevents warping. Enclosed build area has cooling and filtration systems to keep temperature consistent and protect from dust. WiFi and integrated HD camera allow remote printing and monitoring



Mater			ltem
3D Pri	nting Filam		
	Whi	te	55MF69
	Blac	ck	55MF70
	Oran	ge	55MF72
	Purp		55MF73
PLA	Blu	e 1.75 i	mm 55MF74
	Gree		55MF75
	Pin		55MF76
	Silv		55MF77
	Clea	ar	55MF78
5		Mfr. Model	ltem No.
et, Filamen			
wer Cable, B Flash Dri	Unclog ve	3D40-FLX-	01 54YR15
Education	al Lecon		

remote h	i ii iu ii y a		Ulcal	
Layer Thickness	Res.	Includes	Mfr. Model	ltem No.
0.05 to 0.5 mm	50 microns	(2) Build Tapes, Build Sheet, Filament Spool, Object Removal Tool, Power Cable, Unclog Tool, USB Cable, USB Flash Drive	3D40-FLX-01	54YR15
0.05 to 0.5 mm	50 microns	(2) Build Tapes, Build Sheet, Educational Lesson Plan, Filament Spool, Object Removal Tool, Power Cable, Unclog Tool, USB Cable, USB Flash Drive	3D40-FLX-EDU	54YR16
0.1 to 0.3 mm	100 microns	(2) Glue Sticks, Filament Spool, Instruction Manual, Power Cable, Quick Start Guide, USB Cable	3D45-EDU	54YP04
100 microns	100 microns	(2) Glue Sticks, Build Plate, ECO-ABS Filament, Instruction Manual, Quick Start Guide, Roll of Black Nylon Filament, Scraper, Unclog Tool, USB Drive with Slicing Software	3D45-01	54FY56

CREALITY **Creality 3D Printers**

Matorial	Naterial Color		Item No.
	ng Filament	Dia.	NU.
OD I IIIICI	Purple		787XA8
Silk	Silver		787XA7
	Blue		787XA5
	Diue		787XC5
	Gray		787XC4
TPU	Red		787XC2
	Black		787XC1
	White		787XA9
PETG	Black		787X96
FEIG	White	1.75 mm	787X95
	Gray		787X92
ABS	Red		787X90
AD3	Black		787X89
	White		787X87
	Fluorescent Red		787X76
PLA	Fluorescent Orange		787X75
	Silver		787X74



60UN56

45HE37

787X64

Build Volume	Layer Thickness	Res.	Includes	ltem No.
5.00 in x 3.15 in x 6.30 in	0.01 to 0.2 mm	0.01 to 0.05 mm	Brush, Build Platform,	787X69
7.56 in x 4.72 in x 7.87 in	0.01 to 0.2 mm	0.05 mm	Filter, Power Cord, Quick Installation Guide, Release Film, Resin Vat, Scraper, Toolkit, USB Memory Stick	787X70
7.87 in x 7.87 in x 7.87 in	0.1 to 0.4 mm	0.1 mm		787X62
8.66 in x 8.66 in x 9.84 in	0.1 to 0.4 mm	0.1 mm	. –	787X60
9.25 in x 9.25 in x 9.84 in	0.1 to 0.4 mm	0.1 mm	Sample Filament	787X66
9.84 in x 9.84 in x 11.81 in	0.1 to 0.4 mm	0.1 mm	Spool, SD Card, Spare	787X61
11.02 in x 10.23 in x 12.20 in	0.1 to 0.4 mm	0.1 mm	Nozzles, Toolkit, USB	787X63
11.81 in x 8.86 in x 14.96 in	0.1 to 0.3 mm	0.1 mm	SD Card Adapter	787X64
11.81 in x 11.81 in x 15.75 in	0.1 to 0.3 mm	0.0125 mm		787X68
11.81 in x 11.81 in x 15.75 in	0.1 to 0.4 mm	0.1 mm		787X67

3D Printers and Filament Spools

GRAINGER®

Build Volume	Layer Thickness	Res.	- Includes	ltem No.		
6.30 in x 6.30 in x 7.09 in	0.5 to 0.5 mm	0.1 to 0.4 mm	7-Piece Wrench Set, Clam Knife, Glue Stick, Long Nose Pliers, Pad, Power Cable, SD Card with Source Files, USB Cable, Wiper Pad Set	490K93	Dia. Color Item No. 3D Printing Filament PLA	55EK74
11.02 in x 11.02 in x	0.05 to 0.4 mm	50 microns	4 GB SD Card, 7-Piece Hex Key Set, Dental Pick, Dual Filament Run-Out Sensors, Glue Stick, Hangable Bag, LCD Touch Screen Display, Long Nose Pliers, Metric Ruler, Part Removal Tool, Precision Knife, Quality Assurance Record, Quick Start Guide, Scrub Pads, TAZ Pro Toil Head Dual Extruder with 0.5 mm Nozzle, Wiper Pads	55EK73	Black 56LF59 Blue 56LF60 Green 56LF61 3 mm Gray 56LF62 Red 56LF63 White 56LF64 Orange 221W59	
11.22 in			7-Piece Hex Key Set, 8 GB SD Card, Dental Pick, Glue Stick, Hangable Bag, LCD Display, Long Nose Pilers, Metric Ruler, Part Removal Tool, Precision Knife, Quality Assurance Record, Quick Start Guide, Scrub Pads, SE Tool Head Single Extruder with 0.5 mm Nozzle, Wiper Pads	55EK74	PETG Green 221W91 3 mm Blue 221W92 Orange 221W94 Red 221W95	56LF59

1-800-GRAINGER (472-4643)

5

