









WESTWARD

Rivet Hammer Chisels

Heat-treated alloy steel promotes long life. Note: For Air Rivet Buster Chisels go to Grainger.com.

-		_	Item				
Item	Fits	No.					
Retainers for 0.401 in Shank Pneumatic Hammers							
Chisei Retainer	eedaire, Dayto Pneumatic, U	Γ, Raider	4MGY2				
Chisel Retainer	Ingersoll Ran		4MGX8				
	CP, Dayton, Ra		4MGX9				
Spring Retainer	Ingersoll F		4MGY1				
Retainers for 0.68 in Sh	ank Chipping	Hammers wi					
Chisel Retainer	CP, Daytor		4MGZ8				
Chisel Retainer	Ingersoll F		4MGZ9				
	Chisel	Overall	Item				
Item	Tip Width	Length	No.				
0.401 in Round Shank H			4841150				
	39/64 in 5/8 in	5 ¾ in	4MHE8 4MHF7				
	3/4 in	5 % in 6 ½ in					
	94 III 1 5/16 in	6 1/4 in	4MHD7				
Chisel	1 ½16 In	6 1/4 III	4MHD9 4MHE2				
	3/4 in	6 in	4MHE1				
	3/4 in	8 ½ in	4MHE6				
	3/4 in	18 in	4MHD8				
	3% in	6 ½ in	4MHF1				
Chisel Set	51/64 in	6 1/4 in	4MHF9				
Muffler Splitter Chisel	17/32 in	7 ½ in	4MHF3				
	13/64 in	6 ½ in	4MHE4				
Punch	½ in	6 ½ in	4MHE5				
0.58 in Hex Shank - Chip							
Moil Point Chisel	_	9 in	4MGÝ5				
Moli Point Chisel		12 in	4MGY6				
0.58 in Hex Shank - Chis	sels (Oval Coll	ar)					
	2 in	8 ½ in	4MGY7				
Chisel	1 in	9 in	4MGY3				
	1 in	12 in	4MGY4				
0.68 in Round Shank - Chipping Hammer Chisels (Oval Collar)							
Moil Point Chisel		9 in	4MGZ4				
		12 in	4MGZ5				
0.68 in Round Shank - C Chisels (Round Collar)	hipping Hamn						
Moil Point Chisel		12 in	4MGZ6				
0.68 in Round Shank - C							
	2 in	8 ½ in	4MGZ7				
Chisel	1 in	9 in	4MGZ2				
	1 in	12 in	4MGZ3				
0.68 in Round Shank - C			48401/2				
Chisel	1 in	8 ¾ in	4MGY8				
	2 in	8 ¾ in	4MGY9				
	1 in	12 in	4MGZ1				



Scaling Hammer Chisels

_				
Item	Shank Type	Chisel Tip Width	Overall Length	Item No.
	B1/Cleco	1 3/8 in	7 in	4MHA3
	B1/Cleco	3/4 in	7 in	4MHA1
	B1/Cleco	1 3/8 in	7 in	4MHA2
Chisel	B1/Cleco	2 in	7 in	4MHA4
	Fuji	3/4 in	7 in	4MHA5
	Fuji	2 in	7 in	4MHA8
	IR	1 3/8 in	7 in	4MHC4
	IR	3/4 in	7 in	4MHC1
	IR	1 3/8 in	7 in	4MHC2
	IR	1 % in	12 in	4MHC3
	IR	2 in	7 in	4MHA9



4MHC5 4MHD3

WESTWARD

Paving Breaker Chisels

Description	Chisel Tip Width	Overall Length	ltem No.				
0.875 in x 3 1/8 in Hex S							
Chisel	1 3/16 in	17 3/4 in	4MHC5				
Moil Point Chisel		18 ¼ in	4MHC6				
1 in x 4 1/8 in Hex Shank							
Chisel	1 1/4 in	18 % in	4MHC7				
1 in x 4 1/4 in Hex Shank	(
Moil Point Chisel	_	19 ¾ in	4MHC8				
1.125 in x 6 in Hex Sha							
Chisel	5 in	17 ¾ in	4MHD3				
Chisel	3 in	21 ¼ in	4MHD2				
Chisel	1 1/4 in	20 ½ in	4MHC9				
Moil Point Chisel	_	20 % in	4MHD1				
1.25 in x 6 in Hex Shan							
Chisel	1 3/8 in	20 ¾ in	4MHD4				
Moil Point Chisel	_	20 ½ in	4MHD5				
1.25 in x 6 1/4 in Hex Sh	ank						
Asphalt Cutter	5 in	18 in	4MHD6				



6HH12





Tool Retractors

ADJUSTABLE TOOL RETRACTORS

Include adjustable cable stop and lower safety

Hubbell BD Series—Rugged ABS plastic construction with spring tension adjustment and push-button tension release.

Hubbell BG Series—Steel construction with a black polyester baked finish. Available in both ratcheted and constant pull configurations.

INDUSTRIAL TOOL RETRACTORS

Speedaire—Rugged steel construction; permanent lubrication; easily replaceable, self-contained main spring. External tension adjustment requires no special tools. Include adjustable cable stop and safety hook.

Ingersoll Rand—Rugged steel retractor has a permanently lubricated, self-contained main spring that is easily replaceable. External tension adjustment requires no tools. Nylon-coated steel aircraft cable with adjustable cable stop and safety hook.

PRODUCTION TOOL RETRACTORS

Easy cable tension adjustment, in-line alignment of hanger and tool hook, and maintenance-free desian.

Speedaire—Die-cast aluminum units feature 3 suspension points.

Ingersoll Rand-Feature in-line adjustment of hanger and tool hook.

For Tool Weighing	Cable Length	Ratchet Lock		Overall Height	Overall Width	Overall Depth	Brand	Mfr. Model	ltem No.
Adjustable Tool Balancers									
0.50 to 1.50 lb	6 ft	No	1.3 lb	9 1/4 in	4 in	2 % in	Hubbell	BD-01	6HH07 *
1.50 to 3.00 lb	6 ft	No	1.3 lb	9 1/4 in	4 in	2 1/8 in	Hubbell	BD-03	6HH08 *
3.00 to 5.00 lb	6 ft	No	1.5 lb	9 ¼ in	4 in	2 1/8 in	Hubbell	BD-05	6HH09 *
5.00 to	8 ft	No	8 lb	13 % in	8 ¾ in	3 ¾ in	Hubbell	BG-07	6HH10 *
10.00 lb	8 ft	Yes	8 lb	13 % in	8 ¾ in	3 ¾ in	Hubbell	BG-07-L	6HH11 *
10.00 to	8 ft	No	8 lb	13 % in	8 ¾ in	3 ¾ in	Hubbell	BG-15	6HH12 *
15.00 lb	8 ft	Yes	8 lb	13 % in	8 ¾ in	3 ¾ in	Hubbell	BG-15-L	6HH13 *
16.00 to	8 ft	No	8 lb	13 % in	8 ¾ in	3 % in	Hubbell	BG-20	1YMP6 *
23.00 lb	8 ft	Yes	8 lb	13 % in	8 ¾ in	3 ¾ in	Hubbell	BG-20-L	1YMP7 *
22.00 to	8 ft	No	8 lb	13 % in	8 ¾ in	3 ¾ in	Hubbell	BG-25	1YMP8 *
27.00 lb	8 ft	Yes	8 lb	13 % in	8 ¾ in	3 % in	Hubbell	BG-25-L	1YMP9 *
Industrial Too	ol Retra	ctors							
4.00 to 9.00 lb	8 ft	No	6.28 lb	7 % in	7 % in	3 % in	Speedaire	5YAP0	5YAP0
9.00 to 13.00 lb	8 ft	No	6.61 lb	7 % in	7 %16 in	3 1/8 in	Speedaire	5YAP2	5YAP2
13.20 to 17.60 lb	6.5 ft	No	5.5 lb	11 1/8 in	5 ¹³ ⁄16 in	3 ¾ in	Ingersoll Rand	BMDS-8	6EPV8
Production Tool Retractors									
1.00 to 2.00 lb		No		4 1/16 in	4 1/16 in	2 ¾ in	Speedaire	5YAP1	5YAP1
2.00 to 4.00 lb		No		4 1/16 in	4 1/16 in	2 ¾ in	Speedaire	5YAP3	5YAP3
2.20 to 5.50 lb		No			5 13/16 in		Ingersoll Rand	BMDS-2	6EPW0
4.00 to 6.00 lb		No			4 1/16 in	2 % in	Speedaire	5YAN8	5YAN8
4.40 to 8.80 lb		No			5 13/16 in		Ingersoll Rand		6EPV9
6.00 to 8.00 lb	8 ft	No	6.28 lb	7 %16 in	7 % in	3 1/8 in	Speedaire	5YAN7	5YAN7





Air Hose Reel Tool Retractors

- No ratchet lock
- 11¾"H x 5¾"W x 41/8"D

Retractors use the air hose, instead of cables, to suspend air tools.

For 1001 Weighing	Hose Length	Keel Weight	Model	No.	
0.90 to 1.70 lb		2.57 lb	BHR-8	1YTG7	
1.50 to 3.30 lb	4.25 ft	2.6 lb	BHR-15	1YTG8	
2.60 to 5.50 lb		2.9 lb	BHR-25	1YTG9	