



16X545



2CUD4



6Z786



33N085



2CAG9



38EE39

## Washdown & Pressure Washer Spring-Return Hose Reels

Reels hold water hoses for heavy-duty cleaning applications. Spring-return hose reels help retract hose onto the reel without an external power source. The spring-return has a locking ratchet and pawl that locks into place once users have pulled the hose to the desired length. The ratchet is released by pulling the hose out, and then hose can be rewound onto the reel. Stainless steel reels withstand rust, corrosion, contaminants, and saltwater. **Pressure washer reels** hold hoses that use high pressure to remove dirt, grease, and grime in food processing plants, pulp and paper plants, and equipment. **Washdown reels** handle hoses for low- to high-water volume output with a range of psi requirements for low- or high-pressure applications such as cleaning service bays, food processing plants, and fleet maintenance.

Hose Cap.	Hose End Configuration	Max. Operating Pressure	Overall Dim.	Swivel Material	Reel Color	Brand	Item No.
<b>Corrosion-Resistant Stainless Steel Washdown Spring-Return Hose Reels</b>							
<b>Hose Not Included</b>							
25 ft (½ in I.D.)	—	300 psi	7 in L x 17 ¼ in W x 18 ¾ in H	Stainless Steel	Silver	Coxreels	16X545
25 ft (¾ in I.D.)	—	300 psi	19 ½ in L x 9 ¾ in W x 25 ½ in H	Stainless Steel	Silver	Coxreels	16X548
50 ft (½ in I.D.)	—	500 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Stainless Steel	Silver	Reelcraft	6Z785
50 ft (¾ in I.D.)	—	300 psi	23 in L x 9 ¾ in W x 25 ½ in H	Stainless Steel	Silver	Coxreels	271F16
70 ft (¾ in I.D.)	—	300 psi	19 ¾ in L x 8 ½ in W x 20 ½ in H	Brass	Silver	Reelcraft	38EE94
100 ft (½ in I.D.)	—	500 psi	24 in L x 10 ½ in W x 25 ¾ in H	Stainless Steel	Silver	Reelcraft	5KPC2
<b>Hose Included</b>							
50 ft (½ in I.D.)	½ in MNPT	300 psi	20 ¾ in L x 8 7/16 in W x 22 ½ in H	Stainless Steel	Silver	Speedaire	2CUD4
<b>Corrosion-Resistant Stainless Steel Dual-Pedestal Washdown Spring-Return Hose Reels</b>							
<b>Hose Not Included</b>							
50 ft (¾ in I.D.)	—	500 psi	24 in L x 10 ½ in W x 25 ¾ in H	Stainless Steel	Silver	Reelcraft	38L549
50 ft (1 in I.D.)	—	500 psi	24 in L x 15 ¾ in W x 25 ¾ in H	Stainless Steel	Silver	Reelcraft	5KPC3
75 ft (¾ in I.D.)	—	500 psi	24 in L x 13 in W x 25 ¾ in H	Stainless Steel	Silver	Reelcraft	6Z786
<b>Corrosion-Resistant Stainless Steel Pressure-Washer Spring-Return Hose Reel</b>							
<b>Hose Not Included</b>							
50 ft (¾ in I.D.)	—	3,000 psi	19 ½ in L x 8 ¼ in W x 21 ¼ in H	Stainless Steel	Silver	Coxreels	16X549
<b>Enclosed Corrosion-Resistant Stainless Steel Air or Water Spring-Return Hose Reels</b>							
<b>Hose Not Included</b>							
50 ft (¾ in I.D.)	—	300 psi	21 7/8 in L x 8 ½ in W x 21 ¾ in H	Stainless Steel	Silver	Coxreels	29PY05
50 ft (½ in I.D.)	—	300 psi	21 7/8 in L x 8 ½ in W x 21 ¾ in H	Stainless Steel	Silver	Coxreels	33N085
<b>Pressure-Washer Spring-Return Hose Reels</b>							
<b>Hose Not Included</b>							
50 ft (¾ in I.D.)	—	5,000 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Nickel Plated Steel	Red	Reelcraft	2CAG9
100 ft (¾ in I.D.)	—	5,000 psi	19 1/16 in L x 12 7/16 in W x 21 ¼ in H	Steel	Green	Speedaire	45UZ54
100 ft (¾ in I.D.)	—	5,000 psi	24 in L x 10 ½ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	4NB25
<b>Hose Included</b>							
50 ft (¾ in I.D.)	¼ in MNPT	4,800 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Nickel Plated Steel	Red	Reelcraft	38EE39
75 ft (¾ in I.D.)	¼ in MNPT	4,800 psi	19 ¾ in L x 8 ¼ in W x 20 ¼ in H	Nickel Plated Steel	Red	Reelcraft	48ZX02



## Pre-Rinse & Potable Water Spring-Return Hose Reels

- Spring-return retracts hose without external power source
- Reels mount to floor, walls, or ceiling
- Adjustable hose guide included
- Includes hose

**Pre-rinse reels** hold hoses that carry water to highly corrosive environments and are powder-coated. **Potable water reel** connects hoses to drinking water systems. This single-pedestal reel has a full-flow stainless steel fluid path with a PVC swivel, drain, and standard female garden hose fitting. It holds low-pressure water hoses to bring potable water to water purification plants, water storage tanks, and food and beverage plants.



4NB27



4NB26

Hose Cap.	Hose End Configuration	Max. Operating Pressure	Overall Dim.	Swivel Material	Reel Color	Item No.
<b>Pre-Rinse Spring-Return Hose Reels</b>						
35 ft (¾ in I.D.)	¾ in MNPT x ¾ in FNPT	125 psi	14 ¼ in L x 6 ½ in W x 14 ¾ in H	Brass	Red	4NB27
<b>Potable Water Spring-Return Hose Reel</b>						
35 ft (½ in I.D.)	¾ in FGHT x ¾ in FNH	150 psi	14 ¼ in L x 6 ½ in W x 14 ¾ in H	PVC	Red	4NB26