

2W402





Embossed 802UN9





Lined 1XGY6

Recessed Bead-Lined 16P250

Standard Worm Gear Clamps

■ Slotted hex drive type

Useful in general purpose applications to secure tube and hose connections. A hand tool such as a hex-nut driver or screwdriver tightens the clamp.

Band Width	Clamping Diameter	SAE No.	Band Thickness	Installation Torque	Fastener Material	Item No.	Pkg. Qty.
Perfora	ted 201 Stainlage	Steel Bar	ıd	·			
½ in ½ in	3/6 in - 1/6 in 3/6 in - 1/6 in 3/6 in - 1/6 in 1/16 in - 1 in 1/16 in - 1 in 1/16 in - 1 in	6	0.022 in	35 in-lb	305 Stainless Steel 410 Stainless Steel	5CZE0	10
½ in	98 III = 98 III 36 in = 76 in	6	0.022 in 0.022 in	35 in-lb 35 in-lb	Zinc-Plated Steel	16P292 2PA57	10
½ in	7/16 in – 1 in	8	0.022 in	35 in-lb	305 Stainless Steel	5CZE1	10
1/2 in	7∕16 in − 1 in	8	0.022 in 0.022 in	35 in-lb	305 Stainless Steel 410 Stainless Steel	16P293	10
½ in	7∕16 in − 1 in	8	0.022 in	35 in-lb	Zinc-Plated Steel	2PA58	10
½ in	72 IN - 1 716 IN	10	0.022 in	35 in-lb	305 Stainless Steel	5CZE2	10
½ in ½ in	½ in – 1 ½ in ½ in – 1 ½ in	10 10	0.022 in 0.022 in	35 in-lb 35 in-lb	410 Stainless Steel Zinc-Plated Steel	16P294 2PA59	10
½ in	½ in - 1 ¼ in ½ in - 1 ½ in 1¼ in - 1 ½ in 1¼ in - 1 ½ in 1¼ in - 1 ¾ in ¾ in - 1 ¾ in ¾ in - 1 ¾ in ¾ in - 2 ¾ in ¾ in - 2 ¾ in	12	0.022 in	35 in-lb	305 Stainless Steel	5CZE3	10
½ in	½ in – 1 ¼ in	12	0.022 in 0.022 in	35 in-lb	305 Stainless Steel 410 Stainless Steel	16P295	10
½ in	½ in – 1 ¼ in	12	0.022 in 0.022 in 0.022 in	35 in-lb	Zinc-Plated Steel	2PA60	10
½ in	11/16 in - 1 ½ in	16	0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 410 Stainless Steel	5CZE4	10
½ in ½ in	11/16 IN - 1 1/2 IN	16 16	0.022 in 0.022 in	35 in-lb	Zinc-Plated Steel	16P296 2PA61	10
½ in	3/4 in = 1 3/4 in	20	0.022 in	35 in-lh	305 Stainless Steel	5CZE5	10
½ in	3/4 in - 1 3/4 in	20	0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 410 Stainless Steel	16P297	10
1/2 in	3/4 in - 1 3/4 in	20	0.022 in	35 in-lb	Zinc-Plated Steel	2PA62	10
½ in	3/4 in - 2 3/4 in	36	0.022 in	35 in-lb	305 Stainless Steel	5CZE9	10
½ in	3/4 in - 2 3/4 in	36	0.022 in	35 in-lb	410 Stainless Steel	16P302	10
½ in ½ in	3/4 in - 2 3/4 in	36 24	0.022 in	35 in-lb 35 in-lb	Zinc-Plated Steel	2PA66 5CZE6	10
½ in	1 in – 2 in	24	0.022 in 0.022 in	35 in-lb	305 Stainless Steel 410 Stainless Steel	16P298	10
½ in	1 in – 2 in	24	0.022 in	35 in-lb	7inc-Plated Steel	2PA63	10
½ in	1 1/4 in - 2 1/4 in	28	0.022 in	35 in-lb	305 Stainless Steel	5CZE7	10
½ in	44 In - 2 ¼ In 1 in - 2 in 1 in - 2 in 1 in - 2 in 1 ¼ in - 2 ¼ in 1 ¼ in - 2 ¼ in 1 ½ in - 2 ½ in	28	0.022 in 0.022 in 0.022 in 0.022 in 0.022 in	35 in-lb	305 Stainless Steel 410 Stainless Steel	16P299	10
½ in	1 ½ in – 2 ¼ in	28	0.022 in	35 in-lb	Zinc-Plated Steel	2PA64	10
½ in ½ in	1 ½ III – 2 ½ III 1 ¼ in – 2 ¼ in	32 32	0.022 in 0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 410 Stainless Steel	5CZE8 16P301	10 10
½ in	1 ½ in – 2 ½ in	32	0.022 in	35 in-lb	Zinc-Plated Steel	2PA65	10
½ in	1 in – 3 in	40	0.022 in	35 in-lb	305 Stainless Steel	5CZF0	10
½ in	1 in – 3 in 1 in – 3 in	40	0.022 in	35 in-lb	410 Stainless Steel	16P303	10
½ in		40	0.022 in	35 in-lb	Zinc-Plated Steel	2PA67	10
½ in ½ in	1 In - 3 In 1 ¼ in - 3 ¼ in 1 ¼ in - 3 ¼ in 1 ½ in - 3 ½ in 1 ½ in - 3 ½ in 1 ½ in - 3 ½ in 1 ¾ in - 3 ¾ in 2 in - 4 in 2 ¼ in - 4 ¼ in	44	0.022 in 0.022 in	35 in-lb 35 in-lb	410 Stainless Steel Zinc-Plated Steel	16P304 2PA68	10 10
½ in	1 1/4 III = 3 1/4 III	48	0.022 III	35 in-lb	305 Stainless Steel	5CZF2	10
½ in	1 ½ in – 3 ½ in	48	0.022 in 0.022 in 0.022 in 0.022 in	35 in-lb	305 Stainless Steel 410 Stainless Steel Zinc-Plated Steel	16P305	10
½ in	1 ½ in – 3 ½ in	48	0.022 in	35 in-lb 35 in-lb	Zinc-Plated Steel	2PA69	10
½ in	1 ¾ in – 3 ¾ in	52	0.022 in	35 in-lb	410 Stainless Steel	16P306	10
½ in	1 ¾ in – 3 ¾ in	52	0.022 in 0.022 in	35 in-lb 35 in-lb	Zinc-Plated Steel	2PA70 16P307	10 10
½ in ½ in	2 iii = 4 iii	56 56	0.022 in	35 in-lb	410 Stainless Steel Zinc-Plated Steel	2PA71	10
½ in	2 ½ in – 4 ¼ in	60	0.022 in	35 in-lb	410 Stainless Steel	16P308	10
½ in	2 ½ in – 4 ½ in	64	0.022 in	35 in-lb	410 Stainless Steel		10
1/2 in	2 ½ in – 4 ½ in	64	0.022 in	35 in-lb	Zinc-Plated Steel	2PA72	10
½ in	3 in – 5 in 3 in – 5 in	72 72	0.022 in 0.022 in	35 in-lb	410 Stainless Steel	16P310	10
½ in ½ in	3 in - 5 in 3 ½ in - 5 ½ in 3 ½ in - 5 ½ in 4 in - 6 in 4 in - 6 in 4 ½ in - 6 ½ in 4 ½ in - 6 ½ in 5 in - 7 in	80	0.022 III	35 in-lb 35 in-lb	Zinc-Plated Steel 410 Stainless Steel	2PA73 16P311	10 10
½ in	3 ½ in – 5 ½ in	80	0.022 in 0.022 in 0.022 in 0.022 in 0.022 in	35 in-lb	Zinc-Plated Steel	2PA74	10
½ in	4 in – 6 in	88	0.022 in	35 in-lb	410 Stainless Steel	16P312	10
½ in	4 in – 6 in	88	0.022 in	35 in-lb	Zinc-Plated Steel	2PA75	10
½ in	4 ½ in – 6 ½ in	96	U.UZZ III	35 in-lb	410 Stainless Steel	16P313	10
½ in ½ in	4 ½ In – 6 ½ In	96 104	0.022 in 0.022 in	35 in-lb 35 in-lb	Zinc-Plated Steel 410 Stainless Steel	2PA76 16P314	10 10
½ in	5 in – 7 in	104	0.022 in	35 in-lb	Zinc-Plated Steel	2PA77	10
9/16 in	5 in – 7 in 3⁄8 in – 7⁄8 in	6	0.022 in	30 in-lb	410 Stainless Steel	5X443	10
9/16 in	1/2 in - 1 1/16 in	10	0.022 in	30 in-lb	410 Stainless Steel	5X444	10
9/16 in	½ in – 1 ¼ in	12	0.022 in 0.022 in	30 in-lb	410 Stainless Steel	1A529	10
9/16 in	1½6 in - 1½ in ¾4 in - 1¾4 in ¾4 in - 2¾4 in 1 in - 2 in 1¼ in - 2¼ in 1½ in - 2½ in 1¼ in - 3¼ in 2½ in - 4½ in 3 in - 5 in	16 20	0.022 in	30 in-lb	410 Stainless Steel 410 Stainless Steel	4XZ77 5X445	10
9/16 in 9/16 in	3/4 in = 2 3/4 in	36	0.022 in 0.022 in 0.022 in 0.022 in 0.022 in	30 in-lb 30 in-lb	410 Stainless Steel	2W404	10
9/16 in	1 in – 2 in	36 24	0.022 in	30 in-lb	410 Stainless Steel 410 Stainless Steel	2W404 2W402	10
9∕16 in	1 ¼ in – 2 ¼ in	28	0.022 in	30 in-lb	410 Stainless Steel	1A530	10
9/16 in	1 ½ in - 2 ½ in	32	0.022 in	30 in-lb	410 Stainless Steel	2W403	10
9/16 in	1 ½ in – 3 ¼ in	44	0.022 in	30 in-lb	410 Stainless Steel	2W405	10
9/16 in 9/16 in	3 in – 5 in	64 72	0.022 in 0.022 in	30 in-lb 30 in-lb	410 Stainless Steel 410 Stainless Steel	5X446 1A531	10
9/16 in	5 in – 7 in	104	0.022 in	35 in-lb	410 Stainless Steel	1A531	10

Band Width	Clamping Diameter ated 301 Stainless		Band Thickness	Installation Torque	Fastener Material	Item No.	Pkg. Qty.
5/16 in	5∕16 in − 5⁄8 in	4	0.022 in		302 Stainless Steel		10
5/16 in 5/16 in	9/16 IN — 9/8 IN 5/16 IN — 5/8 IN	4	0.022 in 0.022 in	10 to 15 in-lb	Zinc-Plated Steel Zinc-Plated Steel	16P269 5X441	10
5∕16 in	5/16 in - 3/4 in	5	0.022 in	10 to 15 in-lb	302 Stainless Steel	5CZD3	10
5/16 in 5/16 in	9/16 IN − 1/8 IN 1/16 IN − 1/8 IN	6	0.022 in 0.022 in	10 to 15 in-lb	Zinc-Plated Steel Zinc-Plated Steel	5X442 16P270	10
5/16 in	½ in – 1 ½ in	10	0.022 in 0.022 in	10 to 15 in-lb 10 to 15 in-lb	302 Stainless Steel	16P270 5CZD4	10
5/16 in 5/16 in	³ / ₄ in – 1 ³ / ₂ in	16 20	0.022 in 0.022 in 0.022 in	10 to 15 in-lb 10 to 15 in-lb 10 to 15 in-lb	302 Stainless Steel	5CZD5 5CZD6	10
5∕16 in	ated 301 Stainless 9/6 in - 9/6 in 1/6 in - 9/6 in 1/6 in - 1/6 in 1/6 in - 2/6 in 1/6 in - 1/6 in 1/6 in - 1/6 in 1/6 in - 1/6 in	24 32	0.022 in 0.022 in	10 to 15 in-lb	Zinc-Plated Steel Zinc-Plated Steel 302 Stainless Steel 305 Stainless Steel 305 Stainless Steel 306 Stainless Steel	5CZD6 5CZD7	10
5/16 in 5/16 in	1 ¾ in – 2 ¾ in	36	0.022 in 0.022 in 0.022 in	10 to 15 in-lb 10 to 15 in-lb 35 in-lb	302 Stainless Steel	5CZD8 5CZD9	10 10
½ in ½ in	3% in – 7% in	6 8	0.022 in 0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel	1XHB5 1XHB6	10 10
½ in	½ in – 1 ½ in ½ in – 1 ¼ in	10	0.022 in 0.022 in	35 in-lh	305 Stainless Steel 305 Stainless Steel	1XHB7	10
½ in ½ in	11/4c in = 1 1/5 in	12 16	0.022 in 0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel	1XHB8 1XHB9	10
1/2 in	3/4 in - 1 3/4 in	20	0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel		10
½ in ½ in	3⁄4 in – 2 3⁄4 in 1 in – 2 in	36 24	0.022 in 0.022 in	35 in-lb	305 Stainless Steel	1XHC5 1XHC2	10
½ in	1 ½ in – 2 ½ in	28	0.022 in	35 in-lb	305 Stainless Steel	1XHC3	10
½ in ½ in	1 ½ in – 2 ½ in 1 in – 3 in	32 40	0.022 in 0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel		10
½ in	1 ½ in – 3 ½ in	44 48	0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel	1XHC7	10
½ in ½ in	1 ¾ in – 3 ¾ in	52	0.022 in 0.022 in	35 in-lb	305 Stainless Steel	1XHC8 1XHC9	10
½ in ½ in	2 in – 4 in	56 60	0.022 in 0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel	1XHD1 1XHD2	10 10
1/2 in	2 ½ in – 4 ½ in	64	0.022 in	35 in-lb	305 Stainless Steel	1XHD3	10
1½ in 1½ in	3 in – 5 in 3 ½ in – 5 ½ in	72 80	0.022 in 0.022 in	35 in-lb 35 in-lb	305 Stainless Steel	1XHD4 1XHD5	10 10
1/2 in	4 in – 6 in	88	0 022 in	35 in-lh	305 Stainless Steel	1XHD6	10
½ in ½ in	1 in - 3 in 1 in - 3 in 1 ¼ in - 3 ¼ in 1 ¼ in - 3 ½ in 1 ¼ in - 3 ½ in 1 ¼ in - 3 ¼ in 2 ¼ in - 4 ¼ in 2 ¼ in - 4 ¼ in 3 in - 5 ¼ in 3 ¼ in - 5 ½ in 4 ¼ in - 6 ½ in - 6 ½ in 5 in - 7 ¼ in ¾ in - ¾ in 3 ¼ in - 1 in 1 in 1 ¼ in - 3 ¼ in - 1 in 1 in 1 ¼ in - 3 ¼ in - 1 in 1 in 1 ¼ in - 1 in 1 in 1 ¼ in - 3 ¼ in - 1 in 1 in 1 ¼ in - 3 ¼ in - 1 in	96 104	0.022 in 0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel 305 Stainless Steel 305 Stainless Steel 305 Stainless Steel	1XHD7 1XHD8	10 10
9/16 in	5/16 in - 7/8 in	6	በ በ22 in	10 10 15 111-10	302 Stainless Steel 305 Stainless Steel 305 Stainless Steel	1A528	10
9/16 in 9/16 in	% in – % in % in – 1 in	6 8	0.022 in 0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel	5CYZ3 5CYZ4	10 10
9/16 in	½ in – 1 ½ in ½ in – 1 ¼ in	10	0.022 in	35 in-lb	305 Stainless Steel	5CYZ5	10
9/16 in 9/16 in	1½ in – 1 ½ in	12 16	0.022 in 0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel	5CYZ6 5CYZ7	10 10
9/16 in 9/16 in	3/4 in - 2 3/4 in 1 1/4 in - 2 1/4 in	36 28	0.022 in 0.022 in	35 in-lb	305 Stainless Steel	5CZA2 5CZA0	10 10
9⁄16 in	1 ½ in – 2 ½ in	32	0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel	5CZA1	10
9/16 in 9/16 in	1 in – 3 in	40 48	0.022 in 0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel	5CZA3 5CZA5	10
9/16 in	1 ½ in – 3 ½ in 1 ¾ in – 3 ¾ in	52	0.022 in	35 in-lb	305 Stainless Steel	5CZA6	10
9/16 in 9/16 in		56 64	0.022 in 0.022 in	35 in-lb	305 Stainless Steel	5CZA7 5CZA8	10
9⁄16 in	3 in – 5 in	72	0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel	5CZA9	10
9/16 in 9/16 in	3 ½ in – 5 ½ in 4 in – 6 in	80 88	0.022 in 0.022 in	35 in-lb 35 in-lh	305 Stainless Steel	5CZC0 5CZC1	10
9⁄16 in	2 ½ in – 4 ½ in 3 in – 5 in 3 ½ in – 5 ½ in 4 in – 6 in 4 ½ in – 6 ½ in 5 in – 7 in	96	0.022 in	35 in-lb 35 in-lb	305 Stainless Steel 305 Stainless Steel	5CZC2	10
9/16 in Perfor	ateo 304 Stainiess	104 Steel Ba	0.022 in nd	35 in-lb	305 Stainless Steel	5CZC3	10
5/16 in 5/16 in	1/32 in − 5/8 in 1/16 in − 25/32 in 11/16 in − 1 1/4 in	4 6	0.02 in 0.02 in		Zinc-Plated Steel	447N82 447N83	10 10
1/2 in	11/ ₁₆ in – 1 ½ in	12	0.02 in		Zinc-Plated Steel Zinc-Plated Steel	447N85	10
9 mm	sed 304 Stainless	Steel Bar 12	0.024 in	18 in-lb	304 Stainless Steel	802UN1	10
9 mm	8 mm – 12 mm 12 mm – 20 mm 16 mm – 27 mm	20	0.024 in	18 in-lb 18 in-lb	304 Stainless Steel 304 Stainless Steel	802UN3	10
9 mm 9 mm	23 mm = 35 mm	27 35	0.024 in 0.024 in	2/ in-lb	304 Stainless Steel	802UN7	10
9 mm	30 mm – 45 mm 40 mm – 60 mm	45 60	0.024 in 0.024 in	27 in-lb 27 in-lb	304 Stainless Steel 304 Stainless Steel	SUSTING	10
9 mm 9 mm	60 mm – 80 mm	80	0.024 in	27 in-lb	304 Stainless Steel	802UP3	10
9 mm	80 mm - 100 mm 100 mm - 120 mm		0.024 in 0.024 in	27 in-lb 27 in-lb	304 Stainless Steel 304 Stainless Steel	802UP5	10 10
9 mm	120 mm - 140 mm	า 140	0.024 in	27 in-lb	304 Stainless Steel	802UP9	10
	140 mm – 160 mm 201 Stainless Stee l		0.024 in	27 in-lb	304 Stainless Steel	802UR1	10
1/2 in	½ in – % in	6	0.022 in	35 in-lb	Zinc-Plated Steel	1XGY5	10
½ in ½ in	5% in – 1 in	8 10	0.022 in 0.022 in	35 in-lb 35 in-lb	Zinc-Plated Steel Zinc-Plated Steel	1XGY6 1XGY7	10
1/2 in	11/16 in - 1 1/4 in	12	0.022 in	35 in-lb	Zinc-Plated Steel	1XGY8	10
½ in ½ in	74 in - 1 ½ in 1 in - 1 ¾ in	16 20	0.022 in 0.022 in	35 in-lb 35 in-lb	Zinc-Plated Steel Zinc-Plated Steel	1XGY9 1XGZ1	10
½ in	5% in - 1 in 11/16 in - 1 1/16 in 11/16 in - 1 1/2 in 34 in - 1 1/2 in 11 in - 1 3/4 in 1 1/4 in - 2 1/4 in 1 1/6 in - 2 1/4 in 1 1/6 in - 2 1/4 in 1 1/6 in - 3 1/4 in 2 1/6 in - 3 1/4 in 3 1/6 in - 4 in	24	0.022 in 0.022 in 0.022 in 0.022 in 0.022 in 0.022 in 0.022 in	35 in-lb		1XGZ2	10
½ in ½ in	1 9/16 in - 2 1/2 in	28 32	0.022 in	35 in-lb 35 in-lb	Zinc-Plated Steel	1XGZ3 1XGZ4	10
½ in ½ in	1 13/16 in - 2 3/4 in	36 40	0.022 in	35 IN-ID	Zinc-Plated Steel	1XGZ5 1XGZ6	10 10
½ in	2 5/16 in - 3 1/4 in	44	0.022 in	35 IN-ID	Zinc-Plated Steel	1XGZ7	10
½ in ½ in	3 ½6 in – 4 in 3 ½6 in – 4 ½ in	56 64	0.022 in 0.022 in	35 in-lb 35 in-lb	Zinc-Plated Steel Zinc-Plated Steel	1XHA1 1XHA3	10
Lined 3	304 Stainless Stee	l Band					
5/8 in 5/8 in	1 ¼ in – 2 ½ in 2 in – 4 ½ in	262 412	0.027 in 0.027 in	75 to 90 in-lb 75 to 90 in-lb	410 Stainless Steel 410 Stainless Steel	4XZ78 4XZ79	10 10
5/8 in 5/8 in	4 in – 6 1/8 in 6 in – 9 1/8 in	612 912	0.027 in 0.027 in 0.027 in	75 to 90 in-lb 75 to 90 in-lb	410 Stainless Steel 410 Stainless Steel	4XZ80 4XZ81	5
Lined 3	316 Stainless Stee	Band					
1/2 in 1/2 in	% in – 1 in ¾ in – 1 ½ in	8 16	0.024 in 0.024 in	35 in-lb 35 in-lb	316 Stainless Steel 316 Stainless Steel		10 10
1/2 in	5 in – 6 in	88	0.024 in	35 in-lb	316 Stainless Steel		10
Reces:	sed Bead-Lined 30 ⁻ 3⁄4 in – 1 5⁄8 in	1 Stainle: 19	ss Steel Band 0.028 in	70 in-lb	410 Stainless Steel	16P251	10
9/16 in		16	0.028 in	70 in-lb	410 Stainless Steel 410 Stainless Steel	16P250	10
9/16 in 9/16 in	1 ½ In – 1 ¾ In 1 ½ in – 2 in	20 24	0.028 in 0.028 in	70 in-lb 70 in-lb	410 Stainless Steel 410 Stainless Steel	16P254	10
9/16 in	1 ½ in – 2 ¼ in	28 32	0.028 in	70 in-lb	410 Stainless Steel	16P255	10
9/16 in 9/16 in	2 in - 2 ½ in	34	0.028 in 0.028 in	70 in-lb 70 in-lb	410 Stainless Steel 410 Stainless Steel	16P257	10
9/16 in 9/16 in	2 1/8 in - 2 3/4 in	36 40	0.028 in 0.028 in	70 in-lb	410 Stainless Steel	16P258 16P259	10
9/16 in	1 in - 1 ½ in 1 ¼ in - 1 ¾ in 1 ½ in - 2 ¼ in 1 ½ in - 2 ¼ in 1 ¾ in - 2 ½ in 2 in - 2 ¾ in 2 ⅓ in - 2 ¾ in 2 ⅓ in - 3 ¼ in 2 ½ in - 3 ¼ in 2 ¾ in - 3 ¼ in 2 ¾ in - 4 in	44	0.028 in	70 in-lb 70 in-lb	410 Stainless Steel 410 Stainless Steel 410 Stainless Steel 410 Stainless Steel 410 Stainless Steel	16P260	10
9/16 in 9/16 in	2 ½ in – 3 ¾ in 2 ¾ in – 4 in	52 56	0.028 in 0.028 in 0.028 in	70 in-lb 70 in-lb	410 Stainless Steel	16P262 16P263	10 10
7.0 111	27-11 111	30	0.020 111	7 5 111 10		.0. 200	

2414