

1-800-GRAINGER (472-4643)

High-Visibility Large-Frame Air or Water Spring-Return Hose Reels

- Hose included
- Max. operating pressure: 300 psi
- Blue reel color
- Brass swivel

Large-frame reels feature a larger chassis and frame that hold longer lengths of hose, or shorter lengths of large diameter hose. These low-pressure, single-pedestal reels mount to a wall, floor, vehicle, or an overhead position, and have a movable guide arm. The dual-axis support system increases stability and reduces vibration during use. These reels with movable arms are commonly used with air or water hoses for washdowns, lubrication, and in auto and fleet service centers.



NO. 60GW11

Hose Cap.	Hose End Configuration	Overall Dim.	Item No.
50 ft (¾ in I.D.)	¾ in MNPT	19 ½ in L x 8 ¼ in W x 21 ¼ in H	60GW11
50 ft (½ in I.D.)	½ in MNPT	19 ½ in L x 8 ¼ in W x 21 ¼ in H	60GW14
75 ft (¾ in I.D.)	¾ in MNPT	24 in L x 8 ¼ in W x 21 ¼ in H	60GW12
75 ft (½ in I.D.)	½ in MNPT	24 in L x 8 ¼ in W x 25 ½ in H	60GW15
100 ft (¾ in I.D.)	¾ in MNPT	24 in L x 8 ¼ in W x 21 ¼ in H	60GW13
100 ft (½ in I.D.)	½ in MNPT	24 in L x 8 ¼ in W x 25 ½ in H	60GW16



45NA97



53DR87



4JNA6



29RE69



10C509



Fuel Spring-Return Hose Reels

Fuel hose reels hold various lengths and diameters of hose for fuel delivery systems including diesel exhaust fluid, gas, and liquid propane. **DEF hose reels** hold hoses that dispense DEF (diesel exhaust fluid) for late model diesel engines and for emerging greener DEF service stations. **Gas hose reels and hoses** are found in utility, ground support, and bulk liquid handling transport services to convey gasoline. **Liquid propane hose reels and hoses** safely handle the transfer of liquid propane for use in agriculture, construction, and heating.



4NB22



2CAH8

Hose Cap.	Hose End Configuration	Maximum Operating Pressure	Overall Dim.	Swivel Material	Reel Color	Brand	Item No.
DEF Spring-Return Hose Reels							
Hose Included							
25 ft (¾ in I.D.)	¾ in MNPT	210 psi	16 in L x 8 ½ in W x 15 in H	Stainless Steel	Gray	Liquidynamics Inc.	45NA97
25 ft (¾ in I.D.)	¾ in MNPT	300 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Stainless Steel	Red	Reelcraft	12U317
26 ft (¾ in I.D.)	¾ in BSP	145 psi	7 in L x 18 ½ in W x 19 in H	Polypropylene	Gray	Piusi	53DR87
50 ft (½ in I.D.)	½ in MNPT	300 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Stainless Steel	Red	Reelcraft	12U316
50 ft (¾ in I.D.)	¾ in MNPT	210 psi	21 in L x 11 ¾ in W x 23 ½ in H	Stainless Steel	Gray	Liquidynamics Inc.	45NA98
50 ft (¾ in I.D.)	¾ in MNPT	300 psi	24 in L x 9 ¾ in W x 25 ½ in H	Stainless Steel	Blue	Coxreels	29RD13
50 ft (¾ in I.D.)	¾ in MNPT	300 psi	26 ¼ in L x 12 in W x 26 ¾ in H	Stainless Steel	Red	Reelcraft	12U318
Dual-Pedestal Gas Spring-Return Hose Reels							
Hose Not Included							
50 ft (¾ in I.D.)	—	500 psi	24 in L x 10 ½ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	38L545
50 ft (1 ¼ in I.D.)	—	600 psi	26 ¼ in L x 19 ¾ in W x 26 ¾ in H	Aluminum	Red	Reelcraft	4JNA5
50 ft (1 ½ in I.D.)	—	600 psi	26 ¼ in L x 19 ¾ in W x 26 ¾ in H	Aluminum	Red	Reelcraft	4JNA6
75 ft (¾ in I.D.)	—	300 psi	24 in L x 12 in W x 25 ½ in H	Brass	Blue	Coxreels	29RE69
75 ft (¾ in I.D.)	—	500 psi	24 in L x 13 in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	5PG09
Hose Included							
35 ft (1 in I.D.)	1 in MNPT	250 psi	24 in L x 10 ½ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	22KW59
35 ft (1 in I.D.)	1 in MNPT	300 psi	24 in L x 10 in W x 25 ½ in H	Nickel Plated Steel	Blue	Coxreels	10C509
50 ft (¾ in I.D.)	¾ in MNPT	300 psi	23 in L x 9 ¾ in W x 25 ½ in H	Brass	Blue	Coxreels	271D97
50 ft (¾ in I.D.)	¾ in MNPT	250 psi	24 in L x 10 ½ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	5PG08
50 ft (1 in I.D.)	1 in MNPT	250 psi	24 in L x 15 ¾ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	4NB22
50 ft (1 in I.D.)	1 in MNPT	300 psi	24 in L x 12 ½ in W x 25 ½ in H	Nickel Plated Steel	Blue	Coxreels	271D99
75 ft (¾ in I.D.)	¾ in MNPT	250 psi	24 in L x 13 in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	4NB21
Gas Spring-Return Hose Reels							
Hose Included							
25 ft (¾ in I.D.)	¾ in MNPT	250 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Nickel Plated Steel	Red	Reelcraft	2CAH8
25 ft (¾ in I.D.)	¾ in MNPT	300 psi	19 ¾ in L x 9 ¾ in W x 21 in H	Brass	Blue	Coxreels	260N39
Hose Not Included							
50 ft (1 in I.D.)	—	500 psi	24 in L x 15 ¼ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	38L539
Liquid Propane Spring-Return Hose Reels							
Hose Not Included							
50 ft (1 in I.D.)	—	350 psi	24 in L x 7 ¾ in W x 25 ¾ in H	LP U/L Rated	Red	Reelcraft	22KW58
50 ft (¾ in I.D.)	—	350 psi	24 in L x 10 ½ in W x 25 ¾ in H	LP U/L Rated	Red	Reelcraft	22KW91
75 ft (¾ in I.D.)	—	350 psi	24 in L x 10 ½ in W x 25 ¾ in H	LP U/L Rated	Red	Reelcraft	56MW48
100 ft (½ in I.D.)	—	300 psi	24 in L x 10 ½ in W x 25 ¾ in H	LP U/L Rated	Red	Reelcraft	22KW61



38L539



22KW58