



REELCRAFT




Grease Spring-Return Hose Reels

■ Hose included

Grease reels hold various lengths and diameters of hose for grease or hydraulic operations.

Hose Cap.	Hose End Configuration	Maximum Operating Pressure	Overall Dim.	Swivel Material	Reel Color	Brand	Item No.
Standard Grease Spring-Return Hose Reels							
50 ft (¼ in I.D.)	¼ in MNPT	5,000 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Nickel Plated Steel	Red	Reelcraft	6AB49
50 ft (¾ in I.D.)	¼ in MNPT	4,800 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Nickel Plated Steel	Red	Reelcraft	42175
75 ft (¼ in I.D.)	¼ in MNPT	5,000 psi	19 ¾ in L x 8 ½ in W x 20 ¼ in H	Nickel Plated Steel	Red	Reelcraft	48ZW98
75 ft (¾ in I.D.)	¼ in MNPT	4,800 psi	19 ¾ in L x 8 ½ in W x 20 ¼ in H	Nickel Plated Steel	Red	Reelcraft	48ZX01
100 ft (¼ in I.D.)	¼ in MNPT	5,000 psi	19 ¾ in L x 8 ½ in W x 20 ¼ in H	Nickel Plated Steel	Red	Reelcraft	48ZW99
Truck-Mounted Controlled-Retraction Grease Spring-Return Hose Reels							
75 ft (¾ in I.D.)	¾ in MNPT	4,000 psi	24 in L x 9 ¾ in W x 25 ½ in H	Brass	Blue	Coxreels	29PZ75
100 ft (¼ in I.D.)	¼ in MNPT	5,000 psi	24 in L x 9 ¾ in W x 25 ½ in H	Brass	Blue	Coxreels	33N088
Truck-Mounted Dual-Pedestal Grease Spring-Return Hose Reel							
50 ft (¾ in I.D.)	¾ in MNPT	4,800 psi	16 ½ in L x 8 in W x 17 in H	Nickel Plated Steel	Red	Reelcraft	2CAG8
Truck-Mounted Grease Spring-Return Hose Reels							
50 ft (¼ in I.D.)	¼ in MNPT	5,000 psi	19 ½ in L x 9 ¾ in W x 21 ¼ in H	Brass	Blue	Coxreels	29RE31
75 ft (¾ in I.D.)	¾ in MNPT	4,000 psi	24 in L x 9 ¾ in W x 25 ½ in H	Brass	Blue	Coxreels	29RE34
100 ft (¼ in I.D.)	¼ in MNPT	5,000 psi	24 in L x 9 ¾ in W x 25 ½ in H	Brass	Blue	Coxreels	29RE30
Dual-Arm Grease Spring-Return Hose Reels							
75 ft (¾ in I.D.)	¾ in MNPT	4,800 psi	24 in L x 10 ½ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	4NA91
100 ft (¾ in I.D.)	¾ in MNPT	4,800 psi	24 in L x 10 ½ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	5KPC1



REELCRAFT



Oil & Hydraulic Oil Spring-Return Hose Reels

For the delivery of oil and hydraulic oil for operating hydraulic cylinders, tools, and equipment.

Hose Cap.	Hose End Configuration	Maximum Operating Pressure	Overall Dim.	Swivel Material	Reel Color	Brand	Item No.
Compact Oil Spring-Return Hose Reels							
Hose Included							
25 ft (¾ in I.D.)	¾ in MNPT	2,600 psi	14 ¼ in L x 6 ½ in W x 14 ¾ in H	Nickel Plated Steel	Red	Reelcraft	4Z314
30 ft (¾ in I.D.)	¾ in MNPT	2,600 psi	14 ¼ in L x 6 ½ in W x 14 ¾ in H	Nickel Plated Steel	Red	Reelcraft	41GR93
35 ft (½ in I.D.)	½ in MNPT	3,000 psi	16 ¾ in L x 5 ½ in W x 17 ½ in H	Nickel Plated Steel	Red	Reelcraft	4HK91
Corrosion-Resistant Stainless Steel Oil Spring-Return Hose Reels							
Hose Not Included							
50 ft (½ in I.D.)	—	3,000 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Stainless Steel	Silver	Reelcraft	59YT33
66 ft (¾ in I.D.)	—	3,000 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Stainless Steel	Silver	Reelcraft	22KX15
Dual-Arm Oil Spring-Return Hose Reels							
Hose Included							
50 ft (¾ in I.D.)	¾ in MNPT	1,250 psi	24 in L x 10 ½ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	4NA90
75 ft (½ in I.D.)	½ in MNPT	3,000 psi	24 in L x 10 ½ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	4NA89
100 ft (½ in I.D.)	½ in MNPT	3,000 psi	24 in L x 10 ½ in W x 25 ¾ in H	Nickel Plated Steel	Red	Reelcraft	448F64
Dual-Pedestal Oil Spring-Return Hose Reels							
Hose Included							
50 ft (¾ in I.D.)	¾ in MNPT	2,600 psi	16 ½ in L x 8 in W x 17 in H	Nickel Plated Steel	Red	Reelcraft	448F70
50 ft (½ in I.D.)	½ in MNPT	3,000 psi	16 ½ in L x 9 in W x 17 in H	Nickel Plated Steel	Red	Reelcraft	2CAG7
Lightweight Oil Spring-Return Hose Reels							
Hose Included							
35 ft (¾ in I.D.)	¾ in MNPT	1,000 psi	16 ½ in L x 6 ¼ in W x 17 ½ in H	Nickel Plated Steel	Black, Red	Reelcraft	5KPA0
50 ft (¾ in I.D.)	¾ in MNPT	1,000 psi	16 ½ in L x 7 ¼ in W x 17 ½ in H	Nickel Plated Steel	Black, Red	Reelcraft	5KPA1
35 ft (½ in I.D.)	½ in MNPT	1,000 psi	16 ½ in L x 6 ¼ in W x 17 ½ in H	Nickel Plated Steel	Black, Red	Reelcraft	4NA81
Standard Oil Spring-Return Hose Reel							
Hose Included							
50 ft (½ in I.D.)	½ in MNPT	2,000 psi	19 ¾ in L x 7 in W x 20 ¼ in H	Nickel Plated Steel	Red	Reelcraft	4Z313
Truck-Mount Oil Spring-Return Hose Reels							
Hose Included							
50 ft (½ in I.D.)	½ in MNPT	2,500 psi	19 ½ in L x 9 ¾ in W x 21 ¼ in H	Brass	Blue	Coxreels	29RE50
50 ft (¾ in I.D.)	¾ in MNPT	1,500 psi	24 in L x 9 ¾ in W x 25 ½ in H	Brass	Blue	Coxreels	29RE53
50 ft (1 in I.D.)	1 in MNPT	1,250 psi	24 in L x 12 ½ in W x 25 ½ in H	Nickel Plated Steel	Blue	Coxreels	29RE55
75 ft (¾ in I.D.)	¾ in MNPT	1,500 psi	24 in L x 12 ½ in W x 25 ½ in H	Brass	Blue	Coxreels	29RE54
100 ft (¾ in I.D.)	¾ in MNPT	3,000 psi	24 in L x 9 ¾ in W x 25 ½ in H	Brass	Blue	Coxreels	29RE46
Hose Not Included							
50 ft (¾ in I.D.)	—	1,500 psi	24 in L x 9 ¾ in W x 25 ½ in H	Brass	Blue	Coxreels	29RE43
75 ft (¾ in I.D.)	—	1,500 psi	24 in L x 12 ½ in W x 25 ½ in H	Brass	Blue	Coxreels	29RE44
100 ft (¾ in I.D.)	—	3,000 psi	24 in L x 9 ¾ in W x 25 ½ in H	Brass	Blue	Coxreels	29RE35
100 ft (½ in I.D.)	—	2,500 psi	24 in L x 9 ¾ in W x 25 ½ in H	Brass	Blue	Coxreels	29RE38
Twin Hydraulic Oil Spring-Return Hose Reel							
Hose Included							
50 ft (½ in ID)	½ in MNPT x ½ in MNPT	2,000 psi	24 in L x 12 ¾ in W x 25 ¾ in H	Steel	Red	Reelcraft	4NB33

