

**1-800-GRAINGER (472-4643)**

Hose Cap.	Overall Dim.	Seal Material	Swivel Material	Reel Color	Brand	Item No.
<b>Corrosion-Resistant Stainless Steel Hand-Crank Hose Reels</b>						
<b>Max. Operating Pressure 3,000 psi</b>						
200 ft (1/2 in I.D.)	20 in L x 18 1/4 in W x 19 in H	FKM	Stainless Steel	Silver	Reelcraft	4NB30
200 ft (1/2 in I.D.)	17 3/4 in L x 17 3/4 in W x 18 3/4 in H	Nitrile	Stainless Steel	Silver	Coxreels	29PP82
<b>Max. Operating Pressure 4,000 psi</b>						
75 ft (1/2 in I.D.)	12 in L x 14 in W x 13 in H	Nitrile	Stainless Steel	Silver	Coxreels	29PP54
100 ft (3/4 in I.D.)	17 in L x 14 in W x 18 in H	Nitrile	Stainless Steel	Silver	Coxreels	33N095
<b>Dolly-Mount Hand-Crank Hose Reels</b>						
<b>Max. Operating Pressure 250 psi</b>						
150 ft (1 in I.D.)	27 in L x 23 3/4 in W x 20 1/4 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	3MJK2
<b>Max. Operating Pressure 4,000 psi</b>						
200 ft (3/4 in I.D.)	21 in L x 19 in W x 36 1/4 in H	Nitrile	Brass	Blue	Coxreels	16X563
225 ft (3/4 in I.D.)	21 in L x 23 1/2 in W x 36 1/4 in H	Nitrile	Brass	Blue	Coxreels	16X564
<b>Large-Frame Multipurpose Hand-Crank Hose Reels</b>						
<b>Max. Operating Pressure 1,500 psi</b>						
50 ft (1 1/2 in I.D.)	24 in L x 25 in W x 26 in H	Nitrile	Nickel Plated Steel	Blue	Coxreels	16X572
250 ft (1 1/2 in I.D.)	28 in L x 46 1/2 in W x 30 in H	Nitrile	Nickel Plated Steel	Blue	Coxreels	29PV73
<b>Max. Operating Pressure 3,000 psi</b>						
105 ft (1 in I.D.)	19 in L x 34 in W x 21 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	4JNA1
150 ft (1 in I.D.)	23 in L x 34 in W x 25 1/2 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	4JNA2
250 ft (1 in I.D.)	19 in L x 30 1/2 in W x 21 1/2 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	4JMZ9
<b>Lightweight Hand-Crank Hose Reels with Tubular-Base</b>						
<b>Max. Operating Pressure 300 psi</b>						
50 ft (3/4 in I.D.)	13 3/4 in L x 15 1/2 in W x 15 1/2 in H	Nitrile	Brass	Black	Reelcraft	19A874
100 ft (1/2 in I.D.)	13 3/4 in L x 19 1/2 in W x 15 1/2 in H	Nitrile	Brass	Black	Reelcraft	19A877
<b>Max. Operating Pressure 5,000 psi</b>						
50 ft (3/4 in I.D.)	13 3/4 in L x 15 1/2 in W x 15 1/2 in H	Nitrile	Brass	Black	Reelcraft	5KP00
100 ft (3/4 in I.D.)	13 3/4 in L x 19 1/2 in W x 15 1/2 in H	Nitrile	Brass	Black	Reelcraft	5KP01
<b>Lightweight Hand-Crank Hose Reels with U-Base</b>						
<b>Max. Operating Pressure 300 psi</b>						
50 ft (3/4 in I.D.)	10 1/2 in L x 16 3/4 in W x 11 1/2 in H	Nitrile	Brass	Black	Reelcraft	50YT34
50 ft (3/4 in I.D.)	18 in L x 10 3/4 in W x 11 3/4 in H	Nitrile	Brass	Green	Speedaire	440G18
100 ft (1 in I.D.)	17 3/4 in L x 26 3/4 in W x 21 1/2 in H	FKM/PTFE	Brass	Green	Speedaire	437J15
100 ft (1 in I.D.)	12 3/4 in L x 17 1/2 in W x 13 1/2 in H	Nitrile	Brass	Green	Speedaire	437J37
100 ft (3/4 in I.D.)	22 in L x 10 3/4 in W x 11 3/4 in H	Nitrile	Brass	Green	Speedaire	440G19
<b>Max. Operating Pressure 4,000 psi</b>						
100 ft (3/4 in I.D.)	12 in L x 9 1/2 in W x 13 in H	Nitrile	Brass	Blue	Coxreels	16X555
<b>Standard Multipurpose Hand-Crank Hose Reels</b>						
<b>Max. Operating Pressure 300 psi</b>						
100 ft (1 in I.D.)	17 3/4 in L x 31 3/4 in W x 20 1/4 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	4NB10
120 ft (3/4 in I.D.)	20 in L x 16 in W x 20 in H	Nitrile	Brass	Green	Speedaire	40UX4
150 ft (1 in I.D.)	17 3/4 in L x 40 3/4 in W x 20 1/4 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	38EE63
<b>Max. Operating Pressure 500 psi</b>						
300 ft (3/4 in I.D.)	20 in L x 12 1/2 in W x 19 in H	Nitrile	Nickel Plated Steel	Red	Reelcraft	4NA95
<b>Max. Operating Pressure 1,000 psi</b>						
100 ft (3/4 in I.D.)	14 in L x 14 in W x 18 1/2 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	5KPC7
<b>Max. Operating Pressure 3,000 psi</b>						
100 ft (1/2 in I.D.)	17 in L x 20 in W x 19 in H	FKM	Brass	Green	Speedaire	440G20
200 ft (1/2 in I.D.)	20 3/4 in L x 16 1/4 in W x 19 1/2 in H	FKM	Brass	Green	Speedaire	6WA77
<b>Standard Multipurpose Hand-Crank Hose Reels with Gooseneck</b>						
<b>Max. Operating Pressure 1,000 psi</b>						
100 ft (3/4 in I.D.)	17 3/4 in L x 25 3/4 in W x 20 1/4 in H	Nitrile	Nickel Plated Steel	Red	Reelcraft	4NA99
175 ft (3/4 in I.D.)	17 3/4 in L x 31 3/4 in W x 20 1/4 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	52338
200 ft (1/2 in I.D.)	17 3/4 in L x 25 3/4 in W x 20 1/4 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	42934
325 ft (1/2 in I.D.)	17 3/4 in L x 31 3/4 in W x 20 1/4 in H	Nitrile	Nickel Plated Steel	Red	Reelcraft	38EE60
<b>Max. Operating Pressure 3,000 psi</b>						
100 ft (3/4 in I.D.)	17 3/4 in L x 17 3/4 in W x 18 3/4 in H	Nitrile	Brass	Blue	Coxreels	5FY06
100 ft (3/4 in I.D.)	17 3/4 in L x 25 3/4 in W x 20 1/4 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	38EE69
175 ft (3/4 in I.D.)	17 3/4 in L x 23 3/4 in W x 18 3/4 in H	Nitrile	Brass	Blue	Coxreels	5FY07
<b>Max. Operating Pressure 5,000 psi</b>						
300 ft (3/4 in I.D.)	17 3/4 in L x 25 3/4 in W x 20 1/4 in H	TFE/P	Nickel Plated Steel	Red	Reelcraft	4NB24
<b>Swivel-Mount Hand-Crank Hose Reels</b>						
<b>Max. Operating Pressure 4,000 psi</b>						
100 ft (3/4 in I.D.)	12 in L x 19 in W x 13 1/2 in H	FKM	Brass	Black	Coxreels	16X560
125 ft (1/2 in I.D.)	17 in L x 19 in W x 18 1/2 in H	FKM	Brass	Black	Coxreels	16X561



## Multipurpose Hand-Crank Hose Reels

■ Hose not included

Open design provides even hose wrapping around drum. Drag brake prevents de-spooling during operation, transport, or storage.



Hose Cap.	Overall Dim.	Horsepower	Swivel Material	Brand	Item No.
<b>Air Motorized Hose Reel</b>					
<b>Max. Operating Pressure 3,000 psi</b>					
100 ft (1/2 in I.D.)	17 3/4 in L x 17 in W x 17 in H	1 1/2 hp	Brass	Coxreels	33N107
<b>Corrosion-Resistant Stainless Steel Electric Motorized Hose Reels</b>					
<b>Max. Operating Pressure 3,000 psi</b>					
100 ft (1 in I.D.)	24 in L x 24 3/4 in W x 26 1/2 in H	1/2 hp	Stainless Steel	Coxreels	29PT50
200 ft (1/2 in I.D.)	17 3/4 in L x 24 in W x 19 3/4 in H	1/2 hp	Stainless Steel	Coxreels	29PP79
<b>Electric Motorized Hose Reels</b>					
<b>Max. Operating Pressure 300 psi</b>					
100 ft (1 in I.D.)	17 3/4 in L x 31 in W x 20 1/4 in H	1/2 hp	Steel	Reelcraft	38EE79
<b>Max. Operating Pressure 3,000 psi</b>					
100 ft (1/2 in I.D.)	17 3/4 in L x 18 in W x 19 3/4 in H	1/2 hp	Stainless Steel	Coxreels	29PP65
200 ft (1/2 in I.D.)	17 3/4 in L x 24 in W x 19 3/4 in H	1/2 hp	Brass	Coxreels	16X568
<b>Electric Motorized Hose Reels with Gooseneck</b>					
<b>Max. Operating Pressure 1,000 psi</b>					
100 ft (1/2 in I.D.)	17 3/4 in L x 19 3/4 in W x 20 1/4 in H	1/2 hp	Iron	Reelcraft	38EE74
100 ft (3/4 in I.D.)	17 3/4 in L x 23 3/4 in W x 20 1/4 in H	1/2 hp	Iron	Reelcraft	38EE77
175 ft (3/4 in I.D.)	17 3/4 in L x 29 3/4 in W x 20 1/4 in H	1/2 hp	Iron	Reelcraft	38EE78
200 ft (1/2 in I.D.)	17 3/4 in L x 23 3/4 in W x 20 1/4 in H	1/2 hp	Iron	Reelcraft	38EE75
<b>Max. Operating Pressure 3,000 psi</b>					
100 ft (1 in I.D.)	17 3/4 in L x 31 in W x 20 1/4 in H	1/2 hp	Iron	Reelcraft	38EE84
100 ft (3/4 in I.D.)	17 3/4 in L x 18 in W x 19 3/4 in H	1/2 hp	Brass	Coxreels	29PP57
100 ft (1/2 in I.D.)	17 3/4 in L x 23 3/4 in W x 20 1/4 in H	1/2 hp	Iron	Reelcraft	38EE82
125 ft (1 in I.D.)	17 3/4 in L x 35 in W x 20 1/4 in H	1/2 hp	Iron	Reelcraft	38EE85
200 ft (1/2 in I.D.)	17 3/4 in L x 23 3/4 in W x 20 1/4 in H	1/2 hp	Iron	Reelcraft	52340
275 ft (3/4 in I.D.)	17 3/4 in L x 38 3/4 in W x 20 1/4 in H	1/2 hp	Iron	Reelcraft	38EE83
<b>Hazardous-Location Electric Motorized Hose Reels</b>					
<b>Max. Operating Pressure 300 psi</b>					
100 ft (2 in I.D.)	25 in L x 34 in W x 26 1/2 in H	3/2 hp	Aluminum	Reelcraft	56MW42
150 ft (2 1/2 in I.D.)	47 in L x 46 in W x 47 1/2 in H	3/2 hp	Aluminum	Reelcraft	38EE57
<b>Max. Operating Pressure 600 psi</b>					
230 ft (1 in I.D.)	21 in L x 32 1/2 in W x 26 1/2 in H	3/2 hp	Aluminum	Reelcraft	56MW44
365 ft (1 in I.D.)	32 1/2 in L x 24 in W x 32 1/2 in H	3/2 hp	Aluminum	Reelcraft	56MW45
<b>Max. Operating Pressure 3,000 psi</b>					
155 ft (1 in I.D.)	30 1/2 in L x 23 in W x 24 1/2 in H	3/2 hp	Iron	Reelcraft	56MW39
230 ft (1 in I.D.)	23 in L x 40 1/2 in W x 25 1/2 in H	3/2 hp	Nickel Plated Steel	Reelcraft	4JNA4
305 ft (1 in I.D.)	28 1/2 in L x 31 in W x 32 1/2 in H	3/2 hp	Iron	Reelcraft	56MW40



## Multipurpose Motorized Hose Reels

- 12V DC motor
- Hose not included

Reels feature electric or air motor options for automatic hose or cord retraction. These motor-driven hose reels can be used with longer hoses as a water supply, for pressure washing, or grounds maintenance applications.

