For information on faucet spout shapes, see page 26











Two-Hole Wall-Mount Service Sink Faucets

Faucets are used for frequent, heavy use in maintenance areas for filling buckets and other maintenance tasks. Install new faucets or replace existing faucets. Widespread Faucets install into walls or vertical surfaces that have two centered holes that are 8" apart when measured from center-of-hole to center-of-hole. Centerset Faucets install into walls or vertical surfaces that have two centered holes that are 4" apart when measured from center-of-hole to center-of-hole. Chrome finish.

		Faucet Handle	Faucet Body	Flow	Max. Mounting Hole Center	Spout	Spout	ADA	Mfr.	Item
Brand	Series	Туре	Material	Rate	Distance	Length	Height	Compliance	Model	No.
Low-Arc-Spout								•		
Widespread										
Chicago Faucets	445	Lever	Cast Brass	2.2 gpm	8 in	12 in	5 % in	Yes	445-L12ABCP	26Y233
Centerset										
Moen	Chateau	Dome Lever	Brass	2.2 gpm	4 in	5 1/16 in	6 % in	Yes	74998	4ZF68
Straight-Spout										
Widespread										
	8344	Lever	Brass	16 gpm	8 in	10 ¼ in	_	Yes	8344212.004	29RT22
American Standard		Lever	Cast Brass	15 gpm	8 in	6 ¾ in	_	Yes	8350243.004	41H839
	8351	Lever	Cast Brass	15 gpm	8 in	7 1/4 in	_	Yes	8351076.004	41H840
	_	Lever	Cast Brass	12 gpm	8 in	2 1/8 in	_	Yes	305-RCF	5E962
		Lever	Cast Brass	12 gpm	8 in	2 % in	4 % in	Yes	305-VBRRCF	2P946
Chicago Faucets	_	Lever	Cast Brass	12 gpm	8 in	5 ¾ in	4 1/8 in	Yes	897-RCF	2P954
		Lever	Cast Brass	12 gpm	8 in	5 % in	5 ¾ in	Yes	886-CP	2LYP2
	_	Lever	Cast Brass	2.2 gpm	8 in	6 in	_	Yes	445-ABCP	3TFH5
Moen	M-Dura	Lever	Brass	2.2 gpm	8 in	4 in	_	Yes	8230	40D653
Speakman	Commander	Cross	Brass	14 gpm	8 in	9 in	_	No	SC-5811-RCP	6MPF5
Zurn	AquaSpec	Lever	Brass	0.5 gpm	8 in	6 ½ in	4 1/8 in	No	Z843M1-XL	24A613
Gooseneck-Spout										
Centerset										
Chicago Faucets		Lever	Cast Brass	1.5 gpm	3 in	3 % in	7 % in	Yes	225-ABCP	26Y275





Gooseneck-Spout

Chicago Faucets 26Y275













Multipurpose Faucets

Simple two handle faucet designs are used in many different types of locations, including kitchens, bathrooms, break rooms, and hospitals. Chrome finish. Two-Hole Centerset Faucets install onto sinks, counters, walls, or other vertical or horizontal surfaces that have two centered holes that are 4" apart when measured from center-of-hole to center-of hole. Two-Hole Widespread Faucets install into walls or vertical surfaces that have two centered holes that are 8" apart when measured from center-of-hole to center-of-hole. Three-Hole Widespread Deck-Mount Faucets install into a sink, counter, or horizontal surface with three holes where the outermost holes are 8" apart when measured from center-of-hole to center-of-hole.

Brand	Series	Faucet Body Material	Flow Rate	Flow Outlet Type	Spout Length	Spout Height	ADA Compliance	Mfr. Model	Item No.
Two-Hole Centerse					_	_			
Low-Arc-Spout-Sp	out, Lever Handle								
T&S Brass		Brass	2.2 gpm	Aerated	12 in	8 1/8 in	Yes	B-1123	4XKK1
	w·	Brass	2.2 gpm	Aerated	8 in	6 ¾ in	Yes	B-1111	4XKJ8
Gooseneck-Spout,					F :	0.0/:		7500470.000	ATUDA
American Standard	Monterrey	Cast Brass	1.5 gpm	Aerated	5 in	6 ¾ in	Yes	7500170.002	4THR1
Chicago Faucets	894	Cast Brass	2.2 gpm	Aerated	3 ½ in	9 % in	Yes	894-317ABCP	26Y232
	895	Cast Brass	1.5 gpm	Laminar	5 1/4 in	11 1/8 in	Yes	895-317GN2FCAB	26Y188
	895	Cast Brass	2.2 gpm	Aerated	3 ½ in	9 % in	Yes	895-317ABCP	3TFJ3
D-II-	1100	Cast Brass	2.2 gpm	Aerated	5 1/4 in	12 1/8 in	Yes	1100-G2E3-317AB	26Y191 4NLL4
Delta	Delta Commercial		1.5 gpm	Aerated	4 ½ in	0.1/ :	Yes	27C4842	
T&S Brass		Brass	2.2 gpm	Aerated	3 ¾ in	9 ½ in	Yes	B-0892	5NRE5
Zurn	AquaSpec	Brass	0.5 gpm	Aerated	5 % in	12 ½ in	Yes	Z871B4-XL-3F	46CE23
	AquaSpec	Brass	0.5 gpm	Aerated	8 in	13 % in	Yes	Z871C4-XL-3F	46CE24
	AquaSpec	Brass	0.5 gpm	Laminar	3 ½ in	10 ½6 in		Z812A4-XL-FC0.5	48UL49
	AquaSpec	Brass	2.2 gpm	Aerated	11 15/16 in			Z812B4-XL	4JPC5
	AquaSpec	Brass	2.2 gpm	Aerated	5 ¾ in	12 1/8 in	Yes	Z871B4-XL	41J488
Two-Hole Centerse									
Low-Arc-Spout-Sp	out, Lever Handle		0.0	A tl	40 :	7 3/8 in	V/	D 4400	4XKK2
T&S Brass		Brass	2.2 gpm	Aerated	12 in		Yes	B-1128	
		Brass	23.09 gpm	Aerated	6 in	5 % in	Yes	B-0232	4XKK3
Gooseneck-Spout,		D	0.5	A	0.1/ :	0.2/ :	NI-	I/ F0	01/1110
Advance Tabco	Heavy Duty	Brass	0.5 gpm	Aerated	3 ½ in	8 ¾ in	No	K-59	3KJU8
Two-Hole Widespr									
Straight-Spout, Le		Cast Brass	0.0	A	C in	0 :	V/	540-LDXKABCP	26Y239
Chicago Faucets	540 540		2.2 gpm	Aerated	6 in	2 in	Yes		
•		Cast Brass	2.2 gpm	Aerated	6 in	2 in	Yes	540-LDABCP	26Y304
Gooseneck-Spout,			4.5	A	0.1/ :	8 ¾ in	V/	631-E35RABCP	40VD70
Chicago Faucets	631	Cast Brass	1.5 gpm	Aerated	3 ½ in		Yes		48YD73
There Hale Wides	631	Cast Brass	2.2 gpm	Aerated	3 ½ in	8 ¾ in	Yes	631-ABCP	26Y198
Three-Hole Wides Gooseneck-Spout,	Wristblade Hand	le							
American Standard	Monterrey	Cast Brass	1.5 gpm	Aerated	5 in	6 ½ in	Yes	6540170.002	5UTL2
		Cast Brass	1.5 gpm	Aerated	8 in	8 in	Yes	6409170.002	24PR24
	Monterrey	Cast Brass	1.5 gpm	Laminar	8 in	8 in	Yes	6409180.002	24PR25
Chicago Faucets	786	Cast Brass	1.5 gpm	Aerated	5 1/4 in	11 5/8 in	Yes	786-HGN2AE35AB	48YD83
	786	Cast Brass	1.5 gpm	Laminar	5 1/4 in	11 % in	Yes	786-GN2FCABCP	3TFH9
	786	Cast Brass	2.2 gpm	Aerated	3 ½ in	10 1/8 in	Yes	786-GN1AE3ABCP	3TFH7
	786	Cast Brass	2.2 gpm	Aerated	5 1/4 in	11 5/8 in	Yes	786-E3ABCP	3TFH8
	786	Cast Brass	2.2 gpm	Laminar	5 1/4 in	11 % in	Yes	786-E29ABCP	6XAF5
	786	Cast Brass	2.2 gpm	Laminar	8 in	11 % in		786-GN8AE29ABCP	5UTV0
T&S Brass	_	Brass	2.2 gpm	Aerated		10 11/16 ir		B-2867-04	5NRE6
	_	Brass	2.2 gpm	Spray		10 11/16 ir		B-2865-04	4XKK9
	_	Brass	2.2 gpm	Spray	10 13/16 in		Yes	B-2866-04	2MCT1
Zurn	AguaSpec	Brass	2.2 gpm	Aerated	11 15/16 in	11 in	Yes	Z831B4-XL	4JPC6



Zurn 4JPC6