



U	JI IIIAIS	-
	White vitre	ous china

Flush valve sold separately, see Grainger.com

Wall-mount flush-valve urinals with top spud are off-the-floor fixtures that allow thorough cleaning, connect to a wall waste line, and work with an exposed flush valve for unblocked access during maintenance. These fixtures have a lower weight capacity than floor-mounted fixtures, but provide a streamlined look and full access for cleaning the floor and urinal surfaces. Includes back opening for waste line and a spud atop the fixture for connecting to a flush valve (flushometer). Meet all ANSI and ASME water conservation requirements.

Gal. Per Flush Co Washout L	ADA ompliance	Spud Connection Size	Brand and Series	Mfr. Model	Item No.		Shipping Qty.
0.1.	Jrillal						
0.125, 0.5	No	3⁄4 in	Amer. Std. Maybrook	6581001EC.020	45NC88	*†	1
0.1, 0.125, 0.5	Yes	3⁄4 in	Amer. Std. Washbrook FloWise	6590001.020	16U006	*	1
0.1, 0.125, 0.5	Yes	3⁄4 in	Amer. Std. Washbrook FloWise	6590001EC.020	45NC87	*†	1
0.1, 0.125, 0.5	Yes	3⁄4 in	Amer. Std. Washbrook FloWise	6590001PL.020	15W678	*	6
0.125	Yes	3/4 in	Amer. Std. Decorum	6042001EC.020	49JM66	*	1
0.125, 0.5	Yes	3⁄4 in	Amer. Std. Pintbrook	6002001.020	52WU81	*	1
1.0	Yes	1 1/4 in	Amer. Std. Lynbrook	6601012.020	5NTV9		1
Washout L	Jrinal with	Automatic FI	ush Valve				
0.125	Yes	3∕4 in	Sloan	WEUS1000.1401	2PPR4	*	1
0.125	Yes	3∕4 in	Zurn	Z5755.205.00	45NC89	*	1
0.25	Yes	3∕4 in	Sloan ECOS	WEUS1002.1401	5NFL2	*	1
		Manual Flush					
0.125	Yes	3∕4 in	Sloan	WEUS1000.1001	2PPR5	*	1
0.125	Yes	3⁄4 in	Amer. Std. Washbrook FloWise	6590503.020	38UP27	*	1
0.25	Yes	3/4 in	Sloan Royal	WEUS1002.1001	5NFL0	*	1
Siphon Je	t Urinal						
0.125	No	3/4 in	Zurn	Z5755-U	34TE11	*	1
0.5, 1.0	Yes	3⁄4 in	Amer. Std. Allbrook	6550001.020	38W399		1
1.0	Yes	3⁄4 in	Amer. Std. Trimbrook	6561017.020	1ZKZ1		1







Hrinal Material

2640





Wall-Mount Waterless Urinals

Conserve water by eliminating liquid waste without flushing. They connect to a wall waste line and rely on gravity to direct urine into the drain, so there's no need for a flushing mechanism. These water-free urinals use a trap or cartridge with a layer of sealant that blocks odors from rising out of a waste line while allowing urine to pass through. Use to reduce water consumption in dry climates and other areas where water is scarce. WaterSense Certified.

Urillai Waleriai	Compnance	brailu allu Serie	8	Monei	NU.	
Waterless Urinal					2VRW4	
	No	Waterless Sonor	a	2004		
High Performance	Yes	Waterless Anza		2005	23PC28	
Composite/Fiberglass	Yes	Waterless Del Cas		2902	23PC29 23PC27	
	Yes	Waterless Sonor		2004B		
Vitreous China	Yes	Sloan	W	ES1000	4FB38	
VILLEOUS CIIIIIa	Yes	Waterless Baja		2104	44Z635	
				Mfr.	Item	
	Item		Brand	Model	No.	
Waterless Urinal Cleane	rs and Accessori	es				
Cleaner Cartridge Green			Sloan	SJS20	3ETX5	
Cleaner Cartridge Include	Sloan	WES150	4FB39			
Bag, Protective Glove, Se Measuring Cup	ealani Package		Waterless	4002	2VRW5	
Trap Insert			Waterless	3001	2VRW2	
Trap Insert Includes: (2)	1C on Dottles Od	ar Darriar	vvaleriess	3001	ZVNVVZ	
Liquid, (2) Drain Inserts,			Amer. Std.	6156100.020	4TMG6	
Trap Insert Removal Too	1		Waterless	4001	2VRW3	
Urinal Cleaner 1 gt			Waterless	1614	6XKC5	
Urinal Cleaner Includes: Start-Ups, BlueSeal Liqu			Waterless	6009	2VRW7	
Urinal Cleaner Includes: Clean Concentrate, Trigg		en	Sloan	SJS19	3ETX4	
Urinal Flange Kit Require		struction	Waterless	5001	6XKC4	
Waterless Urinal Sealant			Waterless	1114	2VRW1	



Retractable Clotheslines

Mount to walls or posts to provide a clothesline for hanging laundry to dry. Spring-loaded spool of clothesline and a receiving bracket that holds the end of the extended clothesline.



15V282

Line Length	Overall Depth	Mounting Plate Diameter	Material	Finish	Brand	Item No.
8 ft	1 ½ in	3 ¾ in	Stainless Steel	Polished Chrome	Honey-Can-Do	15V282
9 1/8 ft	2 ¾ in	3 % in	Nylon, Stainless Steel	Bright	_	1ECP1



Bathroom Hooks

Stainless steel material

Standard Hooks mount to walls in restrooms or showers.

Ligature-Resistant Hooks only hold a minimal amount of weight to prevent self-harm. Typically used in bathrooms at behavioral- and mental-health institutions or similar facilities where inmates or patients may be at risk of harming themselves.



29RU62



Ligature-Resistant 5RME3

No. of Hooks	Mounti Style		Base St	nape	Finish	Ove Wid		lverall leight	Overall Depth	Brand	Item No.
Standa	erd Bathro	om H	ooks								
1	Front Ac	cess	Roun	ıd	Satin	3	in	3 in	2 1/8 in	_	1ECL8
1	Front Ac	cess	Roun	ıd	Satin	3	in	3 in	3 1/4 in	_	1ECN4
1	Front Ac	cess	Squa	re	Satin	2	in 1	l % in	2 in	_	4WMK8
1	Set Scr	ew	Rectang	jular	Satin	2	in	2 in	2 in	Bradley	29RU62
2	Set Scr	ew	Roun	ıd	Polishe	d 3	in 1	I ⅓ in	2 ½ in	Winglts	19D093
No. of	Release		unting					l Overall	Overall		Item
Hooks	Point		Style	Base	Shape	Finish	Width	Height	Depth	Brand	No.
Ligatui	re-Resista	ant Ba	athroom	Hook	S						
1	6 lb	Fron	t Access	Rect	angular	Satin	1 in	4 ¾ in	3 in	_	1ECL9
1	10 lb	Fron	t Access	Sc	uare	Satin	4 1/4 in	4 1/4 in	2 1/4 in	_	1ECN1
1	20 lb	Fron	t Access	Sc	uare	Satin	4 in	4 in	2 1/4 in	Bradley	23MU46
1	25 lb	Fron	t Access	Rect	angular	Powder Coated	5 1/8 in	5 1/8 in	7∕8 in	Bestcare	474C09
						Oution					