

CONTINUED

Threaded Brass & Bronze Pipe Fittings, Class 125 & High-Pressure

Parker

	Fitting		Pipe Fitting Material	Max. Oper.		Item	Pkn		Fitting		Pipe Fitting Material	Max. Oper.		Item	Pkg
l ow-l oad	Pipe Size	Pipe Fitting Conn. Type Pressure Pipe Fittings (0	& Finish	Press.	Brand	No.	Qty.	90° Street	Pipe Size	Pipe Fitting Conn. Type	& Finish	Press.	Brand	No.	Qty
lecessed	Square Plug	rriessure ripe i ittiligs (t	Julic.)					30 31166	½ in ¾ in	MNPT x FNPT	Red Brass	125 psi 125 psi		1VEW2	2 1
-	1 in	MNPT	Brass	125 psi	_	22UL66		A LINE	3/4 in	MNPT x FNPT MNPT x FNPT MNPT x FNPT	Red Brass	125 psi	_	1VEW3	3 1
The same of	1½ in	MNPT	Brass	125 psi	_	22UL67			1 in	WINPT X FNPT	Red Brass	125 psi		1VEW4	4 1
	2 in	MNPT	Brass	125 psi	_	22UL68	1		1½ in	MNPT x FNPT	Red Brass	125 psi	_	1VEW8	8 1
leducing	Branch Tee							Coupling							
	3⁄4 in x 3⁄4								1/4 in	FNPT	Red Brass	125 psi	_	1VFD5	
Charger	in x ½ in	FNPT	Red Brass	125 psi	_	6RCZ2	1		3/4 in 1 in	FNPT FNPT	Red Brass Red Brass	125 psi 125 psi		1VFE2	
The same	'								1½ in	FNPT	Red Brass	125 psi	_	1VFE8	
leducing	Coupling	FNDT		105		00111.40		Hex Bushi	ng						
	1/4 in x 1/8 in 1/2 in x 1/4 in	FNPT FNPT	Brass Red Brass	125 psi 125 psi		22UL46 6RCY7			% in x ¼ in ½ in x ¼ in ½ in x ¼ in ½ in x ¼ in ⅓ in x ¼ in ¾ in x ¼ in 1 in x ½ in 1 in x ¾ in 1¼ in x ¼ in 1¼ in x ¼ in	MNPT x FNPT	Red Brass	125 psi		1VFV7	1 1
	½ in x ¾ in	FNPT	Red Brass	125 psi		6RCY8	1		½ IN X ¼ IN ¼ in x ¾ in	MNPT x FNPT	Red Brass Red Brass	125 psi 125 psi		1VFX2 1VFX4	<u> </u>
TITLE	3/4 in x 1/4 in	FNPT	Brass	125 psi 125 psi		22UL49			3/4 in x 1/4 in	MNPT x FNPT	Red Brass	125 psi		1VFX8	R 1
A Shiple I	3/4 in x 3/8 in	FNPT	Brass Bod Brass	125 psi		22UL50			3/4 in x 1/2 in	MNPT x FNPT	Red Brass	125 psi 125 psi	_	1VFY3	<u> 1</u>
	34 in x ½ in 1 in x ½ in	FNPT FNPT	Red Brass Red Brass	125 psi 125 psi		6RCY9 6RCZ0	+		1 in x ½ in	MNPT x FNPT MNPT x FNPT	Red Brass Red Brass	125 psi		1VFY9	1
	1 in x ¾ in	FNPT	Red Brass	125 psi	_	6RCZ1	1		1 111 X 94 111 11/4 in x 3/4 in	MNPT x FNPT	Red Brass	125 psi 125 psi		1VFZ4	
	1 in x ¾ in 2 in x 1 in 2 in x 1½ in	FNPT	Brass	125 psi 125 psi	_	22UL55 22UL57	1		1 74 III A 1 III	MNPT x FNPT	Red Brass	125 psi	_	1VFZ6	6 1
Round Ca	2 in x 1½ in	FNPT	Brass	125 psi		22UL57	1	10 mm	1½ in x¾ in	MNPT x FNPT	Red Brass	125 psi	_	1VFZ8	
ivuiiu va		FNPT	Red Brass	125 psi		6RCY0	1		1½ in x 1 in 1½ in x	MNPT x FNPT	Red Brass	125 psi		1VGA1	
	3/8 in 1/2 in	FNPT FNPT	Red Brass Red Brass	125 psi 125 psi	_	6RCY0 6RCY1	1		11/4 in	MNPT x FNPT	Red Brass	125 psi	_	1VGA3	3 1
SIP	3/4 in	FNPT	Red Brass	125 psi		6RCY2			2 in x ¾ in 2 in x 1 in	MNPT x FNPT	Red Brass	125 psi	_	1VGA5	5 1
- 1	1½ in 2 in	FNPT FNPT	Red Brass Red Brass	125 psi 125 psi		6RCY3 6RCY4	+		2 in x 1 in	MNPT x FNPT	Red Brass	125 psi 125 psi		1VGA7	7 1
	1 in	FNPT	Red Brass	125 nsi	_	6RCY5	Ť		2 in x 1½ in 2½ in x 2 in	MNPT x FNPT MNPT x FNPT	Red Brass Red Brass	125 psi		1VGB4	
	1½ in	FNPT	Red Brass	125 psi	_	6RCY6	1	Reducing	Coupling			•			
quare He	1½ in	MNPT	Brass	125 psi		22UL33	1 1	1000 1100	3/4 in x 1/2 in	FNPT	Red Brass	125 psi		1VGD8	
	½ in	MNPT	Red Brass	125 psi		6RCU9	1		1 in x ¾ in 2 in x 1½ in	FNPT FNPT	Red Brass Red Brass	125 psi 125 psi	=	1VGE3	3 I B 1
10-00	3/4 in	MNPT	Red Brass	125 psi 125 psi	_	6RCV0	1	ATT .	2½ in x 2 in	FNPT	Red Brass	125 psi		1VGG1	
	1 in 1½ in	MNPT	Red Brass	125 psi		6RCV1 6RCV2	1	Square He		1141.1	TIOU DIUGG	120 poi			
THE REAL PROPERTY.	2 in	MNPT MNPT MNPT	Red Brass Red Brass Red Brass	125 psi 125 psi	=	6RCV3	+	oquare ne		MNPT	Red Brass	125 psi		1VFR3	3 1
	1/4 in	MNPT	Red Brass	125 psi	_	6RCZ4	Ť		½ in ¾ in	MNPT	Red Brass	125 psi 125 psi		1VFR5	51
	⅓ in	MNPT	Red Brass	125 psi	_	6RCZ5	1		1 in	MNPT	Red Brass	125 psi	_	1VFR7	
ee	1/4 in	FNPT	Red Brass	125 psi		6RCZ6	1	100	1½ in	MNPT	Red Brass	125 psi		1VFT2	2 1
	3% in	FNPT	Red Brass	125 psi		6RCZ7	1	Tee	1/4 in	FNPT	Dad Drass	10E no:		4VEV	0 1
	1/2 in	FNPT	Red Brass	125 psi 125 psi 125 psi 125 psi 125 psi 125 psi	_	6RCZ8	1		3/8 in	FNPT	Red Brass Red Brass	125 psi 125 psi		1VEY8	1 1
	3/4 in	FNPT	Red Brass	125 psi		6RCZ9	1		½ in	FNPT	Red Brass	125 psi		1VEZ3	3 1
	1½ in 1 in	FNPT FNPT	Red Brass Red Brass	125 psi 125 psi		6RDA0 6RDA1	+		3/4 in	FNPT	Red Brass	125 psi	_	1VEZ5	
	1½ in	FNPT	Red Brass Red Brass	125 psi	_	6RDA2	Ť		1 in 1½ in	FNPT FNPT	Red Brass Red Brass	125 psi 125 psi		1VEZ7	1 1
	2 in	FNPT	Red Brass	125 psi	_	6RDA3	1		1½ in	FNPT	Red Brass	125 psi		1VFA2	1
Inion	1/4 in	FNPT	Red Brass	125 psi		6RDA4	-		2 in	FNPT	Red Brass	125 psi	_	1VFA4	
	3% in	FNPT	Brass	125 psi		22UL26	i 1	Union	17 !	FNPT	Dad Daara	105:		AVEV	
40	½ in	FNPT	Red Brass	125 psi	_	6RDA5	1		½ in ¾ in	FNPT	Red Brass Red Brass	125 psi 125 psi		1VFK3	5 1
TIE	3/4 in	FNPT	Red Brass	125 psi	_	6RDA6		-	1 in	FNPT	Red Brass	125 psi		1VFK7	7 1
	1½ in 1 in	FNPT FNPT	Red Brass Red Brass	125 psi 125 psi		6RDA7 6RDA9	+		11/4 in	FNPT	Red Brass	125 psi	=	1VFK7 1VFK9	1
	1½ in	FNPT	Red Brass	125 psi		6RDC0		Sall III	1½ in	FNPT FNPT	Red Brass Red Brass	125 psi		1VFL2	2 1
	2 in	FNPT	Red Brass	125 psi	_	6RDA8	1		2 in 2½ in	FNPT	Red Brass	125 psi 125 psi		1VFL4	1
lass 125 IO° Elbow	Low Pressure	Pipe Fittings							3 in	FNPT	Red Brass	125 psi	_	1VFL8	
o LINOW	1/4 in	FNPT	Red Brass	125 psi	_	1VER6	1								
1	1/2 in	FNPT	Red Brass Red Brass	125 psi 125 psi	_	1VER8	1								
1	3/4 in	FNPT	Red Brass	125 psi		1VER9	_1_								
	1 in														
	1 in 1½ in	FNPT FNPT	Red Brass Red Brass Red Brass	125 psi 125 psi		1VEU1 1VEU3	+								

HIGH PRESSURE PRECISION: High-pressure (1000-3000 psi). Fittings are precision machined for leak-free connections between fittings and pipe. For use in aggressive and general industrial environments.

maadana											
	Fitting Pipe Size	Pipe Fitting Conn. Type	Pipe Fitting Material & Finish	Max. Oper. Press.	Brand	Item No.	Pkg. Qty.				
Low-Lead High Pressure Precision Pipe Fittings											
45° Extruded Street Elbow											
A Company	1/8 in	MNPT x FNPT	Brass	1,000 psi	_	46M432	1				
The state of the s	1/4 in	MNPT x FNPT	Brass	1,000 psi	_	46M431	1				
90° Extruded Female Elbow											
All lines	1/4 in	FNPT	Brass	1,000 psi	_	46M512	1				
2	3% in	FNPT	Brass	1,000 psi	_	46M511	1				
Carlon .	3/4 in	FNPT	Brass	1,000 psi	_	46M510	1 1				
90° Extruded Street Elbow											
All the	½ in	MNPT x FNPT	Brass	1,000 psi	_	46M467	1				
Contract of the same	1/4 in	MNPT x FNPT	Brass	1,000 psi	_	46M466	1				
10 M	3⁄8 in	MNPT x FNPT	Brass	1,000 psi	_	46M465	1				
40	1/2 in	MNPT x FNPT	Brass	1,000 psi	_	46M464	1				
Adapter											
4	1/4 in	MNPT x FNPT	Brass	1,000 psi	_	46M455	1				
	½ in	FNPT x MNPT	Brass	1,000 psi	_	46M450	1				
Cap											
ALCOHOLD .	3/4 in	FNPT	Brass	1,200 psi	_	46M487	1				
Marie Control	½ in	FNPT	Brass	1,200 psi	_	46M488	1				
100	3% in	FNPT	Brass	1,200 psi	_	46M489	1 1				
1	1/4 in	FNPT	Brass	1,200 psi	_	46M490	1 1				
Countersi	nk Plug			•							
	3⁄4 in	MNPT	Brass	1,200 psi	_	46M468	1				

Coupling	Fitting Pipe Size	Pipe Fitting Conn. Type	Pipe Fitting Material & Finish	Max. Oper. Press.	Brand	Item No.	Pkg. Qty.
ooupning	1/8 in	FNPT	Brass	1.000 psi	_	46M501	1
Named Annual	½ in	FNPT	Brass	1.000 psi		46M499	
(A	3/8 in	FNPT	Brass	1,000 psi	_	46M498	
V	½ in	FNPT	Brass	1,000 psi	_	46M497	1
	3/4 in	FNPT	Brass	1,000 psi	_	46M496	1
Extruded F	emale Tee			,			
Altra .	1/4 in	FNPT	Brass	1,000 psi	_	46M508	- 1
	3/8 in	FNPT	Brass	1,000 psi	_	46M507	
	½ in	FNPT	Brass	1,000 psi	_	46M506	1_
1	3⁄4 in	FNPT	Brass	1,000 psi	_	46M505	1
Hex Bushin	ıg						
	1/4 in x 1/8 in	MNPT x FNPT	Brass	1,000 psi	_	46M486	1
Comm.	3/8 in x 1/4 in	MNPT x FNPT	Brass	1,000 psi	_	46M484	- 1
	3% in x 1/8 in	MNPT x FNPT	Brass	1,000 psi	_	46M485	
**************************************	1/2 in x 3/8 in	MNPT x FNPT	Brass	1,000 psi	_	46M482	
	½ in x ¼ in	MNPT x FNPT	Brass	1,000 psi		46M483	
-	3/4 in x 1/2 in	MNPT x FNPT	Brass	1,000 psi	_	46M480	
	3/4 in x 3/8 in	MNPT x FNPT	Brass	1,000 psi		46M481	_1_
Hex Head F	Plug						
THE R. LEWIS CO., LANSING	3/4 in	MNPT	Brass	1,200 psi		46M444	
	½ in	MNPT	Brass	1,200 psi		46M445	
STATE OF THE PARTY.	3% in	MNPT	Brass	1,200 psi		46M446	
	1/4 in	MNPT	Brass	1,200 psi		46M447	1

CONTINUED