

1-800-GRAINGER (472-4643)

Fixed Showerheads

■ 1/2" connection

Wall-mount showerheads are typically smaller (less than 5"-dia.) in size and include a single-function, dual-function, or multi-function spray face or nozzle for adjusting spray patterns. They are commonly found in residences, hotels/motels, and behavioral facilities. For a complete list of standards, go to Grainger.com and search for individual products.

American Standard—3KTD7 and 6NWE4 turbine spray have a flow rate of 1.5 gpm, which can reduce water use by up to 40%.

Chicago Faucets—Solid brass construction with chrome-plated finish.



Danze—Feature easy-glide selector ring.

Moen—Nonmetallic spray face and shell with a brass swivel ball assembly.

Sloan—Feature spring-loaded spray disk to prevent particle clogging. 5E548 and 4FE24 have a thumbscrew volume control. 5E547 features an adjustable spray direction and mounting plate with vandal-resistant screws.

Speakman—The pressure-compensating plunger system helps optimize low water pressure for more efficient performance.

Zurn—6RKG7 and 6RKH2 are self-cleaning. 6RKH2 adds a flow compensator to maintain a constant flow rate.

Brand	Series	Fixed Showerhead Flow Rate	Connec. Type	Showerhead Material	Trim Finish	Fixed Showerhead Width	Face Dia.	Showerhead Spray Pattern	Showerhead Shape	Mfr. Model	Item No.
Single Function											
Amer. Std.	FloWise	1.5 gpm	FNPT	Metal, Plastic	Polished-Chrome	1 1/8"	1 1/8"	Regular	Cylinder	1660710.002	3KTD7
Chicago	620	2.5 gpm	FNPT	Brass	Polished-Chrome	1 1/8"	1 1/8"	Regular	Cylinder	620-CP	4KTH5
Sloan	Act-O-Matic	2 gpm	NPT	Brass	Polished-Chrome	2 1/2"	2 1/2"	Regular	Cylinder	AC11-2.0	4FE24
Sloan	Act-O-Matic	2.5 gpm	NPT	Brass	Polished-Chrome	2 1/2"	2 1/2"	Regular	Cylinder	AC11-2.5	5E548
Dual Function											
Amer. Std.	Reliant, Elite, Princeton	2.5 gpm	FNPT	Metal, Plastic	Polished-Chrome	4"	4"	Combo	Flat Circle	M953530-0020A	6NWH7
Zurn	Temp Gard Z7000-S6	2.5 gpm	FNPT	Brass	Chrome	1 3/4"	1 3/4"	Regular	Trumpet	Z7000-S6	6RKG7
Zurn	Water Saver Z7000-S9	1.5 gpm	FNPT	Plastic	Chrome	1 1/2"	2 3/8"	Regular	Bulb	Z7000-S9	6RKH2
Multi-Function											
Danze	Florin	2.5 gpm	NPT	Brass, Plastic	Chrome	4 1/2"	4 1/2"	Combo	Trumpet	D460036	29VL05
Danze	Parma	2 gpm	NPT	Brass, Plastic	Chrome	4 1/2"	4 1/2"	Combo	Cylinder	D460055	29VL07
Danze	Parma	2.5 gpm	NPT	Brass, Plastic	Chrome	4 1/2"	4 1/2"	Combo	Cylinder	D460056	29VL08
Moen	3855	1.75 gpm	IPS	Brass, Non Metal	Chrome	4"	4"	Combo	Bulb	3855EP	49AU87
Moen	3855	2.5 gpm	IPS	Brass, Non Metal	Chrome	4"	4"	Combo	Bulb	3855	13Z944
Moen	Enviv	1.75 gpm	IPS	Brass, Non Metal	Chrome	4"	4"	Regular	Bulb	3233EP	4NEF1
Speakman	Chelsea	2.5 gpm	NPTF	Brass, Plastic	Polished-Chrome	4 1/2"	4 1/2"	Combo	Trumpet	S-3011	15F374
Speakman	Classic	1.75 gpm	FNPT	Brass	Polished-Chrome	2 1/4"	2 1/4"	Concentrated	Bulb	S-2253-E175	2WLN7
Speakman	Hotel S-2005-HB	2.5 gpm	NPTF	Brass, Plastic	Polished-Chrome	4 3/8"	4 3/8"	Combo	Bulb	S-2005-HB	2WLN5
Speakman	Icon S-2252	2 gpm	Female NPTF	Brass	Polished-Chrome	2 3/4"	2 1 3/8"	Combo	Bulb	S-2252-E2	6MPJ1
Speakman	Icon S-2252	2.5 gpm	FNPT	Brass	Polished-Chrome	2 3/4"	2 1 3/8"	Combo	Bulb	S-2252	6MPG0
Speakman	Neo S-3010	2 gpm	NPTF	Brass, Plastic	Polished-Chrome	6"	5 1/2"	Combo	Flat Circle	S-3010-E2	22DF76
Speakman	Neo S-3010	2 gpm	NPTF	Brass, Plastic	Brushed-Nickel	6"	5 1/2"	Combo	Flat Circle	S-3010-BN-E2	45W766
Speakman	Neo S-3010	2.5 gpm	NPTF	Brass, Plastic	Polished-Chrome	6"	5 1/2"	Combo	Flat Circle	S-3010	15F343
Ligature & Vandal Resistant Fixed Showerheads											
Amer. Std.	FloWise Vandal Resistant	1.5 gpm	FNPT	Metal, Plastic	Polished-Chrome	1 1/8"	1 1/8"	Regular	Cylinder	1660711.002	6NWE4
Chicago	621	2 gpm	FNPT	Brass	Polished-Chrome	2 1/8"	1 1/4"	Regular	Cylinder	621-CP	5UT05
Sloan	Act-O-Matic	2.5 gpm	IPS	Brass	Polished-Chrome	4 3/8"	4 3/8"	Regular	Bulb	AC450-2.5	5E547
Speakman	Adjusta-Spray	2.5 gpm	NPTF	Brass	Polished-Chrome	4"	2"	Regular	Bulb	S-2460	2WLN8
Zurn	Temp Gard Z7000-I2	2.5 gpm	FNPT	Bronze	Chrome	2 1/8"	3/8"	Regular	Cylinder	Z7000-I2	6RKG5



Single Function
4KTH5



Dual Function
6RKG7



Multi-Function
49AU87



Ligature & Vandal Resistant
2WLN8

Handheld Showerheads

■ 1/2" connection

Showerheads can remain fixed in mounting bracket or be removed for use while standing or sitting. A flexible hose allows the showerhead to move freely and direct water to hard-to-clean areas. Used to customize showers in residences, schools, and factory locker rooms. For a complete list of standards, go to Grainger.com and search for individual products.



American Standard—Pause feature on handle reduces flow to a trickle. 448N46 turbine spray has a flow rate of 1.5 gpm, which can reduce water use by up to 40%.

Encore—Models feature an eco-friendly design.

Ez-Flo—Includes a 59" stainless steel hose.

Grohe—Feature SpeedClean anti-lime system.

Kohler—493J03 and 493J04 feature an intense drenching spray that delivers a forceful spray. 493J05 and 493J06 spray face resists hard water buildup for easy cleaning.

Moen—Showerheads are vandal-resistant.

Speakman—49AJ94—49AJ97 feature 147 sprays and 5 spray patterns. 455F01—455F03 feature spray-adjusting Anystream technology.

Brand	Series	Handheld Showerhead Flow Rate	Connec. Type	Showerhead Material	Trim Finish	Handheld Showerhead Width	Face Dia.	Showerhead Spray Pattern	Showerhead Shape	ADA Compliance	Mfr. Model	Item No.
Handheld Showerheads Only												
Single Function												
Encore	SaniShower	2 gpm	NPSM	ABS Plastic	White	2 1/8 in	2 1/8 in	Regular	Flat Circle	Yes	SS10-0100	2YDV7
Encore	SaniShower with Shut-Off	2 gpm	NPSM	ABS Plastic	White	2 1/8 in	2 1/8 in	Regular	Flat Circle	Yes	SS10-0200	2YDV8 *
Grohe	Euphoria	1.5 gpm	NPT	Metal, Plastic	Chrome	4 3/8 in	—	Rain	Bulb	No	2726500E	49ND07
Moen	Commercial	1.5 gpm	NPSM	Plastic	Chrome	3 3/8 in	3 3/8 in	Regular	Flat Circle	Yes	8349EP15	15A829
Multi-Function												
Amer. Std.	3 Function with Pause	1.5 gpm	NPSM	Metal, Plastic	Polished Chrome	3 3/8 in	—	Combo	Bulb	Yes	1660766.002	448N46
Grohe	Movario	2.5 gpm	NPSM	Metal, Plastic	Chrome	4 3/8 in	—	Combo	Bulb	No	28444000	49ND28
Kohler	Awaken B110	2 gpm	BSP	Metal	Polished Chrome	4 3/8 in	6 1/2 in	Combo	Flat Circle	Yes	K-72421-CP	493J04
Kohler	Awaken G110	2 gpm	BSP	Metal	Polished Chrome	4 3/8 in	6 1/2 in	Combo	Flat Circle	Yes	K-72415-CP	493J03
Kohler	Shift	2 gpm	NPT	Metal	Polished Chrome	1 5/8 in	6 1/2 in	Massage	Oval	No	K-45415-CP	493J05
Kohler	Shift Square	2 gpm	NPT	Metal	Polished Chrome	1 5/8 in	6 1/2 in	Massage	Square	No	K-45203-CP	493J06
Handheld Showerheads With Wall-Mounted Brackets & Connection Hoses												
Single Function												
Moen	Commercial	1.5 gpm	NPT	Metal	Chrome	3 3/8 in	3 3/8 in	Regular	Bulb	No	52748EP15	52JN12
Multi-Function												
Ez-Flo	—	2 gpm	FNPT	ABS Plastic	Chrome	4 in	—	Combo	Flat Circle	No	15143	444K46
Speakman	Chelsea	2 gpm	NPSM	Plastic	Brushed Nickel	4 in	—	Massage	No	VS-3011-BN-E2	455F03	
Speakman	Chelsea	2.5 gpm	NPSM	Plastic	Polished Chrome	4 in	—	Massage	No	VS-3011	455F01	
Speakman	Chelsea	2.5 gpm	NPSM	Plastic	Brushed Nickel	4 in	—	Massage	No	VS-3011-BN	455F02	
Speakman	Rio	2 gpm	NPSM	Plastic	Brushed Nickel	4 1/2 in	4 1/2 in	Massage	Flat Circle	No	VS-1240-BN-E2	49AJ96
Speakman	Rio	2 gpm	NPSM	Plastic	Polished Chrome	4 1/2 in	4 1/2 in	Massage	Flat Circle	No	VS-1240-E2	49AJ97
Speakman	Rio	2.5 gpm	NPSM	Plastic	Polished Chrome	4 1/2 in	4 1/2 in	Massage	Flat Circle	No	VS-1240	49AJ94
Speakman	Rio	2.5 gpm	NPSM	Plastic	Brushed Nickel	4 1/2 in	4 1/2 in	Massage	Flat Circle	No	VS-1240-BN	49AJ95
Handheld Showerheads With Wall-Mounted Slide Bars & Connection Hoses												
Single Function												
Grohe	Euphoria Cube	2.5 gpm	NPT	Metal, Plastic	Chrome	4 1/2 in	3 in	Regular	Rectangle	No	27891000	49ND04
Moen	Commercial	1.5 gpm	NPT	Metal, Rubber	Chrome	3 3/8 in	2 in	Regular	Flat Circle	Yes	52710EP15	52JMN92
Moen	Commercial	2.5 gpm	NPT	Brass	Chrome	3 3/8 in	3 3/8 in	Regular	Flat Circle	Yes	8346	4FA79
Multi-Function												
Amer. Std.	Spectra+	1.8 gpm	FNPT	Metal, Plastic	Polished Chrome	4 1/2 in	4 1/2 in	Combo	Flat Circle	No	1660774.002	55DM54

* With shutoff.



Single Function
2YDV7



Multi-Function
493J06



Multi-Function
444K46



Multi-Function
55DM54