

Standard Bathroom Exhaust Fans

120V AC

These fans connect to ductwork to pull stagnant air, odors, and help freshen air in bathrooms. They also remove some moist air to help prevent mirrors and windows from fogging and to help reduce mold and mildew growth.

Max.												
Exhaust	Max.				• •	• •						
Airflow @ 0.100 in SP	Noise Level	Sensor	No. of	Overall	Overall Width	Overall	Brand	Mfr. Model	ltem No.			
0.100 in SP Level Type Speeds Height Width Depth Brand Model No. Ceiling Mount, Round Duct Shape												
50 cfm	0.5 sones	None		5 ¾ in	10 in	9 ¼ in	Broan	AE50	45KA68			
78 cfm	1.2 sones	None		5 3/4 in	10 in	9 1/4 in	Broan	AE80B	45KA00			
80 cfm	2 sones	None		5 3/4 in	10 in	9 1/4 in	Broan	A80	45KA77			
80 cfm	0.3 sones	None	1	7 % in	11 % in	10 ½ in	Broan	XB80	22CV87			
80 cfm	0.3 sones	Occupancy	Variable	7 % in	11 % in	10 ½ in	Broan	ZB80M	22CV97			
80 cfm	0.7 sones	None	1	5 3/4 in	10 in	9 1/4 in	Broan	AE80K	60NT51			
80 cfm	0.3 sones	None	Variable	7 % in	11 % in	10 ½ in	Broan	ZB80	22CV91			
80 cfm	0.3 sones	None	1	7 % in	11 % in	10 ½ in	Broan	0TXE080	4LA32			
110 cfm	3 sones	None	1	5 3/4 in	10 in	9 1/4 in	Broan	A110	45KA74			
110 cfm	0.8 sones	Occupancy	1	7 % in	10 1/4 in	10 1/4 in	Panasonic	FV-0511VK2	490X05			
110 cfm	0.8 sones	None	1	7 % in	11 % in	10 ½ in	Broan	RB110	35ZU32			
110 cfm	0.9 sones	None	1	7 % in	10 1/4 in	10 1/4 in	Panasonic	FV-0511VQ1	448F55			
110 cfm	0.8 sones	Occupancy	3	7 3/8 in	10 1/4 in	10 1/4 in	Panasonic	FV-0511VKS2	490X07			
110 cfm	1 sones	None	Ĭ	5 ³ ⁄ ₄ in	10 in	9 1/4 in	Broan	AE110	45KA75			
110 cfm	0.7 sones	None	1	7 % in	11 3/8 in	10 ½ in	Broan	QTXE110	4LA34			
110 cfm		Humidity, Occupancy	3	7 % in	10 1/4 in	10 1/4 in	Panasonic	FV-0511VQC1	448F59			
110 cfm	0.3 sones	None	1	7 % in	11 3/8 in	10 ½ in	Broan	XB110	22CV88			
110 cfm	0.3 sones	None	Variable	7 5% in	11 3/8 in	10 ½ in	Broan	ZB110	22CV92			
110 cfm	1 sones	None	1	5 ¾ in	10 in	9 1/4 in	Broan	AE110K	60NT47			
150 cfm	0.7 sones	None	1	7 3/8 in	10 1/4 in	10 1/4 in	Panasonic	FV-1115VQ1	448F56			
150 cfm	0.7 sones	Occupancy	3	7 ¾ in	10 ¼ in	10 ¼ in	Panasonic	FV-1115VK2	490X06			
150 cfm	1.4 sones	None	1	7 % in	11 ¾ in	10 ½ in	Broan	QTXE150	4LA36			
190 cfm	1.4 sones	None	1	9 ¼ in	12 ¼ in	12 ¼ in	Panasonic	FV-20VQ3	20JP86			
290 cfm	2 sones	None	1	9 ¼ in	12 ¼ in	12 ¼ in	Panasonic	FV-30VQ3	20JP87			
390 cfm	3 sones	None	1	9 ¼ in	14 ¾ in	14 ¾ in	Panasonic	FV-40VQ4	20JP88			
		ular Duct Shape										
214 cfm	2.5 sones	None	1	9 in	10 ½ in	13 ¼ in	Dayton	60RG40	60RG40			
246 cfm	4.5 sones	None	1	11 ¼ in	11 ½ in	14 in	Dayton	60RG41	60RG41			
274 cfm	5 sones	None	1	11 ¼ in	11 7⁄8 in	14 in	Dayton	60RG36	60RG36			
293 cfm	4.5 sones	None	1	11 ¼ in	11 % in	14 in	Dayton	60RG42	60RG42			
Ceiling & Wall Mount, Round Duct Shape												
50 cfm	4 sones	None	1	3 % in	7 ¼ in	7 ½ in	Broan	688	4C374			
70 cfm	6 sones	None	Variable	3 5% in	7 ½ in	7 ½ in	Broan	671	4C376			
		Ival Duct Shape										
100 cfm	1.3 sones	None	3	3 ¾ in	10 ¼ in	10 ¼ in	Panasonic	FV-0510VS1	53VF73			
110 cfm	1.5 sones	None	1	4 in	11 ¾ in	10 ½ in	Broan	LP110	55VG01			
Ceiling & Wall Mount, Oval, Round Duct Shape												
92 cfm	1 sones	None	1	4 in	11 ¾ in	10 ½ in	Broan	LP80	22CW04			





BRCAN Panasonic. Bathroom Exhaust Fans with Light

120V AC

Max. Exhaust Max. Noise

Feature a light to help brighten dim bathroom areas. Fans connect to ductwork to pull stagnant air, odors, and help freshen air in bathrooms. They also remove moist air to help prevent mirrors and windows from fogging and to reduce mold and mildew growth.

Primary





Airflow @ 0.100 in SP	Level @ 0.100 in SP @ 5 ft	Lighting	Primary Light Wattage	Sensor	No. of	Overall Height	Overall Width	Overall	Brand	Mfr. Model	ltem No.
	Round Duct Shap	Technology	Light wallage	Туре	Speeds	петут	wiutii	Depth	Brand	Mouel	NU.
50 cfm	2.5 sones	Incandescent	100 W	None		5 ¾ in	8 in	8 ¼ in	Broan	678	4C378
70 cfm		LED	9 W	None		6 % in	8 1/4 in	8 1/4 in	Broan	744LED	20JP19
	1.5 sones										
70 cfm	2 sones	Incandescent	100 W	None		5 ¾ in	10 in	9 ¼ in	Broan	A70L	45KA73
70 cfm	2 sones	Incandescent	75 W	None	1	<u>6</u> % in	8 ¼ in	12 ³ ⁄ ₄ in	Broan	744	4LA31
80 cfm	0.3 sones	LED	18 W	None	Variable	7 5% in	11 % in	10 ½ in	Broan	ZB80L1	22CV93
80 cfm	0.3 sones	LED	18 W	Occupancy	Variable	7 5⁄8 in	11 ¾ in	10 ½ in	Broan	ZB80ML1	22CW01
80 cfm	1 sones	Incandescent	100 W	None	1	5 ¾ in	10 in	9 1⁄4 in	Broan	A80L	45KA72
80 cfm	1 sones	LED	8 W	None	1	7 ½ in	8 ¼ in	12 ¾ in	Panasonic	FV-08VRE2	53VF72
80 cfm	2 sones	LED	75 W	None	2	6 1/8 in	8 ¼ in	12 ¾ in	Broan	744L	60NT46
80 cfm	2.5 sones	Incandescent	60 W	None	1	5 ¾ in	8 in	8 ¼ in	Broan	770RLTK	60NT50
80 cfm	2.5 sones	LED	50 W	None	1	5 ¾ in	8 in	8 ¼ in	Broan	SPK80L	56JD61
87 cfm	4.1 sones	Incandescent	100 W	None	Variable	5 ¾ in	8 ¼ in	8 in	Broan	HD80L	5E834
100 cfm	3.5 sones	Incandescent	100 W	Humidity	1	6 in	9 in	9 in	Broan	750	5AFH5
100 cfm	5 sones	Incandescent	100 W	None	1	5 ¾ in	8 ¼ in	16 ¾ in	Broan	696	39W533
110 cfm	0.3 sones	LED	18 W	Humidity	Variable	7 5⁄8 in	11 3/8 in	10 ½ in	Broan	ZB110HL1	22CW02
110 cfm	0.3 sones	LED	18 W	None	1	7 5 in	11 ¾ in	10 ½ in	Broan	XB110L1	22CV90
110 cfm	0.3 sones	LED	18 W	Occupancy	Variable	7 5⁄8 in	11 3/8 in	10 ½ in	Broan	ZB110ML1	22CW03
110 cfm	0.3 sones	LED	18 W	None	Variable	7 5⁄8 in	11 3/8 in	10 ½ in	Broan	ZB110L1	22CV94
110 cfm	0.4 sones	LED	10 W	None	1	7 ¾ in	10 1/4 in	10 ¼ in	Panasonic	FV-0511VQL1	448F57
110 cfm	0.4 sones	LED	10 W	Humidity, Occupancy	3	7 ¾ in	10 1/4 in	10 1/4 in	Panasonic	FV-0511VQCL1	448F60
110 cfm	0.4 sones	LED	10 W	Occupancy	3	7 ¾ in	10 ¼ in	10 ¼ in	Panasonic	FV-0511VKL2	490X08
110 cfm	0.8 sones	LED	18 W	None	1	7 5% in	11 ¾ in	10 ½ in	Broan	RB110L1	35ZU34
110 cfm	1 sones	LED	10 W	None	3	5 ½ in	10 1/4 in	10 1/4 in	Panasonic	FV-0511VFL1	784JH0
110 cfm	1 sones	LED	11 W	Humidity	1	5 ¾ in	10 in	9 ¼ in	Broan	AE110SL	53UL08
110 cfm	1.3 sones	Incandescent	100 W	None	1	5 3/4 in	10 in	9 1/4 in	Broan	A110L	45KA71
110 cfm	1.5 sones	LED	12 W	None	1	5 3/4 in	10 in	9 1/4 in	Broan	791LEDM	45JT69
150 cfm	0.4 sones	LED	10 W	Occupancy	3	7 ¾ in	10 1/4 in	10 1/4 in	Panasonic	FV-1115VKL2	490X09
150 cfm	0.5 sones	LED	10 W	None	1	7 % in	10 1/4 in	10 1/4 in	Panasonic	FV-1115VQL1	448F58
Ceiling & Wall Mount, Oval Duct Shape											
110 cfm	0.9 sones	LED	10 W	None	3	3 ¾ in	10 ¼ in	10 ¼ in	Panasonic	FV-0510VSL1	429J49

Sign in to Grainger.com® to see YOUR Pricing and MORE