


1-800-GRAINGER (472-4643)



2RB74



4HX55

Dayton®

Roof Curbs

- 18-ga. galvanized steel

These roof curbs provide a sturdy, weather-resistant mounting point for roof-mounted fans. They can be nonventilated or ventilated to comply with local HVAC codes. Suitable for use with downblast fans, filtered supply fans, and upblast fans.

Note: Adjustable roof curbs and additional sizes are available on Grainger.com.

For Fan Base Dim. (in. sq.)	Curb Height	Curb Inside Width	Curb Outside Width	Damper Size (in.)	Flashing Flange Width (in.)	Standards	Item No.
Roof Curbs							
Fixed, Nonventilated							
16 in	12 in	12 ½ in	15 in	9½ x 9½	2 in	UL 705	2RB74
17 in	12 in	12 ½ in	15 ½ in	9 ½ x 9 ½	2 in		5EFJ2
19 in	12 in	14 ½ in	17 ½ in	12 x 12	2 in		2RB75
22 in	12 in	17 ½ in	20 ½ in	15 x 15	2 in		2RB76
26 in	12 in	21 ½ in	24 ½ in	19 x 19	2 in		2RB77
30 in	12 in	25 ½ in	28 ½ in	23 x 23	2 in		2RB79
34 in	12 in	29 ½ in	32 ½ in	27 x 27	2 in		2RB80
36 in	12 in	31 ½ in	34 ½ in	—	2 in		3AZH9
40 in	12 in	35 ½ in	38 ½ in	27 X 27	2 in		24Y860
42 in	12 in	37 ½ in	40 ½ in	35 x 35	2 in		2RB81
46 in	12 in	41 ½ in	44 ½ in	39 x 39	2 in		2RB82
52 in	12 in	47 ½ in	50 ½ in	39 x 39	2 in		5EFJ3
64 in	12 in	59 ½ in	62 ½ in	50 x 50	2 in		2RB83
Fixed, Ventilated							
19 in	24 in	14 in	17 ½ in	—	4 in	NFPA 96, UL 705, UL 762	4HX54
22 in	24 in	17 in	20 ½ in	—	4 in		4HX55
26 in	24 in	21 in	24 ½ in	—	4 in		4HX56
30 in	24 in	25 in	28 ½ in	—	4 in		4HX57
34 in	18 in	29 in	32 ½ in	—	4 in		4HX58
42 in	18 in	37 in	40 ½ in	—	4 in		4HX59
46 in	18 in	41 in	44 ½ in	—	4 in		4HX60

* Does not include damper tray.

Dayton®

56JN59



Wall-Mount Brackets

Allow ventilation fans to be installed onto a wall or other vertical surface. Include a hardware kit.

Fits Square Base Size	Compatible Grainger Part No.	Item No.
19 in	16D522, 16D523, 20FT09, 20FT10, 20FT11, 20FT14, 36WG76, 48C179, 48C180, 48C181, 5DVN6, 5DVN8, 5DVP0, 5DVP4, 5DVP6	56JN59
22 in	16D524, 1MBE7, 1MBE8, 2RB65, 4HZ40, 4HZ41, 4HZ44, 4HZ45, 4YY14, 4YY15, 52CD36, 56MW60, 56MW63, 5DVL4, 5DVP8, 5DVR2, 6KWJ9	56JN60
26 in	2RB66, 3ATT8, 3ATT9, 56JN76, 56JN77, 56JN78, 56JN79, 56JN80, 56JN81, 56JN82, 56JN83, 56JN84, 56JN85, 56JN91, 56JN92, 56MW61, 56MW62, 56MW64, 56MW65, 56MW66, 56MW67, 56MW68, 56MW72, 60KT20	56JN61
30 in	56JN86, 56JN87, 56JN89, 56JN90, 56JN93, 56JN94, 56JN97, 56JN98, 56JN99, 56JP01, 56JP02, 56JP03, 56JP04, 56JP05, 56JP06, 56JP07, 56JP08, 6JN88	56JN62
34 in	56JN95, 56JP09, 56JP10, 56JP11, 56JP12, 56JP13	56JN63
40 in	56JN96	56JN64



4HX61

Dayton®

NFPA 96 Required Ventilator Accessories

Ventilated Roof Curbs—Ventilate hot exhaust ducts in commercial kitchen applications, protecting buildings and roof members. Galvanized steel curbs allow for quick ventilator installation and uniformity throughout the job. Fixed curbs are 18 ga.; adjustable curbs are 16 ga. Flat-flashing flange mounts directly to roof surface. Top flange surface is 1 ¼" wide. For use with NFPA 96, UL 705, and UL 762 applications.

Grease Collector Box—Diverts and collects heavy grease residue while protecting roof surface. Fastens directly to curb underneath ventilator and includes connection from ventilator drain to Grease Box. Required for NFPA 96 and UL 762.

Clean-Out Port Kit—Retrofits ventilator with a cleanout port for access to the ventilator wheel through the windband. Required for NFPA 96. Includes removable plug and hardware. Required for NFPA 96 and UL 762.

Hinge Kits—Allow ventilators to swing back to expose the entire fan for cleaning and inspection, making maintenance easier. Includes retaining cable and hardware kit. **Upblast Hinge Kits** are required for NFPA 96 and UL 762.

Curb Height (in.)	Outside Square (in.)	Inside Square (in.)	Use w/Dayton Ventilators	Item No.
Adjustable Ventilated Roof Curbs, 5 in Flashing				
24 in	17 ½ to 22	14 ½ to 18	Sq. Base 19 to 20½"	4HX61
24 in	24 to 29	21 to 26	Sq. Base 25½ to 27½"	4HX62
18 in	31 to 46	28 to 43	Sq. Base 32½ to 44½"	4HX63
Fixed Ventilated Roof Curbs, 4 in Flashing				
24 in	17 ½ in	14 in	19" Sq. Base	4HX54
24 in	20 ½ in	17 in	22" Sq. Base	4HX55
24 in	24 ½ in	21 in	26" Sq. Base	4HX56
24 in	28 ½ in	25 in	30" Sq. Base	4HX57
18 in	32 ½ in	29 in	34" Sq. Base	4HX58
18 in	40 ½ in	37 in	42" Sq. Base	4HX59
18 in	44 ½ in	41 in	46" Sq. Base	4HX60
H (in.)	L (in.)	W (in.)	For Use With Dayton Roof-Mounted Centrifugal Ventilators	Item No.
Grease Collector Box				
6	12	5	Dayton Upblast Roof Ventilators Dayton	48C174
Clean-Out Port Kit				
7	—	7	Belt-Drive Exhaust Fan, Centrifugal Upblast Roof Ventilators	3ATV9
Fits Square Base Size				Item No.
Hinge Kits - Downblast				
				56JN70
				56JN71
				56JN72
				56JN73
				20CK47
				20CK48
				20CK49
				20CK50
				20CK51
				20CK52
Hinge Kits - Upblast				
				20CK53
				20CK54
				20CK55
				20CK56
Hinge Kits - Upblast & Downblast				
				4HX79

Sign in to **Grainger.com®** to see **YOUR Pricing** and **MORE**