

Heavy-Duty Portable Air Conditioners

- Air-cooled vented
- Self-contained units are easy to install and operate Provide cool, dehumidified air for cooling people, processes, and equipment. They're commonly used to cool assembly lines and critical processes.

Climate Pro K Series-

Models are designed for heat-sensitive server rooms, hospitals, laboratories, schools, and stuffy offices. May be used for emergency backup and supplemental cooling applications.

MOVINCOOL

Climate Pro X and Classic Series-

Designed to spot cool warehouses, manufacturing plants, and outdoor events. Also suitable for process cooling and moisture removal.

Climate Pro D Series (Heat Pump)—

Portable heat pumps feature reversible operation to switch between cooling and heating modes for year-round climate control in moderate climates.





Climate Pro K60






Cooling Average		verage		NEMA Plug				Key	Heating	Mfr.	Item	ASSES MA	
Cap.	Coverage Area	Phase	e Voltage	Configuration	W	D	Н	Features	Cap.	Model	No.		MIN
Climate Pro	K Series, 3 Speeds								•				M
12,000 BtuH	450 to 550 sq ft	1	115V AC	LCDI, 5-15P	22"	27"	47"	Programmable		Climate Pro K12	54ZV21	Robert William Robert	W
16,800 BtuH	550 to 700 sq ft	- 1	115V AC	LCDI, 5-20P	22"	27"	47"	Programmable	_	Climate Pro K18	54ZV22	Autophatasarphytoms	257
	1,400 to 1,500 sq ft		208/230V AC	LCDI, 6-20P	22"	27"	51"	Programmable	_	Climate Pro K24		Printer State Control of the Control	膠
	2,000 to 2,500 sq ft		208/230V AC		31"	55"	53"	Programmable		Climate Pro K36		E Directo State (175)	ST.
	2,000 to 2,500 sq ft		208/230V AC	6-50P	31"	55"		Built-in Condensate Pump, Programmable		Climate Pro K60		THE RESERVED IN	
	2,000 to 2,500 sq ft	3	460V AC	L16-20P	31"	55"	64"	Built-in Condensate Pump, Programmable	. —	Climate Pro K63	54ZV28	Selected and the selection of the select	
Climate Pro	X Series, 3 Speeds											NAME OF TAXABLE PROPERTY.	
13,200 BtuH		1	115V AC	LCDI, 5-15P	22"	29"	48"	Programmable	_	Climate Pro X14		Introconnautro	8
16,800 BtuH	550 to 700 sq ft	1	115V AC	LCDI, 5-20P	22"	29"	51"	Cellular Control, Programmable	_	Climate Pro X20	54ZV31		
	1,400 to 1,500 sq ft	1	208/230V AC	LCDI, 6-20P	22"	29"	51"	Programmable		Climate Pro X26	54ZV25	BOOKS AND AND ADDRESS OF THE PERSON NAMED IN COLUMN 1	
Classic Seri	es, 1 Speed											Windows and the second	
39,000 BtuH	2,000 to 2,500 sq ft	3	220V AC	L15-30P	26"	44"	38"	Remote Control	_	CLASSIC 40	5JLJ7	All	p
Climate Pro	D Series (Heat Pum)	p), 3 S										- A	
10,200 BtuH	400 to 450 sq ft	1	115V AC	LCDI, 5-15P	22"	27"	47"	Cellular Control		Climate Pro D12		- 0	
15,500 BtuH	550 to 700 sq ft	- 1	115V AC	LCDI, 5-20P	22"	27"	51"	Cellular Control	13,000 Btul-	I Climate Pro D18	54ZV30	Climate Pro	D.
													_







				K Series				X SERIE		*	CLASSIC	SERIES*	D SE	RIES*
	Mfr.	Item		54ZV22			54ZV27 54ZV28		54ZV25		5JLJ7	5JLJ8	54ZV29	
Description	Model	No.	K12	K18	K24	K36	K60/63	X14	X26	X20	C40	C10	D12	D18
Air Ducts, Adapters, and Trim Rings	1.4)/45774.0000	F4500												
Accordion Exhaust Air Duct, 12 in Dia. x 10 ft L	LAY45771-0060	5AE93	•	•	•			•	•	•		•	•	•
Accordion Exhaust Air Duct Kit, 16 in Dia. x 25 ft L	LAY45820-0010	1VK45				•	•							
Accordion Supply Air Duct, 8 in Dia. x 25 ft L	LAY45810-0030	1VK44				•	•	_		_				
Dual Duct, 5 in Dia.	484209-0500	55AC34						•	•	•				
Duct Adapter	481769-0300	55AC27		_		•	•	_		_				
Self Supported Duct, 12 in Dia.	LA481744-0410	55AC35	•	•				•	•				•	•
Supply Air Self-Supported Duct, 5 in Dia.	LA481744-0420	55AC32	•	•	•				•				•	
Trim Ring, 5" (Fits No. 5E358)	481851-0200	5E360	•	•								•		•
Trim Ring, 6" (Fits No. 5E359)	481851-0210	5E361				•	•				•			
Celling Tile Kits														
24 x 24" Ceiling Tile, 12" Dia.	LA146373-8280	4YN24										•		•
Ceiling Tile Kit, 12 in Dia.	484490-1030	55AC36	•	•	•			•	•	•			•	•
Ceiling Tile Kit, 16 in Dia.	484490-1040	55AC37				•	•							
Condensate Pump Kits														
Condensate Pump Kit, 115V AC	484789-0210	55AC43	•	•				•		•				•
Condensate Pump Kit, 230V AC	484789-0220	55AC44			•				•					
Nozzles and Adapters														
Nozzle Adapter Kit, 5" Dia.	481769-0280	55AC25	•	•	•								•	
Nozzle Adapter Kit, 6" Dia.	481769-0290	55AC26												
Nozzle Kit, 5 in Dia.	484209-0480	55AC28												
Nozzle Kit, 6 in Dia.	484209-0490	55AC29												
Plenums														
Indoor Air Plenum	484350-1210	55AC47												
Indoor Air Plenum	484350-1330	55AC46												
Outdoor Air Plenum	484350-1160	55AC38	•	•						•				
Outdoor Air Plenum	484350-1170	55AC39												
Outdoor Air Plenum	484350-1180	55AC42							•					
Outdoor Air Plenum	484350-1230	55AC40				•								
Outdoor Air Plenum	484350-1240	55AC41					•							
Supply Air Flanges														
Supply Air Flange Kit, 5 in Dia.	481170-0450	55AC30	•	•	•			•	•	•			•	•
Supply Air Flange Kit, 6 in Dia.	481170-0460	55AC31				•	•							

^{*} For more accessories, go to Grainger.com and search: "movincool accessories".

2872