

1-800-GRAINGER (472-4643)



Fiber Optic Cable Testing Instruments

Description	Mfr. Model	Item No.
IDEAL		
Fiber Optic Test Kit, Power Measurement In dBm and W, Loss Display In dB, Four Wavelength MM/SM Light Source	33-931	6KJU4
Fiber Fault Finder, Finds Breaks, Faulty Splices and Crimps Poor Components or Connections for Fiber Cable, Visually Identifies and Locates Faults in Fiber Optic Cabling, 2.5mm Universal Adaptor for All ST, SC and FC Connectors, Useful Over a Distance of 5km (3 miles), Up to 80 hours of Operation, Ruggedised Aluminium Body	VFF5	6LFY3
Hubbell Premise Wiring		
Fiber Visual Fault Locator Kit, Fiber Terminations and Breaks, 1.25MM and 2.5MM Ferrule Adapters	OFVFLKT1	22LV15
Fluke Networks		
Fiber Optic Cleaning Supplies, Fiber Optic Cleaning, Solvent, Swabs and Cube	NFC-KIT-BOX	12N847
Fiber Optic Cleaning Supplies, Fiber Optic Cleaning, Solvent, Swabs, Cube and Case	NFC-KIT-CASE	12N848
Visual Fiber Optic Fault Locator, Visible Light Source That Helps Trace Optical Fibers, Check Fiber Continuity, And Find Faults Such as Breaks, Bad Splices, and Tight Bends In Fiber Optic Cable	VisiFault	2EHV6
Basic Fiber Verification Kit (MM), Verify Optical Loss and Power Levels	FTK1000	4AZZ3
Fiber Optic Tester, Fiber Optic Video Inspection, Allow Tier 2 Certification, Detects (850/1300nm) Multimode and (1310/1550nm) Single Mode Wavelengths, Locate Connections and Faults, Measure Loss and Reflectance	OFF-Q-ADD	54DV48
Fiber Optic Tester, Fiber Optic Video Inspection, Extended Single Mode Distance Range to 130km, Fiber Optic Loss, OTDR Testing and Fiber End Face Inspection, Versiv(TM) Modular Design Supports Copper Certification	CFP-Q-ADD	54DV49
Fiber Optic Fault Locator, Fiber Troubleshooting, Fills The Gap Between a VFL and An OTDR, VFL Simplicity, Identify Live Fiber, Provide Distance and Power Information On High Losses, Breaks At The End Of The Fiber	FQM-100-M	54DV52
Fiber Optic Fault Locator, Fiber Troubleshooting, Works On Multimode Fiber, 9/125micron m and 62.5/125 micron m, Locate Severe Bends, High-Loss Splices, Breaks and Dirty Connectors In Single Mode Fiber, Change The Index of Refraction (IOR) to Improve Fiber Length Accuracy	FQM-100-M-VFL	54DV53
Fiber Optic Fault Locator, Fiber Troubleshooting, Fills The Gap Between a VFL and An OTDR, VFL Simplicity, Identify Live Fiber, Provide Distance and Power Information On High Losses, Breaks At The End Of The Fiber	FQM-M	54DV54
Fiber Optic Fault Locator, Fiber Troubleshooting, Fills The Gap Between a VFL and An OTDR, VFL Simplicity, Identify Live Fiber, Provide Distance and Power Information On High Losses, Breaks At The End Of The Fiber	FQM-SFP-M	54DV55



Coax Test Tools



Description	Mfr. Model	Item No.
Fluke Networks		
Pocket Toner, Continuity, AC and DC Voltages, Shorts, Opens and 50-75 Ohm Termination, Bi-gender Toner Unit with Speed 81, 8-Segment LED, Low-voltage Circuit Protection, Auto Shutoff Feature	PTNX2	12N834
Pocket Toner, Continuity, Opens and Shorts, Bi-gender toner unit with Speed 81, LED, Low-voltage Circuit Protection, Auto shutoff feature	PTNX1	12N835
Toner, Continuity, AC and DC Voltage, Shorts, Opens and 50-75 Ohm Termination, Two Buzzers to Indicate Continuity, Bi-Gender Toner Unit with Speed 81, Removable Toner Unit, 8-Segment LED Displays 5 Different Test Results, Low-Voltage Circuit Protection, Auto Shutoff Feature, Ability to Test Dial Tone and Polarity, 8 ID Caps	PTNX8	12N836
Pocket Toner, Continuity, AC and DC Voltage, Shorts, Opens and 50-75 Ohm Termination - 8x Faster, Bi-gender toner unit with Speed 81, LED, Low-voltage Circuit Protection, Auto shutoff feature	PTNX8-CT	12N837
Toner, Continuity, AC and DC Voltage, Shorts, Opens and 50-75 Ohm Termination - 8x Faster, Bi-gender toner unit with Speed 81, LED, Low-voltage Circuit Protection, Auto shutoff feature	PTNX8-Cable	12N838
Toner, Continuity, AC and DC Voltage, Shorts, Opens and 50-75 Ohm termination - 8x Faster, Bi-gender toner unit with Speed 81, LED, Low-voltage Circuit Protection, Auto shutoff feature	PTNX8-DLX	12N839
Pocket Toner, Continuity, AC and DC Voltage, Shorts, Opens and 50-75 Ohm termination - 8x Faster, Bi-gender toner unit with Speed 81, LED, Low-voltage Circuit Protection, Auto shutoff feature	PTNX8-VV-PRO	12N840
Toner, Continuity, AC and DC Voltage, Shorts, Opens and 50-75 Ohm Termination, Bi-gender toner unit with Speed 81, LED, Low-voltage Circuit Protection, Auto shutoff feature	PTNX2-DLX	12N841
MicroScanner ² Professional Kit, Cable Tester Kit, Verifies 10/100/1000 Ethernet, POTS and PoE Voltage, Cable Length, Wiremap, Cable ID and Distance, Locates Virtually Any Cable or Wire Pair	MS2-KIT/WWG 3084134	2HTK1
MicroScanner ² Cable Verifier, Cable Tester, Verifies 10/100/1000 Ethernet, POTS and PoE Voltage, Cable Length, Wiremap, Cable ID, and Distance	MS2-100/WWG 3084165	2HTK2
Southwire		
Coax Continuity Tester and Mapper, Auto Power Off, Identify Up to (4) Coax Cable Remote Locations, (4) 1.5 VLR44 Batteries, (4) ID Remotes	58744940	54DF43

Sign in to **Grainger.com**® to see **YOUR Pricing** and **MORE**