



316 Stainless Steel зкнзз

## Ty-Rap<sup>®</sup> **P**ANDUIT<sup>®</sup>

DOLPHIN

## **Metal Cable Ties**

Metal cable ties are used for tying, lashing, and identifying materials in harsh environments like boiler rooms, chemical plants, refineries, and paper mills. They have excellent corrosion resistance and durability and can withstand high temperatures. Nominal

			on the other				CV.		1031011103131	anoc an	a aarabiiity and		illistanu nigri ten	iperatur	00.
Nom.	Nominal Max.					Item	Pkg.	Nom.	Nominal Max.					Item	Pkg.
L	Bundle Dia.	W	Locking Style	Color	Brand	No.	Qty.	L	Bundle Dia.	W	Locking Style	Color	Brand	No.	Qtý.
	less Steel Cab							12 in	3 in	0.47 in	SS Barb	Silver	Ty-Rap	3KH33	100
100 lb, Standard, 304 Stanless Steel Dolphin Trans. Currer 10. 14 in 4 in 0.31 in Ball Lock Silver Compared Core 14X913											10				
6 ½ in	1 in	0.18 in	SS Barb	Silver	Ty-Rap	6JE35	10						Components Corp		
10 in	2 in	0.18 in	SS Barb	Silver	Ty-Rap	6JE36	10	24 in	7 ½ in	0.29 in	SS Barb	Silver	Ty-Rap	6JE48	10
16 in	4 in	0.18 in	SS Barb	Silver	Ty-Rap	6JE38	10	24 in	7 ½ in	0.47 in	SS Barb	Silver	Ty-Rap	6JE49	10
180 lb, Ex	tra Heavy Dut	y, 304 Sta	ainless Steel					24 in	7 ½ in	0.28 in	SS Barb	Silver	Ty-Rap	3KH35	100
12 ½ in	2 in	0.18 in	Ball Lock	Silver	Panduit	2CMT4	100	24 in	7 ½ in	0.47 in	SS Barb	Silver	Ty-Rap	3KH36	100
12 ½ in	2 in	0.18 in	Ball Lock	Silver	Panduit	2CMU3	100	450 lb, Ex	ctra Heavy Duty	r, 316 Stai	nless Steel				
18 ½ in	4 in	0.18 in	Retained Tension	Silver	Panduit	2CMT5	100	8 in	2 in	0.47 in	Ball Lock	Silver	Dolphin	14X917	10
18 ½ in	4 in	0.18 in	Retained Tension	Silver	Panduit	2CMU4	100	0 111	2 111	0.47 111	Dan Look	011701	Components Corp	14/31/	10
200 lb, Extra Heavy Duty, 304 Stainless Steel							8 in	2 in	0.47 in	Ball Lock	Silver	Dolphin	14X916	50	
5 in	1 in	0.18 in	Retained Tension,	Silver	Panduit	2CMP8	100						Components Corp		
			Radial Seal	Silver				8 in	2 in	0.31 in	Ball Lock	Silver	Panduit	2CMT1	50
8 in	2 in	0.19 in	Ball Lock	Silver	Ty-Rap	35PC06	50	8 in	2 in	0.31 in	Ball Lock	Silver	Ty-Rap	35PC13	50
8 in	2 in	0.18 in	Ball Lock	Silver	Panduit	2CMP9	100	14 ½ in	4 in	0.31 in	Ball Lock	Silver	Panduit	2CMT2	50
10 in	2 in	0.25 in	SS Barb	Silver	Ty-Rap	6JE37	10	14 ½ in	4 in	0.31 in	Ball Lock	Silver	Ty-Rap	35PC15	50
14 ½ in	4 in	0.19 in	Ball Lock	Silver	Ty-Rap	35PC08	50	20 in	6 in	0.47 in	Ball Lock	Silver	Dolphin	14X923	10
14 ½ in	4 in	0.18 in	Retained Tension,	Silver	Panduit	2CMR1	100	20111	0 111	0.17 11	Dun Look	011101	Components Corp	THASEO	
14 72 111	4 111	0.10 111	Radial Seal	Silver	Pallouit	201111		20 in	6 in	0.47 in	Ball Lock	Silver	Dolphin	14X922	50
16 in	4 in	0.25 in	SS Barb	Silver	Ty-Rap	6JE39	10						Components Corp		
20 ½ in	6 in	0.19 in	Ball Lock	Silver	Ty-Rap	35PC10	50	20 ½ in	6 in	0.31 in	Ball Lock	Silver	Panduit	2CMT3	50
20 ½ in	6 in	0.18 in	Retained Tension,	Silver	Panduit	2CMR2	100	20 ½ in	6 in	0.31 in	Ball Lock	Silver	Ty-Rap	35PC17	50
			Radial Seal					26 in	8 in	0.47 in	Ball Lock	Silver	Dolphin	14X925	10
22 in	6 in	0.25 in	SS Barb	Silver	Ty-Rap	6JE40	10		-	-			Components Corp		
29 in	8 in	0.25 in	SS Barb	Silver	Ty-Rap	6JE41	10	26 in	8 in	0.62 in	Ball Lock	Silver	Dolphin Componento Corre	14X924	50
225 lb, Extra Heavy Duty, 304 Stainless Steel															
12 1/2 in	2 in		Retained Tension	Silver	Panduit	2CMU6	50	000 ID, E2	tira neavy Duty		mess steel		Dolphin		
18 ½ in	4 in	0.25 in		Silver	Panduit	2CMT9	50	18 in	4 in	0.62 in	Ball Lock	Silver	Components Corp	14X927	10
450 lb, Ex	tra Heavy Dut	y, 304 Sta	ainless Steel										Dolphin		
8 in	2 in	0.31 in	Ball Lock	Silver	Panduit	2CMR3	50	18 in	4 in	0.62 in	Ball Lock	Silver	Components Corp	14X926	50
8 in	2 in	0.31 in	Ball Lock	Silver	Ty-Rap	35PC07	50						Dolphin		
14 ½ in	4 in	0.31 in	Retained Tension	Silver	Panduit	2CMR4	50	24 in	6 in	0.62 in	Ball Lock	Silver	Components Corp	14X928	50
14 ½ in	4 in	0.31 in	Ball Lock	Silver	Ty-Rap	35PC09	50						Dolphin		
20 ½ in	6 in	0.31 in	Ball Lock	Silver	Panduit	2CMR5	50	30 in	8 in	0.63 in	Ball Lock	Silver	Components Corp	14X930	50
20 1/2 in	6 in	0.31 in	Ball Lock	Silver	Ty-Rap	35PC11	50	Aluminum	Cable Ties				•••••		
600 lb, Ex	tra Heavy Dut	y, 304 Sta	ainless Steel						ndard, Alumin	um					
17 ½ in	4 in	0.5 in	Ball Lock	Silver	Panduit	30PR62	50	8 in	2 in	0.31 in	Ball Lock	Silver	Panduit	3FVY3	50
900 lb, Ex	tra Heavy Dut	y, 304 Sta	ainless Steel					14 ½ in	4 in	0.31 in	Ball Lock	Silver	Panduit	3FVY4	50
17 ½ in	4 in	0.63 in	Ball Lock	Silver	Panduit	30PR63	50		16 Stainless St						
23 1/2 in	6 in	0.63 in	Retained Tension	Silver	Panduit	30PR64	50		ctra Heavy Duty						
316 Stain	less Steel Cab	le Ties						6 in	2 in	0.29 in	SS Barb	Black	Ty-Rap	6JE43	10
200 lb, Ex	tra Heavy Dut	y, 316 Sta	ainless Steel					6 in	2 in	0.28 in	SS Barb	Black	Ty-Rap	3KH38	100
5 in	1 in	0.18 in	Ball Lock	Silver	Panduit	2CMR6	100	8 in	2 in	0.31 in	Ball Lock	Black	Panduit	30PR65	50
8 in	2 in	0.18 in	Ball Lock	Silver	Panduit	2CMR7	100	12 in	4 in	0.29 in	SS Barb	Black	Tv-Rap	6JE45	10
14 1/2 in	4 in	0.18 in	Ball Lock	Silver	Panduit	2CMR8	100	12 in	4 in	0.47 in	SS Barb	Black	Ty-Rap	6JE47	10
20 ½ in	5 1 in	0.19 in	Ball Lock	Silver	Ty-Rap	35PC16	50	12 in	4 in	0.28 in	SS Barb	Black	Ty-Rap	3KH32	100
	tra Heavy Dut				2 1			12 in	3 in	0.20 in	SS Barb	Black	Ty-Rap	3KH34	100
				0.1	Dolphin	4 41/007	4.0	14 ½ in	4 in	0.31 in	Ball Lock	Black	Panduit	30PR71	50
5 in	1 in	0.31 in	Ball Lock	Silver	Components Corp	14X907	10	14 ½ in	4 in	0.31 in	Ball Lock	Blue	Panduit	30PR72	50
6 in	2 in	0.29 in	SS Barb	Silver	Ty-Rap	6JE42	10	14 ½ in	4 in	0.31 in	Ball Lock	Green	Panduit	30PR73	50
6 in	2 in	0.28 in	SS Barb	Silver	Ty-Rap	3KH37	100	14 ½ in	4 in	0.31 in	Ball Lock	Red	Panduit	30PR74	50
12 in	4 in	0.29 in	SS Barb	Silver	Ty-Rap	6JE44	10	14 ½ in	4 in	0.31 in	Ball Lock	White	Panduit	30PR75	50
12 in	4 in	0.47 in	SS Barb	Silver	Ty-Rap	6JE46	10	14 ½ in	4 in	0.31 in	Ball Lock	Yellow	Panduit	30PR76	50
12 in	4 in	0.28 in	SS Barb	Silver	Ty-Rap	3KH31	100	14 72 111	4 111	0.01 10	Dall LUGK	TOHOW	Γαπιστιτ	0011170	
					2 1										



## 394 **GRAINGER**

Find even MORE on Grainger.com®

1-800-GRAINGER (472-4643)



## **Cable Tie Installation Tools**

Tools are used to tension and cut ties.

Cable Tie Tensile Strength	Cable Tie Width	Tension Adjustment Method	Handle Type	Brand	ltem No.
	ols for Stainless Stee		папите туре	Diallu	NU.
100 lb	0.170 in	No Adjustment	Cushion Grip	Tv-Rap	3KH55
100 lb	0.050 in	Pre-Set Steps	Plain	Dolphin Components Corp	14L582
200 to 800 lb	0.180 in to 0.500 in	No Adjustment	Cushion Grip	Panduit	2CMU9
250 lb	0.250 in	No Adjustment	Cushion Grip	Ty-Rap	3KH54
<b>Fixed-Tension To</b>	ols for Nylon Ties				
18 to 50 lb	0.094 in to 0.184 in	No Adjustment	Plain	Ty-Rap	3KH51
50 to 120 lb	0.184 in to 0.301 in	No Adjustment	Plain	Ty-Rap	3KH53
<b>Cordless Cable Ti</b>	ie Tools				
250 lb	0.310 in to 0.630 in	Infinite Adjustment	Ergonomic	Panduit	30PR86
Adjustable-Tensio	on Tools for Stainless	Steel Ties			
180 to 225 lb	0.180 in to 0.250 in	Pre-Set Steps	Cushion Grip	Panduit	2CMV1
200 to 600 lb	0.180 in to 0.310 in	Pre-Set Steps	Plain	Panduit	2CMU8
Adjustable-Tensio	on Tools for Nylon Tie	S			
0 to 60 lb	0.094 in to 0.184 in	Pre-Set Steps	Adjustable Span Grip	Ty-Rap	1A887
8 to 50 lb	0.070 in to 0.190 in	Pre-Set Steps	Ergonomic	Panduit	52ZJ96
18 to 50 lb	0.094 in to 0.184 in	Pre-Set Steps	Cushion Grip	Ty-Rap	1TBD8
50 to 120 lb	0.184 in to 0.270 in	Pre-Set Steps	Cushion Grip	Ty-Rap	1TBD9
50 to 175 lb	0.190 in to 0.350 in	Pre-Set Steps	Ergonomic	Panduit	52ZJ97

DOLPHIN