

CONTINUED



PAR56
1K441



PL Vertical
54EL42

PAR Light Bulbs

PHILIPS **FEIT Electric** Current **SYLVANIA**

Light Technology	Wattage Equivalency	Watts	Color Temp.	Lumens	Bulb Beam Angle	Dimmable	Rated Life	Overall Length	Brand	Item No.	Pkg. Qty.
Incandescent	175W INC	175W	1330K	2620 lm	360°	Yes	5,000 hr	5 ½ in	Philips	492Z91	1
LED	250W PAR38 HAL	27 W	3000K	2,800 lm	15°	Yes	25,000 hr	5 ½ in	Philips	784NC1	1
	250W PAR38 HAL	27 W	3000K	2,800 lm	25°	Yes	25,000 hr	5 ½ in	Philips	784NC2	1
PAR56 Bulb Shape; Mogul End Prong (GX16d) Bulb Base Type											
Incandescent	300W INC	300W	2750K	3840 lm	60°	Yes	2,000 hr	5 in	Current	4V499	1
PAR56 Bulb Shape; Screw Terminals Bulb Base Type											
Incandescent	200W INC	200W	3000K	3700 lm	15°	Yes	350 hr	4 ½ in	Current	5V123	1
	350W INC	350W	3000K	6200 lm	15°	Yes	500 hr	4 ½ in	Current	1K441	1
PAR64 Bulb Shape; Screw Terminals Bulb Base Type											
Halogen	600W INC	600 W	3000K	60,000 lm	40°	Yes	100 hr	4 ½ in	Current	6VK46	1
PL Vertical Bulb Shape; 2-Pin (G24d) Bulb Base Type											
LED	75W INC/18 to 20W CFL	10.5 W	2700K	1,000 lm	120°	No	50,000 hr	6 ½ in	Current	54EL42	1
	75W INC/18 to 20W CFL	10.5 W	3500K	1,050 lm	120°	No	50,000 hr	6 ½ in	Current	54EL44	1
	75W INC/18 to 20W CFL	10.5 W	4000K	1,050 lm	120°	No	50,000 hr	6 ½ in	Current	54EL45	1



BR30
492Z69



BR40
36GJ48



R14
492Z95



R20
36GJ42



R30
40D435



R40
493A03



Intermediate
Screw
(E17) Base



Medium
Screw
(E26) Base

BR and R Light Bulbs

PHILIPS **FEIT Electric** SATCO | NUVO **SYLVANIA** Current **Shat-R-Shield**

Bulged reflector (BR) light bulbs have a reflector that prevents light from becoming trapped in the bulbs' neck and sides and instead directs the light forward out the bulbs' top. These bulbs are commonly used as floodlights and corridor lights. Reflector (R) light bulbs have a reflective inner surface that intensifies the bulbs' light output. They install into track lights, can lights, and accent lights for general lighting applications.

Light Technology	Wattage Equivalency	Watts	Color Temp.	Lumens	Bulb Beam Angle	Dimmable	Rated Life	Overall Length	Brand	Item No.	Pkg. Qty.
BR30 Bulb Shape; Medium Screw (E26) Bulb Base Type											
Incandescent	45W INC	45W	2700K	330 lm	30°	Yes	2,500 hr	5 ½ in	Philips	493A17	3
Halogen	50W INC	50 W	2900K	600 lm	60°	Yes	2,000 hr	5 ½ in	Philips	492Z69	3
	65W INC/16W CFL	7.2 W	2700K	650 lm	110°	Yes	15,000 hr	5 ½ in	Philips	54YP77	1
LED	65W INC/16W CFL	7.2 W	2700K	650 lm	90°	Yes	15,000 hr	5 ½ in	Philips	54YP75	1
	65W INC	7.2 W	2700K	650 lm	110°	Yes	25,000 hr	5 in	Feit Electric	56JH49	3
	65W INC	7.2 W	3000K	650 lm	90°	Yes	15,000 hr	5 ½ in	Philips	56JX05	1
	65W INC	7.2 W	3000K	650 lm	120°	Yes	25,000 hr	5 in	Feit Electric	56JH50	3
	65W INC	65W	2680K	605 lm	300°	Yes	4,000 hr	4 in	Philips	492Z80	1
Incandescent	65W INC	65W	2690K	610 lm	55°	Yes	2,500 hr	5 ½ in	Philips	492Z81	3
	65W INC	65W	2700K	620 lm	360°	Yes	2,000 hr	5 ½ in	Satco	451F85	1
	65W INC	65W	2710K	620 lm	55°	Yes	2,000 hr	5 ½ in	Philips	492Z82	1
	65W	9 W	2700K	650 lm	110°	No	11,000 hr	5 ½ in	Philips	60RD98	1
LED	85W INC	12.2 W	2700K	1100 lm	120°	Yes	25,000 hr	5 in	Feit Electric	56JH51	2
	85W INC	12.2 W	5000K	1100 lm	120°	Yes	25,000 hr	5 in	Feit Electric	56JH52	2
	100W INC	15 W	2700K	1,400 lm	110°	Yes	15,000 hr	5 ½ in	Philips	55YD48	1
Incandescent	Not Applicable		2850K	540 lm	60°	Not Applicable	2,000 hr	3 ½ in	Sylvania	60DA34	1
BR40 Bulb Shape; Medium Screw (E26) Bulb Base Type											
LED	65W INC/16W CFL	10 W	2700K	800 lm	90°	Yes	15,000 hr	6 ½ in	Philips	54YP78	1
	65W INC	9.4 W	2700K	850 lm	110°	Yes	25,000 hr	6 ½ in	Feit Electric	56JH53	2
	65W INC	9.4 W	3000K	850 lm	110°	Yes	25,000 hr	6 ½ in	Feit Electric	56JH54	2
	65W INC	9.4 W	5000K	850 lm	110°	Yes	25,000 hr	6 ½ in	Feit Electric	56JH55	2
	65W INC	11 W	2700K	950 lm	40°	Yes	15,000 hr	6 ½ in	Current	482P40	1
Incandescent	65W INC	65W	2700K	620 lm	60°	Yes	2,000 hr	2 ¼ in	Philips	493A15	12
	65W INC	65W	2750K	565 lm	55°	Yes	4,000 hr	5 ½ in	Philips	492Z83	1
	65W INC	65W	2750K	565 lm	60°	Yes	2,000 hr	6 ¼ in	Philips	492Z84	1
	85W INC	13 W	2700K	1,070 lm	120°	Yes	25,000 hr	6 ½ in	Current	36GJ48	1
LED	85W INC	13 W	3000K	1,070 lm	120°	Yes	25,000 hr	6 ½ in	Current	36GJ49	1
	85W INC	13 W	5000K	1,070 lm	25°	Yes	25,000 hr	6 ½ in	Current	55XC78	1
	120W INC	15.5 W	2700K	1400 lm	110°	Yes	25,000 hr	5 in	Feit Electric	56JH56	1
	150W INC	20 W	2700K	2,175 lm	110°	Yes	15,000 hr	6 ½ in	Philips	55YD49	1
	250W INC	250W	1330K	378 lm	60°	Yes	5,000 hr	3 ¾ in	Philips	493A01	1
	250W INC	250W	1330K	378 lm	60°	Yes	5,000 hr	6 ½ in	Philips	493A02	1
Incandescent	250W INC	250W	2700K	1200 lm	105°	No	5,000 hr	6 ½ in	Shat-R-Shield	11D011	1
	250W INC	250 W	2850K	2000 lm	80°	Yes	5,000 hr	4 ½ in	Sylvania	56GJ86	1
	250W INC	250 W	2850K	2000 lm	80°	Yes	5,000 hr	4 ½ in	Sylvania	56GK98	1
	500W INC	500W	2700K	5500 lm	360°	Yes	2,000 hr	6 ½ in	Satco	451F99	1
R14 Bulb Shape; Intermediate Screw (E17) Bulb Base Type											
Incandescent	25W INC	25W	2800K	150 lm	30°	Yes	1,750 hr	2 in	Philips	492Z95	1
R20 Bulb Shape; Medium Screw (E26) Bulb Base Type											
Incandescent	30W INC	30W	2550K	205 lm	40°	Yes	2,500 hr	2 ½ in	Philips	492Z96	1
LED	45W INC	5 W	2700K	450 lm	30°	Yes	15,000 hr	3 ¾ in	Current	482P43	1
	45W INC	7 W	5000K	470 lm	25°	Yes	25,000 hr	3 ¾ in	Current	55XC77	1
Incandescent	45W INC	45W	2550K	385 lm	30°	Yes	2,500 hr	3 ¾ in	Philips	492Z97	3
	45W INC	45W	2550K	385 lm	40°	Yes	2,500 hr	4 in	Philips	492Z98	1
	45W INC	45W	2550K	380 lm	40°	Yes	2,000 hr	4 in	Philips	492Z99	1
	45W INC	45W	2600K	385 lm	60°	Yes	2,500 hr	5 ½ in	Philips	493A18	3
LED	50W HAL	5 W	2700K	450 lm	90°	Yes	15,000 hr	3 ¾ in	Philips	54YP76	1
	50W INC	7 W	2700K	470 lm	120°	Yes	25,000 hr	3 ¾ in	Current	36GJ42	1
	50W HAL	7 W	3000K	525 lm	120°	Yes	25,000 hr	3 ¾ in	Current	36GJ43	1
Incandescent	120W INC	120W	1330K	550 lm	40°	Yes	2,000 hr	3 ¾ in	Philips	493A19	1
R30 Bulb Shape; Medium Screw (E26) Bulb Base Type											
LED	65W INC	10 W	2700K	700 lm	120°	Yes	25,000 hr	5 ½ in	Current	40D434	1
	65W INC	10 W	3000K	700 lm	120°	Yes	25,000 hr	5 ½ in	Current	40D435	1
R40 Bulb Shape; Medium Screw (E26) Bulb Base Type											
Incandescent	250W INC	250W	1330K	378 lm	60°	Yes	5,000 hr	6 ½ in	Philips	493A03	1
	375W INC	375 W	2850K	2000 lm	80°	Yes	5,000 hr	4 ½ in	Sylvania	56GJ88	1