

Tools spin their bits like a drill but cut like a saw into drywall, thin metal, or thin plywood. They make a plunge cut and then move up, down, or sideways to cut through material and feature an adjustable depth gauge to control how far the bit cuts into materials. Their barrel-grip body allows for fine control to cut along a straightedge, make curved freehand cuts, and follow the shape of electrical boxes, panels, and frames to make cutouts. Adjustable depth gauge is removable for making deep cuts. Corded for long run times compared to cordless tools and don't have batteries that require recharging.

Max. Speed		Current	Spindle Lock	Cord Length	Brand	Item nd No.	
Corded Cu	it-Out To		20011		2.4		
30.000	RPM	5 A	Yes	10 ft	DeWalt	5VC5	7
30,000 30,000	RPM	5.5 A	No	6 ft	Rotozip	46U37	77
32,000		5 A	Yes	10 ft	Makita	14G98	38
32,000		5 A	Yes	10 ft	Makita	14014	
Drill Bit	Cuttina		100		manaca	Item	Pka.
Diameter	Depth		Bit Applic	otion	Brand	No.	
Cut-Out To		na Dito	DIL APPIIC	ativii	Dianu	NU.	Qty.
Carbide	וועונו חטענו	ily Dits					
5/32 in	1 in	Coment Ros	rd Carami	c Wall Tile, Plaste	r Rotozip	1PKW7	1
5/32 in	1 3/5 in	Cernetit Dua	rhoard Ha	derlayment	Rotozip	2PPY7	+
5/32 in	18 ga				Rotozip	1PKW6	+
1/4 in	16 ya		heet Metal ment Board			4LE34	÷
Diamond (06	IIIeiii Duaii	i, riasiei	Rotozip	4LE34	
½ in	1 in	Co	untertops,	Eloor Tilo	Rotozip	35HX63	1
High Spee			untertops,	FIUUI TIIE	nutuzip	ооплоо	
1/8 in	3/4 in		Drawa	dl .	Dotozin	5JLT3	8
½ in	3/4 in		Drywa		Rotozip	5JLT0	16
78 III		Aluminum C	Drywa		Rotozip		
1/8 in	1 1/8 in	Aluminum	nunny, ribe	rglass, Laminates	, Rotozip	5JLT2	4
		Aluminum C	Ju, FidStic,	Vinyl, Wood			
1/8 in	1 in	Dhave	nunny, Fibel	rglass, Laminates	, Rotozip	5JLT1	16
16 in	1 in	riyw0	Drywa	Vinyl, Wood	Doto-in	41HR17	8
1/8 in 1/8 in	1 in				Rotozip	53DM76	50
½ in	1 in		Drywa		Rotozip	53DM76	16
½ in	1 in		Drywa	III	Rotozip Rotozip		50
½ in	1 in	Drawall	Drywa Dlactic M	all Tile, Wood		53DM84 53DM77	1
½ in	32 mm	Diywaii			Rotozip DeWalt	60NP25	20
½ in	32 mm		Drywa		DeWalt	60NP24	10
½ in	35 mm		Drywa Drywa	III	DeWalt	60NP29	20
½ in	35 mm				DeWalt	60NP28	10
½ in	37 mm		Drywa Multi-Mat		DeWalt	60NP30	5
5/32 in	- 37 IIIIII 7∕8 in		Drywa		Rotozip	2PPY3	2
732 111		Aluminum C		rglass, Laminates			
5∕32 in	1 1/4 in	Physic	nulliy, Fibe	Vinyl, Wood	Rotozip	2PPY5	2
5/32 in	1 in	1 lywo	Drywa	ill	Rotozip	53DM78	10
5/32 in	33 mm		Drywa	ui Ji	DeWalt	60NP26	2
5/32 in	42 mm		Multi-Mat	tarial	DeWalt	60NP31	2
1/4 in	1 ½ in		Drywa		Rotozip	4LE37	1
1/4 in	43 mm		Drywa		DeWalt	60NP27	2
Steel	10 111111		Diywa		Dowan	00111 27	
		Alumi	num Wood	l, Fiberglass,			
5∕32 in	1 in	Laminate	es Plywood	d, Plastic, Vinyl	Rotozip	53DM81	10
5⁄32 in	1 1/4 in	Lammac	Lamina	tes	Rotozip	53DM80	1
Tungsten			Lamma		HOTOLIA	00200	
½ in	3/4 in		Tile		Rotozip	5JLR9	4
						Item	Pkg.
Applicat	tion	Includes		For Use With	Brand	No.	Qtv.
Cut-Out To		ssories					
2 ½ in Cu		(5) 46 Grit Alur	ninum F	RotoZip Tools with	1		
Whee				Cut-Off Wheel	Rotozip	19L474	5
		Oxide Cutting V	-	Adapter and Guard	i .		
2 ½ in Cu		(2) DD-PM W	heel,	•			
Wheel A	rbor	Direct Drive G	uard,	RotoZip Tools	Rotozip	19L473	1
and Gu	ard	Direct Drive Ma	andrel	•			
Circle Cut		Tool Holder v	vith				
4 in to 1		Cutting Gui		RotoSaw	Rotozip	53DM85	1
diamet	er	Gutting Gui	ue				
						Item	Pkg.
Applicat		Includes		For Use With	Brand	No.	Qty.
Cut-Out To	ool Acces	ssories					
2 ½ in Cu	ıt₌Off	(5) 46 Grit Alun	_{ninum} F	RotoZip Tools with			
Whee		Oxide Cutting V	/hoole	Cut-Off Wheel	Rotozip	19L474	5
		_	-	Adapter and Guard	i		
2 ½ in Cu		(2) DD-PM W					
Wheel A		Direct Drive G		RotoZip Tools	Rotozip	19L473	1
and Gu		Direct Drive Ma	andrel				
Circle Cut		Tool Holder v	vith	D-4-0	Det :	F0D***	
4 in to 1		Cutting Gui		RotoSaw	Rotozip	53DM85	1
diameter							



Thin, narrow blades make precise cuts in wood, metal, plastic, and laminates. The blade is held under high tension as the user moves the workpiece past the blade. Electronic variable speed adjusts for various materials. 52HR91 has a longer throat depth to accommodate larger workpieces. All models are corded for long run times compared to cordless tools and have no batteries to recharge.

Throat Depth	Table I	Dimensions	Brand	Model	No.		
Scroll Saws							
20 in		ı x 23¾ in	DeWalt	DW788	4GD67		
22 % in	1243/64	in x 23% in	Jet	JWSS-22	52HR91		
Primary Material					Item		
Application	Tooth Style	Teeth per Inch	Blade Shank Type	Brand	No.		
Replacement Blades, 5 in. Length							
Soft Metal	Skip Tooth	9.5	Pinned End	Eazypower	29UP29		
Soft Metal	Standard	36	Pinned End	Eazypower	29UP37		
Soft Metal	Standard	41	Pinned End	Eazypower	29UP38		
Soft Metal	Skip Tooth	9.5	Plain End	Eazypower	29UP16		
Wood	Standard	10	Plain End	Eazypower	29UP17		
Wood	Standard	15	Plain End	Eazypower	29UP21		
Wood	Standard	18.5	Plain End	Eazypower	29UP22		
Wood	Sniral	41	Plain End	Fazynower	29HP25		



Used in metal fabrication and auto body shops to cut metal when precision is required. They rotate slower and have more torque than general purpose saws to make cleaner, faster cuts. Corded for long run times compared to cordless tools and have no batteries to recharge. **Left Blade Side** makes it easier to see sight lines when the saw is held with the right hand. **Right Blade Side** positions the blade away from the user's body when the saw is held in the right hand.

Blade Dia.	Current	Max. Cutting Depth @ O Deg.			Arbor Size	Handle Type	Includes	Brand	Item No.
Left Blade Side Worm Drive									
8 in	15 A	2 ¾ in	2 ¾ in	0°	5% in		42T Diablo Cermet Blade, Multi-Function Wrench	Skilsaw	48KR88
Right	Blade Sid	le							
Direct	Drive								
7 1⁄4 in	12 A	1 % in	2 ½ in	0° to 45° Right	3⁄4 in	Soft Grip	Ear Protection, Guide Plate, Impact Resistant Case, Mild Steel Saw Blade, Safety Goggles, Saw, Wrench	Fein	34TE66
8 in	15 A	2 %16 in	_	0°	5% in	Tilt	Carrying Case, Hex Blade Wrench, Premium Cermet Tipped Blade	Milwaukee	3WE48
Worm Drive									
9 in	15 A	2 ¾ in	3 ½ in	0° to 45° Right	1 in	Soft Grip	Ear Protection, Guide Plate, Impact Resistant Case, Mild Steel Saw Blade, Safety Goggles, Saw, Wrench	Fein	34TE67