

For more information on Sockets, see page 757.



Insulated Sockets

■ Standard socket depth



1/4" Drive
53KF42

Socket Size	Overall Length	Brand	Item No.
1/4 in Drive Size			
6-Point			
1/4"	1 in	Wiha Tools	53KF49
9/32"	1 in	Wiha Tools	53KF50
5/16"	1 in	Wiha Tools	53KF51
11/32"	1 in	Wiha Tools	53KF52
3/8"	1 in	Wiha Tools	53KF53
7/16"	1 in	Wiha Tools	53KF54
1/2"	1 in	Wiha Tools	53KF55
9/16"	1 in	Wiha Tools	53KF56
10-mm	1 in	Wiha Tools	53KF42
11-mm	1 in	Wiha Tools	53KF43
12-mm	1 in	Wiha Tools	53KF44
13-mm	1 in	Wiha Tools	53KF45
8-mm	1 in	Wiha Tools	53KF40
12-Point			
10-mm	55/64 in	Facom	32H757

Socket Size	Overall Length	Brand	Item No.	Socket Size	Overall Length	Brand	Item No.
1/2 in Drive Size							
12-Point							
1/4"	1 1/8 in	Wiha Tools	53KF57	14-mm	1 1/8 in	Wiha Tools	53KF78
5/16"	1 1/8 in	Jameson/Iti	60XN44	15-mm	1 1/8 in	Wiha Tools	53KF79
9/32"	1 1/8 in	Wiha Tools	53KF58	16-mm	1 1/8 in	Wiha Tools	53KF80
5/16"	1 1/8 in	Wiha Tools	53KF59	17-mm	1 1/8 in	Wiha Tools	53KF81
11/32"	1 1/8 in	Wiha Tools	53KF60	18-mm	1 1/8 in	Wiha Tools	53KF82
3/8"	1 3/4 in	Jameson/Iti	31CE92	19-mm	1 1/8 in	Wiha Tools	53KF83
7/16"	1 1/8 in	Wiha Tools	53KF61	20-mm	1 1/8 in	Wiha Tools	53KF84
1/2"	1 1/8 in	Wiha Tools	53KF62	21-mm	1 1/8 in	Wiha Tools	53KF85
9/16"	2 in	Jameson/Iti	31CE93	22-mm	1 1/8 in	Wiha Tools	53KF86
5/8"	1 1/8 in	Wiha Tools	53KF63	24-mm	1 1/8 in	Wiha Tools	53KF87
11/16"	1 1/8 in	Wiha Tools	53KF64	6-mm	1 1/8 in	Wiha Tools	53KF70
3/4"	1 3/4 in	Jameson/Iti	60XN45	7-mm	1 1/8 in	Wiha Tools	53KF71
13/16"	1 1/8 in	Wiha Tools	53KF65	8-mm	1 1/8 in	Wiha Tools	53KF72
7/8"	1 1/8 in	Wiha Tools	53KF66	9-mm	1 1/8 in	Wiha Tools	53KF73
10-mm	1 13/16 in	Facom	32H762	1/2 in Drive Size			
11-mm	1 1/8 in	Wiha Tools	53KF74	12-Point			
10-mm	1 1/8 in	Wiha Tools	53KF75	3/4"	1 1/8 in	Wiha Tools	53KG19
12-mm	1 1/8 in	Wiha Tools	53KF76	19/16"	1 1/8 in	Wiha Tools	53KG22
				1 1/8"	1 1/8 in	Wiha Tools	53KG24
				1 1/4"	1 1/8 in	Wiha Tools	53KG25
				16-mm	1 1/8 in	Wiha Tools	53KG26
				17-mm	1 1/8 in	Wiha Tools	53KF97
				32-mm	1 1/8 in	Wiha Tools	53KG10



Power Sockets



1/4" Drive Power Socket
5WGK5



1/2" Drive Bit Holder
55EA51

Socket Size	Socket Depth	Finish	Overall Length	Bolt Clearance	Brand	Item No.	Socket Size	Socket Depth	Finish	Overall Length	Bolt Clearance	Brand	Item No.
1/4 in Drive Size													
6-Point													
3/16 in	Standard	Black Oxide	7/8 in	5/32 in	Proto	2MA13	3/16 in	Deep	Natural	3 1/4 in	3/16 in	Apex	5RNL8
1/4 in	Standard	Black Oxide	1 in	11/64 in	Proto	2MA14	1/8 in	Standard	Black Oxide	1 1/2 in	1/4 in	Proto	2MA72
5/16 in	Standard	Natural	7/8 in	9/64 in	Apex	5WGK4	1/2 in	Standard	Black Oxide	1 1/2 in	17/64 in	Proto	2MA73
3/8 in	Standard	Natural	7/8 in	5/32 in	Apex	5WGK7	3/8 in	Standard	Black Oxide	1 1/2 in	21/64 in	Proto	2MA74
3/8 in Drive Size													
6-Point													
3/8 in	Standard	Black Oxide	1 1/8 in	13/64 in	Proto	2MA15	7/8 in	Deep	Natural	4 in	9/16 in	Apex	5RNT0
1/2 in	Standard	Natural	7/8 in	1/8 in	Apex	5WGK5	1 1/8 in	Deep	Natural	4 in	5/8 in	Apex	5RNT1
5/8 in	Standard	Black Oxide	1 1/8 in	1/4 in	Proto	2MA17	Output Drive Size Output Drive Shape Overall Length Locking Brand Item No.						
1 1/8 in	Standard	Black Oxide	1 1/4 in	5/32 in	Proto	2MA18	1/4" Drive Power Bit Holder Sockets	1/4 in	Hex	1 in	No	Proto	1AR82
1 1/4 in	Standard	Black Oxide	1 1/4 in	3/4 in	Proto	2MA19	3/8" Drive Power Bit Holder Sockets	1/4 in	Hex	1 3/4 in	No	Proto	1AT26
1 3/8 in	Standard	Black Oxide	1 1/4 in	1/2 in	Proto	2MA26	1/2 in	Hex	1 1/2 in	No	Proto	1AT27	
1 1/2 in	Standard	Black Oxide	1 1/8 in	3/8 in	Proto	2MA28	3/4 in	Hex	1 1/4 in	No	Apex	6YNX3	
1 5/8 in	Standard	Black Oxide	1 1/8 in	5/16 in	Proto	2MA29	7/8 in	Hex	1 1/8 in	No	Apex	6YNX5	
1 7/8 in	Standard	Black Oxide	1 1/8 in	3/16 in	Proto	2MA30	1 1/8 in	Hex	2 in	Yes	Apex	5WG11	
2 in	Standard	Black Oxide	1 1/8 in	1/4 in	Proto	2MA32	1 1/2 in	Hex	2 in	Yes	Apex	5WGK8	
2 1/8 in	Standard	Black Oxide	1 1/8 in	5/16 in	Proto	2MA33	1/2" Drive Power Bit Holder Sockets						
2 1/4 in	Standard	Black Oxide	1 1/8 in	3/8 in	Proto	2MA34	3/16 in	Hex	1 3/8 in	Yes	Apex	5WGL2	
2 3/8 in	Standard	Black Oxide	1 1/8 in	1/2 in	Proto	2MA35	1/2 in	Hex	1 3/8 in	Yes	Apex	5WGL2	
8-Point													
5/8 in	Standard	Natural	1 in	3/8 in	Apex	5WGEO	3/8 in	Square	2 29/32 in	No	Milwaukee	55EA51	
3/8 in Drive Size													
6-Point													
3/8 in	Standard	Black Oxide	1 3/32 in	3/16 in	Proto	2MA42	3/8 in	Hex	1 1/2 in	No	Apex	6YNW2	
1/2 in	Standard	Black Oxide	1 3/32 in	11/64 in	Proto	2MA43	3/4" Drive Power Bit Holder Sockets						
5/8 in	Standard	Black Oxide	1 1/2 in	15/64 in	Proto	2MA71	5/8 in	Hex	1 1/2 in	No	Apex	6YNX3	
7/8 in	Standard	Black Oxide	1 3/16 in	1/4 in	Proto	2MA44	7/8 in	Hex	1 1/4 in	No	Apex	6YNX5	
1 in	Standard	Black Oxide	1 3/16 in	1/2 in	Proto	2MA45	1 1/8 in	Hex	2 in	No	Apex	6UGF8	
1 1/8 in	Standard	Black Oxide	1 3/16 in	21/64 in	Proto	2MA46	1" Drive Power Bit Holder Sockets						
1 1/4 in	Standard	Black Oxide	1 3/16 in	11/64 in	Proto	2MA54	3/8 in	Hex	2 1/4 in	No	Apex	6UGF7	
1 1/2 in	Standard	Black Oxide	1 3/32 in	11/64 in	Proto	2MA56	7/8 in	Hex	2 1/8 in	No	Apex	6UGF6	
1 3/4 in	Standard	Black Oxide	1 3/32 in	1/2 in	Proto	2MA55							
1 7/8 in	Standard	Natural	50 3/5 mm	8 mm	Apex	5WGPO							
2 in	Standard	Black Oxide	1 3/4 in	1/32 in	Proto	2MA56							
2 1/8 in	Standard	Black Oxide	1 3/4 in	1/64 in	Proto	2MA57							
2 1/4 in	Standard	Black Oxide	1 3/4 in	1/32 in	Proto	2MA58							
2 3/8 in	Standard	Black Oxide	1 3/4 in	1/64 in	Proto	2MA59							
2 1/2 in	Standard	Black Oxide	1 3/4 in	21/64 in	Proto	2MA60							



Nonsparking Sockets

■ Natural finish



1/4" Drive Metric
32NJ71



1/2" Drive Torx
60KD82

Socket Size	Overall Length	Item No.	Socket Size	Overall Length	Item No.	Socket Size	Overall Length	Item No.
1/4" Drive SAE								
Standard								
5/16"	5/8 in	32NJ55	1 1/4"	2 in	49UH53	1/2" Drive Metric Deep		
3/8"	11/16 in	32NJ57	1 1/8"	2 in	4RP66	19-mm	75 mm	49UJ63
7/16"	13/16 in	32NJ58	1 5/8"	2 1/4 in	4RPG9	21-mm	75 mm	49UJ65
1/2"	1 1/8 in	32NJ59	2"	2 9/16 in	4RPH5	24-mm	75 mm	49UJ68
9/16"	7/8 in	32NJ60	Deep			25-mm	75 mm	49UJ69
3/8" Drive SAE								
Standard								
1/2"	1 5/16 in	4RPU9	1 1/8"	3 3/8 in	32NK28	3/4" Drive Metric Standard		
15/16"	1 9/16 in	4RPV7	1 5/8"	3 3/8 in	32NK31	36-mm	1 7/8 in	4RPJ1
Deep								
9/16"	1 7/8 in	49UJ42	1 3/8"	3 7/16 in	32NK35	37-mm	2 in	4RPJ2
7/8"	2 1/2 in	49UJ47	1" Drive SAE Standard			40-mm	52 mm	49UJ36
15/16"	2 1/2 in	49UJ48	1 1/4"	2 1/2 in	49UH82	47-mm	62 mm	49UJ37
1/2" Drive SAE Standard								
15/16"	1 1/2 in	1TEF2	3 7/8"	5 9/16 in	49UJ15	1" Drive Metric Standard		
1 1/8"	1 5/8 in	1TEF4	Deep			36-mm	65 mm	49UH62
1 1/4"	1 5/8 in	1TEF5	1 13/16"	3 7/16 in	49UK21	55-mm	87 mm	49UH69
1 5/8"	2 1/4 in	49UH23	1 7/8"	3 7/16 in	49UK22	Deep		
Deep								
9/16"	3 3/16 in	49UJ82	2 5/8"	4 5/8 in	49UK34	60-mm	4 1/8 in	49UK09
3/4"	3 3/16 in	49UJ87	2 3/4"	4 5/8 in	49UK35	1/2" Drive Torx Plus Sockets Standard		
15/16"	3 3/16 in	49UJ91	1/4" Drive Metric Deep			EP18	1 3/64 in	60KD82
1 1/16"	3 3/16 in	49UJ93	12-mm	50 mm	32NJ71	EP20	1 49/64 in	60KD83
1 1/8"	3 3/16 in	49UJ94	13-mm	50 mm	32NJ72	EP22	2 in	60KD84
1 1/4"	3 3/16 in	49UJ96	14-mm	50 mm	32NJ73	3/8" Drive Metric Standard		
1 1/2"	3 3/16 in	49UK01	5/8" Drive Metric Standard			10-mm	13/16 in	4RPW3
1 5/8"	3 3/16 in	49UK03	Deep			13-mm	1 3/4 in	49UJ24
						21-mm	2 1/2 in	49UJ32
						8-mm	1 3/4 in	49UJ19