

# HAND TOOLS

## Ratchets

CONTINUED



## Ratchets



Head Shape	Reversing	Overall Length	Finish	Minimum Arc Swing	Grip Style	Brand	Item No.
<b>Standard-Head Ratchets</b>							
<b>¼ in Drive Size</b>							
Pear	Yes	5 in	Black Oxide	4 °	Ergonomic	Proto	53GL90
	Yes	5 in	Chrome	4 °	Ergonomic	Proto	53GL89
	Yes	5 in	Chrome	4.3 °	Smooth	Westward	53V76
	Yes	5½ in	Black Oxide	8 °	Ergonomic	Proto	5ME83
	Yes	6 in	Chrome	4 °	Knurled	SK Tools	48AN60
	Yes	8 in	Chrome	4 °	Knurled	SK Tools	56FP96
	Yes	9 in	Chrome	4 °	Ergonomic	Proto	53GL91
	Yes	12 in	Chrome	4 °	Knurled	SK Tools	56FP97
	No	4½ in	Black Oxide	5 °	Knurled	Proto	19C364
	Yes	4½ in	Chrome	4 °	Knurled	SK Tools	48AN63
	Yes	4½ in	Chrome	6 °	Knurled	SK Tools	12D242
	Yes	6 in	Chrome	5 °	Ergonomic	Westward	45AW49 *
Yes	6½ in	Chrome	6 °	Knurled	SK Tools	12D243	
<b>¾ in Drive Size</b>							
Pear	Yes	4 in	Chrome	4 °	Knurled	SK Tools	56FP98
	Yes	5 in	Chrome	15 °	Knurled	Proto	426G36
	Yes	7 in	Black Oxide	15 °	Knurled	Proto	1AH60
	Yes	7 in	Chrome	15 °	Knurled	Proto	5LP82
	Yes	7 in	Chrome	15 °	Knurled	Proto	426G37
	Yes	7¼ in	Chrome	4 °	Knurled	SK Tools	48AN61
	Yes	7½ in	Black Oxide	4 °	Ergonomic	Proto	53GL84
	Yes	7½ in	Chrome	4 °	Ergonomic	Proto	53GL83
	Yes	8¼ in	Chrome	4.3 °	Smooth	Westward	53V77
	Yes	8½ in	Black Oxide	8 °	Ergonomic	Proto	5ME85
	Yes	8½ in	Chrome	8 °	Ergonomic	Proto	426G38
	Yes	11 in	Black Oxide	8 °	Ergonomic	Proto	19C574
	Yes	11 in	Black Oxide	15 °	Knurled	Proto	19C365
	Yes	11 in	Chrome	4 °	Knurled	SK Tools	56FP99
	Yes	11 in	Chrome	8 °	Ergonomic	Proto	426G42
	Yes	11 in	Chrome	15 °	Knurled	Proto	426G41
	Yes	11¼ in	Chrome	5 °	Smooth	Westward	440G13
	Yes	12½ in	Black Oxide	4 °	Ergonomic	Proto	53GL88
	Yes	12½ in	Chrome	4 °	Ergonomic	Proto	53GL86
	Yes	15 in	Chrome	4 °	Knurled	SK Tools	56FR01
	No	7¼ in	Black Oxide	5 °	Knurled	Proto	19C366
	Yes	4¾ in	Chrome	9 °	Knurled	SK Tools	12D284
	Yes	6½ in	Chrome	6 °	Knurled	SK Tools	12D283
	Yes	7¼ in	Chrome	4 °	Knurled	SK Tools	48AN64
Yes	7¼ in	Chrome	5 °	Knurled	Proto	2CEG2	
Yes	7¼ in	Chrome	9 °	Knurled	SK Tools	12D260	
Yes	9 in	Chrome	5 °	Ergonomic	Westward	45AW48 *	
Yes	10¼ in	Chrome	9 °	Knurled	SK Tools	12D261	
<b>½ in Drive Size</b>							
Pear	Yes	10 in	Black Oxide	15 °	Knurled	Proto	1AM19
	Yes	10 in	Chrome	15 °	Knurled	Proto	4LV08
	Yes	10 in	Chrome	15 °	Knurled	Proto	426G43
	Yes	10½ in	Black Oxide	4 °	Ergonomic	Proto	53GL77
	Yes	10½ in	Black Oxide	8 °	Ergonomic	Proto	5ME88
	Yes	10½ in	Chrome	4 °	Ergonomic	Proto	53GL76
	Yes	10½ in	Chrome	8 °	Ergonomic	Proto	426G44
	Yes	11 in	Chrome	4.3 °	Smooth	Westward	53V78
	Yes	12 in	Chrome	4 °	Knurled	SK Tools	48AN62
	Yes	15 in	Black Oxide	8 °	Ergonomic	Proto	19C573
	Yes	15 in	Chrome	4 °	Knurled	SK Tools	56FR02
	Yes	15 in	Chrome	8 °	Ergonomic	Proto	426G47
	Yes	16 in	Black Oxide	15 °	Knurled	Proto	1AM22
	Yes	16 in	Chrome	15 °	Knurled	Proto	426G46
	Yes	17½ in	Black Oxide	4 °	Ergonomic	Proto	53GL80
	Yes	17½ in	Chrome	4 °	Ergonomic	Proto	53GL78
	Yes	24 in	Chrome	4 °	Knurled	SK Tools	56FR03
	Yes	25½ in	Black Oxide	4 °	Ergonomic	Proto	53GL82
	Yes	25½ in	Chrome	4 °	Ergonomic	Proto	53GL81
	No	9¼ in	Black Oxide	5 °	Knurled	Proto	19C363
	No	15 in	Chrome	5 °	Knurled	Proto	19C370
	Yes	9¼ in	Chrome	5 °	Knurled	Proto	2CEG4
	Yes	10¼ in	Chrome	4 °	Knurled	SK Tools	48AN65
	Yes	10¼ in	Chrome	7.5 °	Knurled	SK Tools	12D278
Yes	15 in	Chrome	7.5 °	Knurled	SK Tools	12D279	
<b>¾ in Drive Size</b>							
Pear	Yes	19½ in	Chrome	15 °	—	Westward	45J214
	Yes	20 in	Black Oxide	15 °	Knurled	Proto	1AP26
	Yes	20 in	Satin	15 °	Knurled	Proto	426G49
Round	Yes	24 in	Chrome	8 °	Knurled	Wright Tool	29A177
<b>1 in Drive Size</b>							
Pear	Yes	30 in	Chrome	15 °	—	Westward	45J258
Yes	30 in	Black Oxide	8 °	Knurled	Wright	48J313	
Round	Yes	30 in	Chrome	8 °	Knurled	Wright Tool	29AN37
Yes	42 in	Black Oxide	8 °	Knurled	Wright	48J316	
<b>Standard-Head Female Ratchets</b>							
<b>¾ in Drive Size</b>							
Pear	Yes	7 in	Chrome	15 °	Knurled	Proto	1AH63
<b>½ in Drive Size</b>							
Pear	Yes	16 in	Full Polish	15 °	Knurled	Proto	1AM31
<b>¾ in Drive Size</b>							
Pear	Yes	20 in	Chrome	15 °	Knurled	Proto	1AP28
<b>1 in Drive Size</b>							
Pear	Yes	26 in	Satin	15 °	Knurled	Proto	426G50
<b>Standard-Head Spud Handle Ratchets</b>							
<b>½ in Drive Size</b>							
Pear	Yes	14 in	Black Oxide	6.9 °	Spud Handle	Proto	1AM29
<b>Standard-Head Hammering Ratchets</b>							
<b>½ in Drive Size</b>							
Hammer	Yes	13¼ in	Satin	6 °	Kraftform	Wera	6XFY6
<b>Standard-Head Scaffolding Ratchets</b>							
<b>½ in Drive Size</b>							
Round	Yes	10 in	Chrome	8 °	Knurled	Proto	4VP08

\*Pass-through ratchet

Scan. Order. Done.  
Details on page A1.



Head Shape	Reversing	Overall Length	Finish	Minimum Arc Swing	Grip Style	Brand	Item No.	
<b>Quick Release Standard-Head Ratchets</b>								
<b>¼ in Drive Size</b>								
Pear	Yes	5 in	Chrome	4.3 °	Smooth	Westward	440G11	
	Yes	5½ in	Chrome	5 °	Smooth	Westward	4YP74	
	Yes	5½ in	Chrome	8 °	Ergonomic	Proto	426G35	
	Yes	5½ in	Chrome	8 °	Smooth	Westward	33M357	
	Yes	6¼ in	Chrome	4.3 °	Ergonomic	Westward	54RY24	
<b>¾ in Drive Size</b>								
Pear	Yes	4¾ in	Chrome	4.3 °	Smooth	Westward	440G12	
	Yes	7¼ in	Chrome	5 °	Smooth	Westward	4YP74	
	Yes	7¼ in	Chrome	8 °	Smooth	Westward	33M359	
	Yes	8½ in	Chrome	4.3 °	Smooth	Westward	440G15	
	Yes	8½ in	Chrome	8 °	Ergonomic	Proto	426G40	
	Yes	9 in	Chrome	4.3 °	Ergonomic	Westward	54RY25	
	Yes	18 in	Chrome	10 °	Ergonomic	Westward	51ZD5	
	<b>½ in Drive Size</b>							
	Pear	Yes	10 in	Chrome	5 °	Knurled	Westward	1KEJ1
		Yes	10 in	Chrome	5 °	Smooth	Westward	4YP75
		Yes	10½ in	Chrome	8 °	Ergonomic	Proto	426G45
		Yes	11 in	Chrome	4.3 °	Smooth	Westward	440G17
Yes		11½ in	Chrome	4.3 °	Ergonomic	Westward	54RY25	
Yes		15 in	Chrome	7.5 °	—	Westward	51ZT7	
Yes	15 in	Chrome	8 °	Ergonomic	Proto	426G48		
<b>¾ in Drive Size</b>								
Pear	Yes	19¾ in	Chrome	15 °	—	Westward	5MX65	
<b>Quick Release Flex-Head Ratchets</b>								
<b>¾ in Drive Size</b>								
Pear	Yes	9½ in	Chrome	5 °	Smooth	Westward	1NUD5	
<b>½ in Drive Size</b>								
Pear	Yes	25 in	Chrome	5 °	Smooth	Westward	440G16	
<b>Quick Release Offset-Head Ratchets</b>								
<b>¾ in Drive Size</b>								
Pear	Yes	8 in	Chrome	5 °	Ergonomic	Westward	5TZE4	
<b>½ in Drive Size</b>								
Pear	Yes	10 in	Chrome	5 °	Ergonomic	Westward	5TZE5	
<b>Flex-Head Ratchets</b>								
<b>¼ in Drive Size</b>								
Pear	Yes	5 in	Chrome	4 °	Knurled	SK Tools	56FP93	
	Yes	7¼ in	Chrome	5 °	Smooth	Westward	440G10	
	Yes	9 in	Chrome	4 °	Ergonomic	Proto	53GL92	
Round	Yes	6¼ in	Chrome	6 °	Knurled	SK Tools	12D244	
Yes	6½ in	Chrome	5 °	Knurled	Proto	2CEG1		
<b>¾ in Drive Size</b>								
Pear	Yes	7½ in	Chrome	4 °	Ergonomic	Proto	53GL85	
	Yes	9½ in	Chrome	5 °	Smooth	Westward	440G14	
	Yes	11 in	Chrome	4 °	Knurled	SK Tools	56FP94	
	Yes	12½ in	Chrome	4 °	Ergonomic	Proto	53GL87	
	Yes	5 in	Chrome	9 °	Knurled	SK Tools	12D267	
	Yes	6¼ in	Chrome	6 °	Knurled	SK Tools	34NL82	
Round	Yes	8½ in	Chrome	5 °	Knurled	Proto	2CEG3	
Yes	10¼ in	Chrome	9 °	Knurled	SK Tools	12D268		
<b>½ in Drive Size</b>								
Pear	Yes	15 in	Chrome	4 °	Knurled	SK Tools	56FP95	
	Yes	17½ in	Chrome	4 °	Ergonomic	Proto	53GL79	
	Yes	17 in	Chrome	5 °	Knurled	Proto	2CEG5	
Round	Yes	17½ in	Chrome	7.2 °	Knurled	SK Tools	12D277	
<b>Nonsparking Standard-Head Ratchets</b>								
<b>¼ in Drive Size</b>								
Pear	Yes	5 in	Natural	30 °	—	Ampco	49UL48	
<b>¾ in Drive Size</b>								
Pear	Yes	7¼ in	Natural	30 °	—	Ampco	4RPY1	
<b>½ in Drive Size</b>								
Pear	Yes	10 in	Natural	30 °	—	Ampco	1TEF6	
<b>¾ in Drive Size</b>								
Pear	Yes	18 in	Natural	30 °	—	Ampco	4RPJ8	
<b>Nonsparking Insulated Standard-Head Ratchets</b>								
<b>¾ in Drive Size</b>								
Round	No	7¾ in	Insulated	30 °	Insulated	Ampco	24Y884	
<b>Insulated Standard-Head Ratchets</b>								
<b>¼ in Drive Size</b>								
Pear	Yes	5½ in	Insulated	1.5 °	Insulated	Wiha Tools	26X313	
<b>¾ in Drive Size</b>								
Pear	Yes	7½ in	Insulated	1.5 °	Insulated	Wiha Tools	26X314	
Round	No	7 in	Insulated	—	Insulated	Facom	32B625	
Yes	7 in	Insulated	5 °	Insulated	Jameson/Itl	31CE89		
<b>½ in Drive Size</b>								
Pear	Yes	10¼ in	Insulated	1.5 °	Insulated	Wiha Tools	26X312	
Round	No	10¼ in	Insulated	—	Insulated	Facom	32B623	
<b>Friction Spanner Ratchets</b>								
Round	No	10 in	Black Oxide	1 °	One Piece	Gedore	53PH66	
	No	16 in	Black Oxide	1 °	One Piece	Gedore	53PH68	
	No	20 in	Black Oxide	1 °	One Piece	Gedore	53PH69	
	No	25 in	Black Oxide	1 °	One Piece	Gedore	53PH70	
No	30 in	Black Oxide	1 °	One Piece	Gedore	53PH71		
<b>Adjustable Length Ratchets</b>								
<b>¾ in Drive Size</b>								
Pear	Yes	13 in	Chrome	5 °	Ergonomic	Westward	55KE96	
<b>½ in Drive Size</b>								
Pear	Yes	17¼ in	Chrome	5 °	Ergonomic	Westward	55KE97	
<b>Offset Flex-Head Ratchets</b>								
<b>¾ in Drive Size</b>								
Round	Yes	10¾ in	Chrome	9 °	Offset Knurled	SK Tools	12D269	
<b>Tether-Ready Standard-Head Ratchets</b>								
<b>¾ in Drive Size</b>								
Pear	Yes	8½ in	Chrome	8 °	Ergonomic	Proto	24AJ69	
Yes	11 in	Chrome	8 °	Ergonomic	Proto	31CL45		
<b>½ in Drive Size</b>								
Pear	Yes	10½ in	Chrome	8 °	Ergonomic	Proto	24AJ67	
Yes	15 in	Chrome	8 °	Ergonomic	Proto	24AJ68		
<b>Thumbwheel Ratchets</b>								
<b>¼ in Drive Size</b>								
Round	No	1½ in	Chrome	—	Knurled	SK Tools	20K390	
<b>¾ in Drive Size</b>								
Round	No	1½ in	Chrome	—	Knurled	SK Tools	12D265	