



Itom

ltem No.



JOHNSON Optical Levels and Transit Levels

• For additional laser and optical laser level accessories, see Grainger.com

OPTICAL LEVELS

DeWalt Auto Level—Magnetically dampened compensator for optimum range and accuracy. Heavy-duty leveling base is fast and easy to set up and level. 360° horizontal circle for precise measuring of horizontal angles.

DeWalt Builder's Level—Protected leveling vial for jobsite durability. Heavy-duty leveling base is fast and easy to set up and level. 360° horizontal circle with vernier scale for precise measuring of horizontal angles.

Johnson Automatic Levels—Wire-hung compensator with reinforced housing has a large aperture for crisp images. Durable scope and bubble vial. Horizontal circle with easy-toread black-on-white graduations. Large, stable base.

Johnson Builder's Levels—Has a horizontal circle graduated to single degrees and lens with protective sun shade. Horizontal tangent screw for precise movement control. Top-mounted leveling vial with large, easy-to-turn leveling screws. Suitable for light construction work.

TRANSIT LEVELS

DeWalt Transit Level—Transit capability allows user to determine vertical angles. 360° horizontal circle with vernier scale for precise measuring of horizontal angles. Protected leveling vial for jobsite durability. Heavy-duty leveling base is fast and easy to set up and level.

Johnson Builder's Transit Levels—Graduated circle reads to single degree and to ¼-degree by vernier. Vernier arc reads 0° to 45°. Clamp and tangent screws for positive leveling action when used as a level.

Includes

| Item | Magnification | Working Range | Accuracy | Includes | Brand | No. |
|----------------------------|---------------|---------------|---------------------|--|---------|--------|
| Optical Levels | | | | | | |
| Automatic Level | 30x | 400 ft | +/-1/16 in @ 200 ft | Hard Shell Carrying Case | Johnson | 6ZTN6 |
| Automatic Level | 32x | 450 ft | +/-1/16 in @ 200 ft | Hard Shell Carrying Case | Johnson | 6ZTN5 |
| Automatic Level Kit | 26x | 300 ft | +/-1/32 in @ 100 ft | Case, 8 Foot Aluminum Grade Rod And Tripod | DeWalt | 4EB82 |
| Automatic Level Kit | 30x | 400 ft | +/-1/16 in @ 200 ft | Tripod, Grade Rod, Carrying Case | Johnson | 25K797 |
| Automatic Level Kit | 32x | 450 ft | +/-1/16 in @ 200 ft | Tripod, Grade Rod, Carrying Case | Johnson | 25K798 |
| Builders Level Kit | 20x | 200 ft | +/-1/4 in @ 100 ft | Hard Carrying Case, Plumb Bob, 5% in Heavy Duty Tripod, 8ft Aluminum Grade Rod | DeWalt | 4EB83 |
| Builders Level Kit | 22x | 200 ft | +/-3/16 in @ 100 ft | Tripod, Grade Rod, Carrying Case | Johnson | 25K794 |
| Transits | | | | | | |
| Builders Transit Level | 22x | 200 ft | +/-3/16 in @ 100 ft | Hard Shell Carrying Case | Johnson | 2CGJ5 |
| Builders Transit Level Kit | 22x | 200 ft | +/-3/16 in @ 100 ft | Tripod, 13 ft Grade Rod, Carrying Case | Johnson | 25K795 |
| Transit Level Kit | 20x | 200 ft | +/-1/4 in @ 100 ft | Hard Carrying Case, Plumb Bob, 5% in Heavy Duty Tripod, 8ft Aluminum Grade Rod | DeWalt | 4EB84 |

.

Description



Laser Level Accessories





| letectors and Targets | | |
|--|---|--------|
| Green Beam Rotary Laser Detector | - Clamp and Battery - | 49ET12 |
| Red Beam Two-Sided Laser Detector, Rotary | | 3RXD4 |
| Red Beam Laser Detector Kit | Clamp, Battery, Target Glasses | 3RXD5 |
| Red Beam Laser Detector, Grade Rod or Machine Mountable 240° | Clamp, Battery | 4WMC4 |
| Red Beam Laser Detector, Machine Mountable w/Magnets and Clamps | Magnets, Clamps, Cable, Charger, Rechargeable Batteries, Hard Shell Carrying Case | 4WMC6 |
| Remote Display for No. 4WMC6 | Cable | 4WMC7 |
| Line Generator Laser Detector | Clamp and Battery | 3RXD9 |
| Red Beam Rotary Laser Detector | Clamp and Batteries | 3RXD6 |
| Green Beam Kit | Glasses, Target | 1YRR8 |
| Magnetic Floor Target, Red | | 1YRT8 |
| Enhancement Glasses, Red | | 1YRV4 |
| Aounts | | |
| Interior Laser Pole | - Carrving Bag - | 1YRT2 |
| Wall and Ceiling | | 1YRT3 |
| elescoping Leveling Rods, Aluminum w/Silver Anodize | d Finish on Front and Hi-Visibility Ye | |
| Rectangular, 8 ft | | 6ZTL6 |
| Rectangular, 13 ft | - | 1YRT4 |
| Rectangular, 16 ft | | 1YRT5 |
| elescoping Leveling Rods, Fiberglass | | |
| Rectangular, 16 ft | - Carrying Case - | 6ZTL5 |
| Rectangular, 25 ft | Garrying Gase | 6ZTL4 |
| ripods, Aluminum | | |
| Universal Tripod Kit Grade Rod 13 ft, Tripod 37 to 59 in | Adjustable Aluminum Tripod and Telescoping Aluminum Grade Rod | 1YRR6 |
| Tripod, Adjustable from 23 to 65 in | Tripod Adapter to Convert 5%-11 to 1/4-20 | 1YRV5 |
| Tripod, Adjustable from 41 ¾ to 67 in | Carrying Strap | 1YRT7 |
| Tripod, Adjustable from 48 to 60 in | | 6ZTL7 |
| | | 1YRT6 |
| Tripod, Adjustable from 49 1/8 to 118 1/8 in | | 111110 |
| Tripod, Adjustable from 49 % to 118 ½ in ripods, Fiberglass | | 6ZTL8 |



1YRR6

Find even MORE on Grainger.com®

1-800-GRAINGER (472-4643)