



## Cordless and Air-Operated Grease Gun Kits

- Cartridge capacity 141/2 oz.
- Bulk capacity 16 oz.

**LINCOLN** 

Cartridge or bulk grease loading

For grease types up to NLGI Grade 2. Silver-color tube.

**Cordless**—49CT89, 49CT90, 30HL30, and 30HL31 feature stable 3-point stance. 1260 Series have an air purge valve and integrated hose holder.

1440 Series cycle indicator pin helps monitor grease output. 1840 Series with high-torque motor and high-capacity battery dispense up to 10 grease cartridges with a single charge.

**Air-Operated**—Variable-speed trigger. Advanced pump design helps eliminate priming problems. ½" FNPT air inlet. Air operating range: 40 to 150 psi. 40:1 ratio.







1XGN5

Battery Type	Nozzle Extension Type	Hose Length	No. of Speeds	Strokes for 1-oz. Output	Grease Gun Handle Style	Max. Operating Pressure	Battery	Mfr. Model	Item No.
	Grease Gun								
12 V Volta	ige								
Li-lon	Flex Hose	30 in	_	2.6	Pistol Grip	8,000 psi	Mfr. No. 1261	1262	49CT89
	Flex Hose	30 in	_	2.6	Pistol Grip	8,000 psi	(2) Mfr. No. 1261	1264	49CT90
14.4 V Vol	tage				•				
NiCad	Flex Hose	30 in	2	50 stroke/oz	Pistol Grip	7,500 psi	(2) 1XGN4	1444	1XGN5
20 V Volta	ige						. ,		
Li-lon	Flex Hose	36 in	2		Pistol Grip	10,000 psi	30HL32	1882	30HL30
	Flex Hose	36 in	2	_	Pistol Grip	10,000 psi	(2) 30HL32	1884	30HL31
Air-Operat	ed Grease Gu	n							
_	Flex Hose	30 in	_	_	Pistol Grip	6,000 psi	_	1162	2FRU5
		Des	cription				Mfr. Model		Item No.
Cordless 6	Grease Gun Ac	cessories							
20V Batte	ry for No. 30H	L30					1871	3	30HL32
110V Batt	ery Battery Ch	arger for us	e with Pow	er Luber			1410		3LKR5
Clear Grea	ase Tube						1100CLR		1XGP2

### Legacy )

# Portable Air-Operated Grease Pump Package

- Pump ratio 55:1
- Volume per minute: 22 oz.

Includes	Size	Mfr.	Item
	(lb./gal.)	Model	No.
Pump, Air Coupler, Booster Gun with 360°, Z Swivel, Rubber Edged Follower Plate, Hose and Heavy Duty Metal Dolly	35/5	L6000	4ZT49

# ARO Air-Operated Grease

47T49

GREASE

## Pump Packages - Pump ratio 50:1

- Max. pressure 7500 psi
- For NLGI 1 and NLGI 2 grease

Include air pump, air coupler/connector, pail/drum cover, follower plate, and high-pressure hose.

Volumo



**4KK63** 


Fits Container Size	per Minute	Length	Motor Size	Model	No.			
Grease Pump with Gun								
35 lb/5 gal Pail	9 lb	10 ft	2 in	LP2002-1-B	4KK63			
35 lb/5 gal Pail	7.5 lb	10 ft	3 in	LP3001-1	4KK65			
120 lb/16 gal Drum	9 lb	10 ft	2 in	LP2004-1-B	4KK64			
Grease Pump								
400 lb/55 gal Drum	7.5 lb	4 ft	3 in	LP3009-1	4ZT13			
Portable Grease Pump with Gun								
120 lb/16 gal Drum	7.5 lb	10 ft	3 in	LP3003-1	4KK66			

#### WESTWARD

### Air-Operated Grease Pump Packages

- Pump ratio 50:1
- For NLGI 1 and NLGI 2 grease


Include drum cover, rubber lined follower plate, and grease hose. A grease control gun with 360° Z-swivel comes with all except 5TCV3.





## Air-Operated Grease Pump Packages

- Pump ratio 60:1
- Volume per minute: 48 oz.
- For NLGI 1 and NLGI 2 grease





6ANR2